

WARR

Juanda International Airport


WALL

Balikpapan Sepinggan

2024/05/08 1139Z

WARR RAMPY **W31** BDM **W18** BISOM WALL

447.65 nm / 829.05 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 300kts
- Cruise Altitude: 34000ft
- Cruise Speed: 430kts
- Descent Rate: 2000ft/min
- Descent Speed: 265kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WARR APT	-	-7.37983 112.78700	0 ft 0 m	-	Juanda International Airport
RAMPY FIX	-	-6.25016 113.34600	26,300 ft 8,016 m	75	-
IKAPI FIX	W31 AWY-HI	-4.95603 113.97700	34,000 ft 10,363 m	86	-
BDM VOR	W31 AWY-HI	-3.43680 114.73100	34,000 ft 10,363 m	101	BANJARMASIN
BISOM FIX	W18 AWY-HI	-2.32315 115.84400	24,900 ft 7,590 m	94	-
WALL APT	-	-1.26827 116.89400	0 ft 0 m	89	Balikpapan Sepinggan

WARR

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 1

Elevation: 11 ft / 3 m
Location: -7.379830 112.787000
Magnetic Var: 0.585 E

METAR

WARR 081100Z 05007KT 9999 FEW020 29/26 Q1008 NOSIG

TAF

TAF WARR 080500Z 0806/0906 08008KT 9999 FEW020 BECMG 0818/0820 25004KT 5000 HZ BECMG 0900/0902 09008KT 9999 NSW

Frequencies

TWR - 118.30 MHz - JUANDA TOWER
REC - 128.20 MHz - ATIS

GND - 118.90 MHz - JUANDA GROUND
APP - 125.10 MHz - SURABAYA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,852 ft	99.25	ASPHALT	0 ft	312 ft
	45 m	3,003 m	98.66		0 m	95 m
28	148 ft	9,852 ft	279.24	ASPHALT	0 ft	292 ft
	45 m	3,003 m	278.66		0 m	89 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ISBY	110.10 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
10	LOC-ILS	ISBY	110.10 MHz	18 nm	99.30	-	8 ft
				33 km	98.71		8 m
10	GS	ISBY	110.10 MHz	10 nm	99.63	3.00	9 ft
				19 km	99.05		9 m

WALL

Region: INDONESIA
Timezone: ASIA/MAKASSAR
Runways: 1

Elevation: 12 ft / 4 m
Location: -1.268270 116.894000
Magnetic Var: 0.074 W

METAR

WALL 081100Z 00000KT 8000 SCT018 28/26 Q1007 NOSIG

TAF

TAF WALL 080500Z 0806/0912 19006KT 9999 SCT018 PROB30 TEMPO 0807/0810 5000 RA FEW015CB

Frequencies

REC - 127.60 MHz - ATIS
GND - 118.10 MHz -
DEP - 121.10 MHz - BALIKPAPAN DEPARTURE
TWR - 118.70 MHz -
APP - 120.40 MHz - BALIKPAPAN APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	8,210 ft	67.03	ASPHALT	0 ft	197 ft
	45 m	2,502 m	67.10		0 m	60 m
25	148 ft	8,210 ft	247.03	ASPHALT	0 ft	197 ft
	45 m	2,502 m	247.10		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	IBPN	110.90 MHz	18 nm	247.07	-	12 ft
				33 km	247.14		12 m
25	GS	IBPN	110.90 MHz	10 nm	247.94	3.00	12 ft
				19 km	248.02		12 m