


2024/05/13 0520Z

CYQX QX **B21** AY **RR5** YMH NEEKO 5400N05500W 5500N05400W 5700N05300W 5900N05200W 6000N05100W 61/50
EVDIR **W60** KU BGGH

987.11 nm / 1828.13 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYQX APT	-	48.94200 -54.56600	0 ft 0 m	-	GANDER INTL
QX NDB	-	48.96440 -54.67020	1,500 ft 457 m	4	GANDER
AY NDB	B21 AWY-LO	51.38670 -56.09500	35,000 ft 10,668 m	155	ST ANTHONY
YMH NDB	RR5 AWY-LO	52.31460 -55.83150	35,000 ft 10,668 m	56	MARY'S HARBOUR
NEEKO FIX	-	52.40000 -55.83330	35,000 ft 10,668 m	5	-
5400N05500W LATLON	-	54.00000 -55.00000	35,000 ft 10,668 m	100	-
5500N05400W LATLON	-	55.00000 -54.00000	35,000 ft 10,668 m	69	-
5700N05300W LATLON	-	57.00000 -53.00000	35,000 ft 10,668 m	124	-
5900N05200W LATLON	-	59.00000 -52.00000	35,000 ft 10,668 m	124	-
6000N05100W LATLON	-	60.00000 -51.00000	35,000 ft 10,668 m	67	-
61/50 LATLON	-	61.00000 -50.00000	35,000 ft 10,668 m	66	-
EVDIR FIX	-	61.99580 -49.64780	32,400 ft 9,876 m	60	-
KU NDB	W60 AWY-LO	64.07000 -52.01310	2,400 ft 732 m	140	KOOK ISLANDS
BGGH APT	-	64.19090 -51.67810	0 ft 0 m	11	Nuuk Godthab

CYQX

Region: CANADA

Timezone: AMERICA/ST_JOHNS

Runways: 2

Elevation: 496 ft / 151 m

Location: 48.942000 -54.566000

Magnetic Var: 17.616 W

METAR

CYQX 130500Z 22012G19KT 180V250 6SM -DZ BR OVC007 04/03 A2977 RMK ST8 SLP089

TAF

TAF CYQX 122344Z 1300/1324 17015G25KT 4SM -DZ BR OVC006 TEMPO 1300/1316 P6SM NSW OVC012 BECMG 1310/1312 23012KT FM

Frequencies

REC - 124.80 MHz - ATIS

TWR - 118.10 MHz -

GND - 121.90 MHz -

APP - 128.50 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	200 ft	10,210 ft	10.72	ASPHALT	0 ft	0 ft
	61 m	3,112 m	28.34		0 m	0 m
21	200 ft	10,210 ft	190.73	ASPHALT	0 ft	299 ft
	61 m	3,112 m	208.35		0 m	91 m
13	200 ft	8,910 ft	107.95	ASPHALT	0 ft	0 ft
	61 m	2,716 m	125.56		0 m	0 m
31	200 ft	8,910 ft	287.98	ASPHALT	0 ft	0 ft
	61 m	2,716 m	305.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	IQX	109.50 MHz	18 nm	-	-	496 ft
				33 km	-		496 m
03	LOC-ILS	IQX	109.50 MHz	18 nm	10.73	-	496 ft
				33 km	28.35		496 m
13	LOC-ILS	IGN	109.90 MHz	18 nm	107.96	-	496 ft
				33 km	125.58		496 m
03	GS	IQX	109.50 MHz	10 nm	10.73	3.00	496 ft
				19 km	28.35		496 m
13	GS	IGN	109.90 MHz	10 nm	107.96	3.00	496 ft
				19 km	125.58		496 m