

# GCLP

Gran Canaria


# LEBL

Josep Tarradellas Barcelona-El Prat

2024/05/04 0751Z

GCLP GDV **UN871** KORAL **UG5** SONSO **UN871** OSDAM **UB28** BARPA **UM985** PIMOS **UM445** SOPET **B28** TORDU LEBL

1200.59 nm / 2223.49 km



## Notes

Basic altitude profile:

- Ascent Rate: 2600ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 38000ft
- Cruise Speed: 390kts
- Descent Rate: 2500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GCLP APT	-	27.93160 -15.38560	0 ft 0 m	-	Gran Canaria
GDV VOR	-	28.07710 -15.42900	3,600 ft 1,097 m	9	GRAN CANARIA
LZR VOR	UN871 AWY-HI	29.16600 -13.51070	38,000 ft 11,582 m	120	LANZAROTE
KORAL FIX	UN871 AWY-HI	29.73140 -12.57830	38,000 ft 11,582 m	59	-
SONSO FIX	UG5 AWY-HI	30.01220 -12.10190	38,000 ft 11,582 m	29	-
ESS VOR	UN871 AWY-HI	31.40130 -9.68692	38,000 ft 11,582 m	150	ESSAOUIRA
NIRAL FIX	UN871 AWY-HI	33.19470 -8.36667	38,000 ft 11,582 m	126	-
OSDAM FIX	UN871 AWY-HI	35.34580 -6.70111	38,000 ft 11,582 m	153	-
ROMSO FIX	UB28 AWY-HI	35.44530 -6.49250	38,000 ft 11,582 m	11	-
TNG VOR	UB28 AWY-HI	35.72880 -5.89078	38,000 ft 11,582 m	33	TANGER
BARPA FIX	UB28 AWY-HI	35.83330 -5.66667	38,000 ft 11,582 m	12	-
XAVIR FIX	UM985 AWY-HI	36.00410 -5.24303	38,000 ft 11,582 m	23	-
PIMOS FIX	UM985 AWY-HI	36.15040 -4.89347	38,000 ft 11,582 m	19	-
RAKOR FIX	UM445 AWY-HI	36.72000 -4.13414	38,000 ft 11,582 m	50	-
RIXUR FIX	UM445 AWY-HI	37.10890 -3.63650	38,000 ft 11,582 m	33	-
PEPAS FIX	UM445 AWY-HI	37.15970 -3.57083	38,000 ft 11,582 m	4	-
ARPEX FIX	UM445 AWY-HI	37.57980 -3.02419	38,000 ft 11,582 m	36	-
KOSEL FIX	UM445 AWY-HI	37.75470 -2.79369	38,000 ft 11,582 m	15	-
BUDIT FIX	UM445 AWY-HI	37.97250 -2.50444	38,000 ft 11,582 m	18	-
ETURA FIX	UM445 AWY-HI	38.20810 -2.18861	38,000 ft 11,582 m	20	-
TOSTO FIX	UM445 AWY-HI	38.36430 -1.93614	38,000 ft 11,582 m	15	-
OLPOS FIX	UM445 AWY-HI	38.72690 -1.34222	38,000 ft 11,582 m	35	-
BEGOX FIX	UM445 AWY-HI	39.06920 -0.77194	38,000 ft 11,582 m	33	-
LASPO FIX	UM445 AWY-HI	39.28260 -0.54439	38,000 ft 11,582 m	16	-
SOPET FIX	UM445 AWY-HI	39.83380 -0.00469	38,000 ft 11,582 m	41	-
TORDU FIX	B28 AWY-LO	40.25790 0.58819	35,500 ft 10,820 m	37	-
LEBL APT	-	41.29510 2.08803	0 ft 0 m	92	Josep Tarradellas Barcelona-El Prat

## GCLP

Region: CANARY ISLANDS  
Timezone: ATLANTIC/CANARY  
Runways: 2

Elevation: 78 ft / 24 m  
Location: 27.931600 -15.385600  
Magnetic Var: 3.952 W

## METAR

GCLP 040730Z 01016KT 9999 FEW022 19/13 Q1019 NOSIG

## TAF

TAF GCLP 040200Z 0403/0503 01019KT 9999 FEW025 TX25/0414Z TN17/0406Z PROB30 TEMPO 0403/0408 36009KT PROB30 TEMPO

## Frequencies

REC - 118.60 MHz - ATIS  
TWR - 118.30 MHz - GRAN CANARIA TOWER  
APP - 124.30 MHz - GRAN CANARIA APPROACH  
GND - 121.70 MHz - GRAN CANARIA GROUND  
APP - 121.30 MHz - GRAN CANARIA APPROACH  
APP - 124.70 MHz - GRAN CANARIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.27		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.28		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.30		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.31		0 m	225 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.28		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.28		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.62		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.62		77 m

## LEBL

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 3

Elevation: 14 ft / 4 m  
Location: 41.295100 2.088030  
Magnetic Var: 1.539 E

## METAR

LEBL 040730Z 26005KT 220V300 9999 FEW006 16/13 Q1016 NOSIG

## TAF

TAF LEBL 040500Z 0406/0506 VRB03KT 9999 FEW020 TX20/0413Z TN11/0406Z BECMG 0408/0411 20012KT BECMG 0420/0422 VRB0

## Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.37		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.38		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.96		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.94		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.97		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.38		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.38		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m