

LIBA

Amendola Air Base "Luigi Rovelli"


LIMC

Milano-Malpensa

2024/05/03 0257Z

LIBA VIE AMGOK **M872** LIKNO **Q95** IBTOK LIMC

419.75 nm / 777.38 km



Notes

Requested: LIBA VIE AMGOK M872 LIKNO Q95 IBTOK LIMC

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIBA	-	41.54140	0 ft	-	Amendola Air Base "Luigi Rovelli"
APT	-	15.71810	0 m		
VIE	-	41.91270	0 ft	26	VIESTE VOR-DME
DME	-	16.04910	0 m		
AMGOK	-	42.65500	0 ft	105	-
FIX	-	13.89610	0 m		
GUDPO	M872	42.80810	0 ft	12	-
FIX	AWY-HI	13.69280	0 m		
NORKI	M872	43.07970	0 ft	22	-
FIX	AWY-HI	13.32860	0 m		
ERDON	M872	43.29500	0 ft	18	-
FIX	AWY-HI	13.03670	0 m		
GUBIN	M872	43.48690	0 ft	16	-
FIX	AWY-HI	12.77420	0 m		
LIKNO	M872	43.79390	0 ft	26	-
FIX	AWY-HI	12.34830	0 m		
PELEG	Q95	44.22780	0 ft	37	-
FIX	AWY-HI	11.73530	0 m		
PETAS	Q95	44.34810	0 ft	10	-
FIX	AWY-HI	11.56310	0 m		
PIGAK	Q95	44.38640	0 ft	3	-
FIX	AWY-HI	11.50810	0 m		
LUTOR	Q95	44.48810	0 ft	8	-
FIX	AWY-HI	11.36080	0 m		
BOA	Q95	44.53700	0 ft	4	BOLOGNA
VOR	AWY-HI	11.29070	0 m		
IBTOK	Q95	44.91190	0 ft	35	-
FIX	AWY-HI	10.64970	0 m		
LIMC	-	45.63060	0 ft	91	Milano-Malpensa
APT	-	8.72812	0 m		

LIMC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 767 ft / 234 m
Location: 45.630600 8.728120
Magnetic Var: 3.120 E

METAR

LIMC 030220Z 34005KT 9999 BKN060 10/09 Q1010 NOSIG

TAF

TAF LIMC 022300Z 0300/0406 VRB05KT 9999 FEW020 SCT070 BECMG 0318/0320 35010KT TEMPO 0318/0322 4000 SHRA BECMG 0400

Frequencies

REC - 120.02 MHz - ATIS ARRIVAL	REC - 121.62 MHz - ATIS DEPARTURE
CLD - 120.90 MHz - CLEARANCE DELIVERY	GND - 121.82 MHz - MALPENSA GROUND
GND - 121.90 MHz - MALPENSA GROUND	TWR - 119.00 MHz - MALPENSA TOWER
TWR - 128.35 MHz - MALPENSA TOWER	APP - 126.75 MHz - MILANO APPROACH
APP - 125.62 MHz - MILANO APPROACH	APP - 132.70 MHz - MILANO APPROACH
DEP - 126.30 MHz - MILANO DEPARTURE	DEP - 126.75 MHz - MILANO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	197 ft	12,873 ft	169.06	ASPHALT	0 ft	387 ft
	60 m	3,924 m	165.94		0 m	118 m
35L	197 ft	12,873 ft	349.07	ASPHALT	1,319 ft	197 ft
	60 m	3,924 m	345.95		402 m	60 m
17L	197 ft	12,873 ft	169.06	ASPHALT	3,081 ft	207 ft
	60 m	3,924 m	165.94		939 m	63 m
35R	197 ft	12,873 ft	349.07	ASPHALT	0 ft	180 ft
	60 m	3,924 m	345.95		0 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IMSL	110.75 MHz	25 nm	-	-	792 ft
				46 km	-		792 m
35L	DME	IMA	109.10 MHz	25 nm	-	-	768 ft
				46 km	-		768 m
35R	DME	MLP	109.90 MHz	18 nm	-	-	713 ft
				33 km	-		713 m
17L	LOC-ILS	IMSL	110.75 MHz	18 nm	169.06	-	697 ft
				33 km	165.94		697 m
35L	LOC-ILS	IMA	109.10 MHz	18 nm	349.07	-	767 ft
				33 km	345.95		767 m
35R	LOC-ILS	MLP	109.90 MHz	18 nm	349.07	-	780 ft
				33 km	345.95		780 m
17L	GS	IMSL	110.75 MHz	10 nm	170.24	3.00	792 ft
				19 km	167.12		792 m
35L	GS	IMA	109.10 MHz	10 nm	350.24	3.00	768 ft
				19 km	347.12		768 m
35R	GS	MLP	109.90 MHz	10 nm	350.24	3.00	740 ft
				19 km	347.12		740 m