


2024/05/18 0927Z

KDEN SUNKE TAILR GIVTE SARAH MYALE TUNNN TAVRN VONNN TEEBO CONNR FUNDS DAVVY LAWSN HERLS WOKUV
DBL NALDY BASAM LINDZ ZAKRY GLENO YORRO CULTA SLOLM RIYNO HUGSI EDUKY PACES NOKXI HONTU HANOG HVE
UJACI MOJVI ROCCY BCE FOBIV AHOWW TIFFY BLD HARFE DICSA CRESO BOACH NATEE WOPMA WHIGG SARAS DANBY
TEELE JOKUR DAG BASAL APLES FAPID HESPE PLAYY MEANT CALBE ZEREK ADAMM BASET FILBA GRIMY KLAX

761.41 nm / 1410.13 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDEN	-	39.86100	0 ft	-	Denver Intl
APT	-	-104.67200	0 m		
SUNKE	-	39.84110	0 ft	3	-
FIX	-	-104.75000	0 m		
TAILR	-	39.84160	0 ft	3	-
FIX	-	-104.83500	0 m		
GIVTE	-	39.84180	0 ft	2	-
FIX	-	-104.87900	0 m		
SARAH	-	39.84230	0 ft	4	-
FIX	-	-104.98700	0 m		
MYALE	-	39.83780	0 ft	1	-
FIX	-	-105.01200	0 m		
TUNNN	-	39.79630	0 ft	9	-
FIX	-	-105.20400	0 m		
TAVRN	-	39.78150	0 ft	3	-
FIX	-	-105.27300	0 m		
VONNN	-	39.74760	0 ft	7	-
FIX	-	-105.43400	0 m		
TEEBO	-	39.72020	0 ft	6	-
FIX	-	-105.56100	0 m		
CONNR	-	39.69910	0 ft	5	-
FIX	-	-105.66600	0 m		
FUNDS	-	39.59210	0 ft	19	-
FIX	-	-106.07100	0 m		
DAVVY	-	39.53920	0 ft	13	-
FIX	-	-106.36100	0 m		
LAWSN	-	39.51780	0 ft	5	-
FIX	-	-106.47600	0 m		
HERLS	-	39.47090	0 ft	11	-
FIX	-	-106.72700	0 m		
WOKUV	-	39.45520	0 ft	4	-
FIX	-	-106.81100	0 m		
DBL	-	39.43930	0 ft	4	RED TABLE (EAGLE)
VOR	-	-106.89500	0 m		
NALDY	-	39.40960	0 ft	7	-
FIX	-	-107.05000	0 m		
BASAM	-	39.40480	0 ft	1	-
FIX	-	-107.07500	0 m		
LINDZ	-	39.38880	0 ft	3	-
FIX	-	-107.15800	0 m		
ZAKRY	-	39.37980	0 ft	2	-
FIX	-	-107.20400	0 m		
GLENO	-	39.34770	0 ft	7	-
FIX	-	-107.36900	0 m		
YORRO	-	39.34500	0 ft	1	-
FIX	-	-107.39300	0 m		
CULTA	-	39.31540	0 ft	7	-
FIX	-	-107.55300	0 m		
SLOLM	-	39.29680	0 ft	3	-
FIX	-	-107.62800	0 m		
RIYNO	-	39.27760	0 ft	4	-
FIX	-	-107.72400	0 m		
HUGSI	-	39.23190	0 ft	10	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-107.95300	0 m		
EDUKY	-	39.20070	0 ft	7	-
FIX	-	-108.10800	0 m		
PACES	-	39.16580	0 ft	8	-
FIX	-	-108.27900	0 m		
NOKXI	-	39.07990	0 ft	9	-
FIX	-	-108.44400	0 m		
HONTU	-	38.96390	0 ft	14	-
FIX	-	-108.72000	0 m		
HANOG	-	38.62110	0 ft	62	-
FIX	-	-109.98800	0 m		
HVE	-	38.41680	0 ft	35	HANKSVILLE
VOR	-	-110.70000	0 m		
UJACI	-	38.01570	0 ft	48	-
FIX	-	-111.59400	0 m		
MOJVI	-	37.85320	0 ft	19	-
FIX	-	-111.94900	0 m		
ROCCY	-	37.82820	0 ft	2	-
FIX	-	-112.00000	0 m		
BCE	-	37.68920	0 ft	16	BRYCE CANYON
VOR	-	-112.30400	0 m		
FOBIV	-	37.56710	0 ft	11	-
FIX	-	-112.50200	0 m		
AHOWW	-	37.12070	0 ft	42	-
FIX	-	-113.19300	0 m		
TIFFY	-	36.07330	0 ft	98	-
FIX	-	-114.76300	0 m		
BLD	-	35.99580	0 ft	6	BOULDER CITY
VOR	-	-114.86400	0 m		
HARFE	-	35.90640	0 ft	8	-
FIX	-	-114.98600	0 m		
DICSA	-	35.86810	0 ft	3	-
FIX	-	-115.03800	0 m		
CRESO	-	35.77400	0 ft	8	-
FIX	-	-115.16500	0 m		
BOACH	-	35.67820	0 ft	8	-
FIX	-	-115.29500	0 m		
NATEE	-	35.62060	0 ft	5	-
FIX	-	-115.37400	0 m		
WOPMA	-	35.54800	0 ft	6	-
FIX	-	-115.47000	0 m		
WHIGG	-	35.50790	0 ft	3	-
FIX	-	-115.52400	0 m		
SARAS	-	35.35600	0 ft	13	-
FIX	-	-115.72700	0 m		
DANBY	-	35.31140	0 ft	3	-
FIX	-	-115.78600	0 m		
TEELE	-	35.05760	0 ft	32	-
FIX	-	-116.36400	0 m		
JOKUR	-	35.04180	0 ft	2	-
FIX	-	-116.40000	0 m		
DAG	-	34.96250	0 ft	9	DAGGETT
VOR	-	-116.57800	0 m		
BASAL	-	34.75780	0 ft	18	-
FIX	-	-116.86200	0 m		
APLES	-	34.54850	0 ft	18	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-117.14900	0 m		
FAPID	-	34.50730	0 ft	3	-
FIX	-	-117.21000	0 m		
HESPE	-	34.34120	0 ft	14	-
FIX	-	-117.43200	0 m		
PLAYY	-	34.29980	0 ft	2	-
FIX	-	-117.46500	0 m		
MEANT	-	34.19030	0 ft	10	-
FIX	-	-117.63600	0 m		
CALBE	-	34.12200	0 ft	6	-
FIX	-	-117.72800	0 m		
ZEREK	-	34.08910	0 ft	2	-
FIX	-	-117.73500	0 m		
ADAMM	-	34.01700	0 ft	5	-
FIX	-	-117.81700	0 m		
BASET	-	33.97870	0 ft	8	-
FIX	-	-117.97900	0 m		
FILBA	-	33.94810	0 ft	16	-
FIX	-	-118.29900	0 m		
GRIMY	-	33.94330	0 ft	2	-
FIX	-	-118.34600	0 m		
KLAX	-	33.94310	0 ft	3	Los Angeles Intl
APT	-	-118.40900	0 m		

KDEN

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 6

Elevation: 5,429 ft / 1,655 m

Location: 39.861000 -104.672000

Magnetic Var: 7.392 E

METAR

KDEN 180853Z 24007KT 10SM CLR 14/01 A2990 RMK A02 SLP046 T01440011 51010

TAF

KDEN 180901Z 1809/1912 25007KT P6SM SCT120 FM181130 04008KT P6SM FEW100 FM181400 08010KT P6SM FEW100 FM181800 110

Frequencies

REC - 134.02 MHz - D-ATIS

CLD - 118.75 MHz - CLEARANCE DELIVERY

GND - 127.50 MHz - DENVER GROUND

TWR - 133.30 MHz - DENVER TOWER

TWR - 135.30 MHz - DENVER TOWER

APP - 120.35 MHz - DENVER APPROACH

DEP - 127.05 MHz - DENVER DEPARTURE

DEP - 128.45 MHz - DENVER DEPARTURE

COM - 122.95 MHz - UNICOM

GND - 121.85 MHz - DENVER GROUND

TWR - 132.35 MHz - DENVER TOWER

TWR - 128.75 MHz - DENVER TOWER

APP - 119.30 MHz - DENVER APPROACH

DEP - 126.10 MHz - DENVER DEPARTURE

DEP - 128.25 MHz - DENVER DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	200 ft	16,016 ft	180.50	CONCRETE	0 ft	410 ft
	61 m	4,882 m	173.11		0 m	125 m
34L	200 ft	16,016 ft	0.50	CONCRETE	0 ft	410 ft
	61 m	4,882 m	353.11		0 m	125 m
16L	151 ft	12,013 ft	180.51	CONCRETE	0 ft	413 ft
	46 m	3,662 m	173.12		0 m	126 m
34R	151 ft	12,013 ft	0.51	CONCRETE	0 ft	394 ft
	46 m	3,662 m	353.12		0 m	120 m
17R	151 ft	12,013 ft	180.53	CONCRETE	0 ft	413 ft
	46 m	3,662 m	173.14		0 m	126 m
35L	151 ft	12,013 ft	0.53	CONCRETE	0 ft	400 ft
	46 m	3,662 m	353.14		0 m	122 m
17L	151 ft	12,013 ft	180.54	CONCRETE	0 ft	404 ft
	46 m	3,662 m	173.15		0 m	123 m
35R	151 ft	12,013 ft	0.54	CONCRETE	0 ft	400 ft
	46 m	3,662 m	353.15		0 m	122 m
07	151 ft	12,013 ft	90.50	CONCRETE	0 ft	377 ft
	46 m	3,662 m	83.10		0 m	115 m
25	151 ft	12,013 ft	270.52	CONCRETE	0 ft	374 ft
	46 m	3,662 m	263.13		0 m	114 m
08	151 ft	12,013 ft	90.54	CONCRETE	0 ft	367 ft
	46 m	3,662 m	83.15		0 m	112 m
26	151 ft	12,013 ft	270.56	CONCRETE	0 ft	400 ft
	46 m	3,662 m	263.17		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IDZG	111.55 MHz	18 nm	-	-	5,352 ft
				33 km	-		5,352 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IFUI	108.90 MHz	18 nm 33 km	- -	-	5,345 ft 5,345 m
16L	DME	ILTT	111.10 MHz	18 nm 33 km	- -	-	5,347 ft 5,347 m
16R	DME	IDQQ	111.90 MHz	18 nm 33 km	- -	-	5,311 ft 5,311 m
17L	DME	IBXP	110.15 MHz	18 nm 33 km	- -	-	5,328 ft 5,328 m
17R	DME	IACX	108.50 MHz	18 nm 33 km	- -	-	5,390 ft 5,390 m
25	DME	IERP	111.55 MHz	18 nm 33 km	- -	-	5,352 ft 5,352 m
26	DME	IJOY	108.90 MHz	18 nm 33 km	- -	-	5,300 ft 5,300 m
34L	DME	IDXU	111.90 MHz	18 nm 33 km	- -	-	5,311 ft 5,311 m
34R	DME	IOUF	111.10 MHz	18 nm 33 km	- -	-	5,349 ft 5,349 m
35L	DME	IAQD	108.50 MHz	18 nm 33 km	- -	-	5,421 ft 5,421 m
35R	DME	IDPP	110.15 MHz	18 nm 33 km	- -	-	5,360 ft 5,360 m
07	LOC-ILS	IDZG	111.55 MHz	18 nm 33 km	90.51 83.12	-	5,431 ft 5,431 m
08	LOC-ILS	IFUI	108.90 MHz	18 nm 33 km	90.55 83.16	-	5,431 ft 5,431 m
16L	LOC-ILS	ILTT	111.10 MHz	18 nm 33 km	180.51 173.12	-	5,431 ft 5,431 m
16R	LOC-ILS	IDQQ	111.90 MHz	18 nm 33 km	180.50 173.11	-	5,431 ft 5,431 m
17L	LOC-ILS	IBXP	110.15 MHz	18 nm 33 km	180.53 173.14	-	5,431 ft 5,431 m
17R	LOC-ILS	IACX	108.50 MHz	18 nm 33 km	180.53 173.14	-	5,431 ft 5,431 m
25	LOC-ILS	IERP	111.55 MHz	18 nm 33 km	270.51 263.12	-	5,431 ft 5,431 m
26	LOC-ILS	IJOY	108.90 MHz	18 nm 33 km	270.55 263.16	-	5,431 ft 5,431 m
34L	LOC-ILS	IDXU	111.90 MHz	18 nm 33 km	0.50 353.11	-	5,431 ft 5,431 m
34R	LOC-ILS	IOUF	111.10 MHz	18 nm 33 km	0.51 353.12	-	5,431 ft 5,431 m
35L	LOC-ILS	IAQD	108.50 MHz	18 nm 33 km	0.53 353.14	-	5,431 ft 5,431 m
35R	LOC-ILS	IDPP	110.15 MHz	18 nm 33 km	0.53 353.14	-	5,431 ft 5,431 m
07	GS	IDZG	111.55 MHz	10 nm 19 km	90.51 83.12	3.00	5,431 ft 5,431 m
08	GS	IFUI	108.90 MHz	10 nm 19 km	90.55 83.16	3.00	5,431 ft 5,431 m
16L	GS	ILTT	111.10 MHz	10 nm 19 km	180.51 173.12	3.00	5,431 ft 5,431 m
16R	GS	IDQQ	111.90 MHz	10 nm 19 km	180.50 173.11	3.00	5,431 ft 5,431 m
17L	GS	IBXP	110.15 MHz	10 nm 19 km	180.53 173.14	3.00	5,431 ft 5,431 m
17R	GS	IACX	108.50 MHz	10 nm 19 km	180.53 173.14	3.00	5,431 ft 5,431 m
25	GS	IERP	111.55 MHz	10 nm 19 km	270.51 263.12	3.00	5,431 ft 5,431 m
26	GS	IJOY	108.90 MHz	10 nm	270.55	3.00	5,431 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	263.16		5,431 m
34L	GS	IDXU	111.90 MHz	10 nm	0.50	3.00	5,431 ft
				19 km	353.11		5,431 m
34R	GS	IOUF	111.10 MHz	10 nm	0.51	3.00	5,431 ft
				19 km	353.12		5,431 m
35L	GS	IAQD	108.50 MHz	10 nm	0.53	3.00	5,431 ft
				19 km	353.14		5,431 m
35R	GS	IDPP	110.15 MHz	10 nm	0.53	3.00	5,431 ft
				19 km	353.14		5,431 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.439 E

METAR

KLAX 180853Z 27007KT 10SM FEW010 OVC022 14/12 A2996 RMK A02 SLP143 T01440122 58004 \$

TAF

KLAX 180906Z 1809/1912 26007KT P6SM OVC025 FM181800 26010KT P6SM BKN035 FM182200 26012KT P6SM SCT035 FM190300 260

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m