

LIAU

Capua


LRBS

Bucarest Baneasa

2024/06/09 0833Z

LIAU VIE **A482** TRN **W31** MAVAR **UW31** BUREK **W31** SIN **M22** BLO **G38** SOMOV LRBS

615.17 nm / 1139.29 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIAU	-	41.11528	0 ft	-	Capua
APT	-	14.17806	0 m		
VIE	-	41.91274	34,500 ft	96	VIESTE VOR-DME
VOR	-	16.04914	10,516 m		
BANAV	A482	41.72861	35,000 ft	44	-
FIX	AWY-LO	17.01111	10,668 m		
LUMAR	A482	41.61861	35,000 ft	25	-
FIX	AWY-LO	17.56389	10,668 m		
CRAYE	A482	41.50278	35,000 ft	26	-
FIX	AWY-LO	18.12917	10,668 m		
LOKDI	A482	41.49500	35,000 ft	9	-
FIX	AWY-LO	18.33944	10,668 m		
BALEM	A482	41.48111	35,000 ft	15	-
FIX	AWY-LO	18.68583	10,668 m		
RODON	A482	41.45833	35,000 ft	18	-
FIX	AWY-LO	19.10000	10,668 m		
TRN	A482	41.41612	35,000 ft	27	TIRANA VOR-DME
VOR	AWY-LO	19.71819	10,668 m		
MAVAR	W31	41.67000	35,000 ft	39	-
FIX	AWY-LO	20.53000	10,668 m		
BUREK	UW31	41.83222	35,000 ft	31	-
FIX	AWY-HI	21.19694	10,668 m		
SKJ	W31	41.93500	35,000 ft	20	SKOPJE VOR-DME
VOR	AWY-LO	21.63056	10,668 m		
SIN	W31	41.98083	35,000 ft	32	SINKO VOR-DME
VOR	AWY-LO	22.36556	10,668 m		
LETNI	M22	42.09694	35,000 ft	12	-
FIX	AWY-LO	22.60583	10,668 m		
NAPET	M22	42.28833	35,000 ft	21	-
FIX	AWY-LO	23.00556	10,668 m		
EDADA	M22	42.47472	35,000 ft	20	-
FIX	AWY-LO	23.40083	10,668 m		
PIDOR	M22	42.56056	34,000 ft	12	-
FIX	AWY-LO	23.65611	10,363 m		
BLO	M22	42.66722	31,900 ft	9	BAILOVO VOR-DME
VOR	AWY-LO	23.81389	9,723 m		
GOL	G38	43.09500	25,200 ft	31	GOLYAMA VOR-DME
VOR	AWY-LO	24.22056	7,681 m		
SOMOV	G38	43.70000	15,500 ft	45	-
FIX	AWY-LO	24.85000	4,724 m		
LRBS	-	44.50319	0 ft	72	Bucarest Baneasa
APT	-	26.10211	0 m		

LRBS

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 1

Elevation: 298 ft / 91 m
Location: 44.503300 26.102800
Magnetic Var: 6.288 E

METAR

LRBS 090800Z 10005KT 050V160 CAVOK 29/18 Q1011 NOSIG

TAF

TAF TAF LRBS 090500Z 0906/1006 06006KT CAVOK TEMPO 0914/0920 SCT040CB PROB30 TEMPO 0914/0920 VRB20G30KT 5000 TSRA

Frequencies

REC - 126.12 MHz - BANEASA ATIS
TWR - 125.20 MHz - BANEASA TOWER
APP - 120.60 MHz - BUCHAREST APPROACH
GND - 129.95 MHz - BANEASA GROUND
TWR - 120.80 MHz - BANEASA TOWER
APP - 127.15 MHz - BUCHAREST DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,145 ft	73.83	ASPHALT	453 ft	0 ft
	45 m	3,092 m	67.54		138 m	0 m
25	148 ft	10,145 ft	253.85	ASPHALT	0 ft	194 ft
	45 m	3,092 m	247.57		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IBS	109.50 MHz	18 nm	73.85	-	299 ft
				33 km	67.56		299 m
25	LOC-ILS	IBN	110.50 MHz	18 nm	253.85	-	299 ft
				33 km	247.56		299 m
07	GS	IBS	109.50 MHz	10 nm	73.85	3.00	299 ft
				19 km	67.56		299 m
25	GS	IBN	110.50 MHz	10 nm	253.85	3.00	299 ft
				19 km	247.56		299 m