


2024/05/10 0924Z

OMAA GADVO **B415** BUNDU OTBD

175.39 nm / 324.83 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 380kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMAA	-	24.43305	0 ft	-	ABU DHABI INTL
APT	-	54.65118	0 m		
GADVO	-	24.69056	19,000 ft	53	-
FIX	-	53.71667	5,791 m		
BUNDU	B415	25.00667	11,200 ft	69	-
FIX	AWY-LO	52.49000	3,414 m		
OTBD	-	25.26106	0 ft	52	DOHA INTL
APT	-	51.56500	0 m		

OMAA

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 83 ft / 25 m
Location: 24.443400 54.652700
Magnetic Var: 2.281 E

METAR

OMAA 100900Z 30013KT 270V330 CAVOK 32/15 Q1009 NOSIG

TAF

TAF OMAA 100500Z 1006/1112 30015KT 8000 NSC BECMG 1021/1023 24005KT BECMG 1105/1107 31012KT

Frequencies

APP - 124.40 MHz -	APP - 124.62 MHz -
ABU DHABI RADAR CENTRAL PRIMARY	ABU DHABI RADAR CENTRAL SECONDARY
APP - 128.10 MHz - ABU DHABI RADAR WEST PRIMARY	APP - 124.65 MHz - ABU DHABI RADAR WEST SECONDARY
APP - 135.15 MHz - ABU DHABI RADAR NORTH PRIMARY	APP - 135.35 MHz -
APP - 118.42 MHz -	ABU DHABI RADAR NORTH SECONDARY
ABU DHABI DIRECTOR NORTH PRIMARY	APP - 121.15 MHz -
APP - 118.00 MHz -	ABU DHABI DIRECTOR NORTH SECONDARY
ABU DHABI DIRECTOR SOUTH PRIMARY	APP - 121.15 MHz -
APP - 133.55 MHz - ABU DHABI RADAR EAST PRIMARY	ABU DHABI DIRECTOR SOUTH SECONDARY
APP - 135.35 MHz - ABU DHABI RADAR EAST SECONDARY	APP - 132.67 MHz - ABU DHABI RADAR EAST PRIMARY
REC - 124.62 MHz -	REC - 127.50 MHz - ABU DHABI INFORMATION PRIMARY
ABU DHABI INFORMATION SECONDARY	TWR - 119.20 MHz - ABU DHABI TOWER SOUTH PRIMARY
TWR - 120.42 MHz -	TWR - 118.67 MHz - ABU DHABI TOWER NORTH PRIMARY
ABU DHABI TOWER SOUTH SECONDARY	GND - 121.95 MHz - ABU DHABI GROUND NORTH
GND - 123.97 MHz - ABU DHABI GROUND SOUTH	CLD - 125.10 MHz - ABU DHABI DELIVERY
GND - 119.42 MHz - ABU DHABI GROUND SECONDARY	REC - 119.67 MHz - ABU DHABI ATIS (DEP)
REC - 119.97 MHz - ABU DHABI ATIS (ARR)	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	197 ft	13,478 ft	127.99	ASPHALT	0 ft	394 ft
	60 m	4,108 m	125.71		0 m	120 m
31L	197 ft	13,478 ft	308.01	ASPHALT	0 ft	397 ft
	60 m	4,108 m	305.73		0 m	121 m
13L	197 ft	13,460 ft	127.99	ASPHALT	0 ft	397 ft
	60 m	4,103 m	125.71		0 m	121 m
31R	197 ft	13,460 ft	308.01	ASPHALT	0 ft	387 ft
	60 m	4,103 m	305.73		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31R	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m
13R	DME	IAE	108.90 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
31L	DME	IAW	109.30 MHz	18 nm	-	-	96 ft
				33 km	-		96 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	LOC-ILS	IAS	110.30 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
13R	LOC-ILS	IAE	109.15 MHz	18 nm	128.00	-	83 ft
				33 km	125.72		83 m
31L	LOC-ILS	IAW	109.30 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
31R	LOC-ILS	IAN	108.75 MHz	18 nm	308.00	-	83 ft
				33 km	305.72		83 m
13L	GS	IAS	110.30 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
13R	GS	IAE	109.15 MHz	10 nm	128.00	3.00	83 ft
				19 km	125.72		83 m
31L	GS	IAW	109.30 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m
31R	GS	IAN	108.75 MHz	10 nm	308.00	3.00	83 ft
				19 km	305.72		83 m

OTBD

Region: QATAR
Timezone: ASIA/QATAR
Runways: 1

Elevation: 37 ft / 11 m
Location: 25.261100 51.565100
Magnetic Var: 2.776 E

METAR

OTBD 100900Z 33015G26KT 300V360 CAVOK 34/05 Q1010 NOSIG

TAF

TAF OTBD 100504Z 1006/1112 33015KT 8000 NSC TEMPO 1006/1018 33018G28KT

Frequencies

REC - 126.45 MHz - ATIS
TWR - 118.65 MHz -
APP - 121.10 MHz -
TWR - 121.80 MHz - GND
TWR - 118.90 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	15,014 ft	158.21	ASPHALT	2,461 ft	0 ft
	46 m	4,576 m	155.43		750 m	0 m
33	151 ft	15,014 ft	338.21	ASPHALT	0 ft	459 ft
	46 m	4,576 m	335.44		0 m	140 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	IBD	109.50 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
15	LOC-ILS	AMD	108.50 MHz	18 nm	158.21	-	37 ft
				33 km	155.43		37 m
33	LOC-ILS	IBD	109.50 MHz	18 nm	338.21	-	37 ft
				33 km	335.43		37 m
15	GS	AMD	108.50 MHz	10 nm	158.21	3.00	37 ft
				19 km	155.43		37 m
33	GS	IBD	109.50 MHz	10 nm	338.21	3.00	35 ft
				19 km	335.43		35 m