

MGGT

La Aurora Intl


MMM

Benito Juarez Intl

2024/05/04 2224Z

MGGT IMASO **UR644** TAP **J13** IZT **UJ47** MEBAS MMM

584.24 nm / 1082.01 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MGGT	-	14.58330	0 ft	-	La Aurora Intl
APT	-	-90.52750	0 m		
IMASO	-	14.76720	34,100 ft	95	-
FIX	-	-92.16060	10,394 m		
TAP	UR644	14.79220	35,000 ft	12	TAPACHULA
VOR	AWY-HI	-92.37570	10,668 m		
IMITO	J13	15.79610	35,000 ft	111	-
FIX	AWY-HI	-93.99690	10,668 m		
IZT	J13	16.46390	35,000 ft	74	IXTEPEC
VOR	AWY-HI	-95.09510	10,668 m		
XOPVO	UJ47	17.00560	35,000 ft	49	-
FIX	AWY-HI	-95.74000	10,668 m		
KANAL	UJ47	17.30720	35,000 ft	27	-
FIX	AWY-HI	-96.10190	10,668 m		
ALESA	UJ47	17.41110	35,000 ft	9	-
FIX	AWY-HI	-96.22670	10,668 m		
MEBAS	UJ47	18.60280	20,000 ft	109	-
FIX	AWY-HI	-97.67830	6,096 m		
MMMX	-	19.43630	0 ft	93	Benito Juarez Intl
APT	-	-99.07210	0 m		

MGGT

Region: GUATEMALA
Timezone: AMERICA/GUATEMALA
Runways: 1

Elevation: 4,952 ft / 1,509 m
Location: 14.583300 -90.527500
Magnetic Var: 0.189 E

METAR

MGGT 042200Z 20012KT 6000 FEW020 28/20 Q1016 A3000 HZ

TAF

TAF MGGT 041700Z 0418/0518 18010KT 7000 FEW022 TX31/0420Z TN18/0512Z BECMG 0420/0422 SCT020TCU BECMG 0501/0503 VR

Frequencies

REC - 127.65 MHz - ATIS
GND - 121.90 MHz - GUATEMALA GROUND
APP - 121.85 MHz - GUATEMALA APPROACH
CLD - 120.70 MHz - CLEARANCE DELIVERY
TWR - 118.10 MHz - GUATEMALA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	197 ft	9,809 ft	17.28	ASPHALT	0 ft	184 ft
	60 m	2,990 m	17.09		0 m	56 m
20	197 ft	9,809 ft	197.28	ASPHALT	702 ft	223 ft
	60 m	2,990 m	197.09		214 m	68 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	IAAI	110.10 MHz	18 nm	-	-	4,952 ft
				33 km	-		4,952 m
02	LOC-ILS	IAAI	110.10 MHz	18 nm	17.29	-	4,952 ft
				33 km	17.10		4,952 m
02	GS	IAAI	110.10 MHz	10 nm	17.29	3.00	4,952 ft
				19 km	17.10		4,952 m

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.904 E

METAR

MMM 042150Z 21015G25KT 6SM BKN020TCU BKN220 29/05 A3014 NOSIG RMK 8/208 HZY AC DSNT CB 2ND 3TH QUAD BLDU

TAF

TAF MMM 041707Z 0418/0518 36005KT 5SM HZ SKC TX29/0421Z TN13/0513Z FM041900 05010KT 5SM HZ SCT020 TEMPO 0420/0422

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.34		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.35		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m