

RPLL

Ninoy Aquino Intl


KLAX

Los Angeles Intl

2024/06/06 1739Z

RPLL JOM **A590** MDE **V75** CANAI MAKDA **A339** TAXON UKATA 3000N14300E NOGAK 3100N14500E 3200N14700E
3300N14900E 3400N15100E 3500N15300E 3600N15500E 3600N15600E 3600N15700E 3700N15900E 3800N16100E
3800N16200E 3800N16300E 3900N16500E 4000N16700E 4000N16800E 4000N16900E 4000N17000E 4100N17200E
4100N17300E 4100N17400E 4200N17600E 4200N17700E 4200N17800E 4200N17900E 4200N18000E 4200N17900W
4200N17800W 4200N17700W 4200N17600W 4300N17400W 4300N17300W 4300N17200W 4300N17100W 4300N17000W
4300N16900W 4300N16800W 4300N16700W 4300N16600W 4300N16500W 4300N16400W 4300N16300W 4300N16200W
4300N16100W 4300N16000W 4300N15900W 4300N15800W 4300N15700W 4300N15600W 4300N15500W 4200N15300W
4200N15200W 4200N15100W 4200N15000W 4200N14900W 4200N14800W 4200N14700W 4200N14600W 4200N14500W
4100N14300W 4100N14200W 4100N14100W 4000N13900W 4000N13800W 4000N13700W 4000N13600W HEKAB
3900N13400W 3800N13200W 3800N13100W 3800N13000W 3700N12800W BAART 3600N12600W 3600N12500W
3600N12400W 3600N12300W BSR **J501** RZS KLAX

6621.98 nm / 12263.90 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts

- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RPLL APT	-	14.51130 121.01300	0 ft 0 m	-	Ninoy Aquino Intl
JOM VOR	-	14.70490 122.33000	27,600 ft 8,412 m	77	JOMALIG
MUPOB FIX	A590 AWY-HI	15.63660 123.05500	35,000 ft 10,668 m	69	-
SKATE FIX	A590 AWY-HI	17.36980 124.42700	35,000 ft 10,668 m	130	-
GURAG FIX	A590 AWY-HI	21.00000 127.41700	35,000 ft 10,668 m	276	-
TUNTO FIX	A590 AWY-HI	23.00440 129.08100	35,000 ft 10,668 m	151	-
AVLAS FIX	A590 AWY-HI	24.35560 130.12100	35,000 ft 10,668 m	99	-
MDE VOR	A590 AWY-HI	25.85450 131.26400	35,000 ft 10,668 m	109	MINAMIDAITO
NIRAI FIX	V75 AWY-HI	26.49760 133.27400	35,000 ft 10,668 m	115	-
CANAI FIX	V75 AWY-HI	26.73370 134.04100	35,000 ft 10,668 m	43	-
MAKDA FIX	-	27.27070 135.85100	35,000 ft 10,668 m	102	-
TAXON FIX	A339 AWY-HI	30.00380 137.23900	35,000 ft 10,668 m	179	-
UKATA FIX	-	30.00090 140.34600	35,000 ft 10,668 m	161	-
3000N14300E LATLON	-	30.00000 143.00000	35,000 ft 10,668 m	138	-
NOGAK FIX	-	30.00390 143.16500	35,000 ft 10,668 m	8	-
3100N14500E LATLON	-	31.00000 145.00000	35,000 ft 10,668 m	112	-
3200N14700E LATLON	-	32.00000 147.00000	35,000 ft 10,668 m	118	-
3300N14900E LATLON	-	33.00000 149.00000	35,000 ft 10,668 m	117	-
3400N15100E LATLON	-	34.00000 151.00000	35,000 ft 10,668 m	116	-
3500N15300E LATLON	-	35.00000 153.00000	35,000 ft 10,668 m	115	-
3600N15500E LATLON	-	36.00000 155.00000	35,000 ft 10,668 m	114	-
3600N15600E LATLON	-	36.00000 156.00000	35,000 ft 10,668 m	48	-
3600N15700E LATLON	-	36.00000 157.00000	35,000 ft 10,668 m	48	-
3700N15900E LATLON	-	37.00000 159.00000	35,000 ft 10,668 m	113	-
3800N16100E LATLON	-	38.00000 161.00000	35,000 ft 10,668 m	112	-
3800N16200E LATLON	-	38.00000 162.00000	35,000 ft 10,668 m	47	-
3800N16300E	-	38.00000	35,000 ft	47	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	163.00000	10,668 m		
3900N16500E	-	39.00000	35,000 ft	111	-
LATLON	-	165.00000	10,668 m		
4000N16700E	-	40.00000	35,000 ft	110	-
LATLON	-	167.00000	10,668 m		
4000N16800E	-	40.00000	35,000 ft	46	-
LATLON	-	168.00000	10,668 m		
4000N16900E	-	40.00000	35,000 ft	46	-
LATLON	-	169.00000	10,668 m		
4000N17000E	-	40.00000	35,000 ft	46	-
LATLON	-	170.00000	10,668 m		
4100N17200E	-	41.00000	35,000 ft	109	-
LATLON	-	172.00000	10,668 m		
4100N17300E	-	41.00000	35,000 ft	45	-
LATLON	-	173.00000	10,668 m		
4100N17400E	-	41.00000	35,000 ft	45	-
LATLON	-	174.00000	10,668 m		
4200N17600E	-	42.00000	35,000 ft	108	-
LATLON	-	176.00000	10,668 m		
4200N17700E	-	42.00000	35,000 ft	44	-
LATLON	-	177.00000	10,668 m		
4200N17800E	-	42.00000	35,000 ft	44	-
LATLON	-	178.00000	10,668 m		
4200N17900E	-	42.00000	35,000 ft	44	-
LATLON	-	179.00000	10,668 m		
4200N18000E	-	42.00000	35,000 ft	44	-
LATLON	-	-180.00000	10,668 m		
4200N17900W	-	42.00000	35,000 ft	44	-
LATLON	-	-179.00000	10,668 m		
4200N17800W	-	42.00000	35,000 ft	44	-
LATLON	-	-178.00000	10,668 m		
4200N17700W	-	42.00000	35,000 ft	44	-
LATLON	-	-177.00000	10,668 m		
4200N17600W	-	42.00000	35,000 ft	44	-
LATLON	-	-176.00000	10,668 m		
4300N17400W	-	43.00000	35,000 ft	106	-
LATLON	-	-174.00000	10,668 m		
4300N17300W	-	43.00000	35,000 ft	43	-
LATLON	-	-173.00000	10,668 m		
4300N17200W	-	43.00000	35,000 ft	43	-
LATLON	-	-172.00000	10,668 m		
4300N17100W	-	43.00000	35,000 ft	43	-
LATLON	-	-171.00000	10,668 m		
4300N17000W	-	43.00000	35,000 ft	43	-
LATLON	-	-170.00000	10,668 m		
4300N16900W	-	43.00000	35,000 ft	43	-
LATLON	-	-169.00000	10,668 m		
4300N16800W	-	43.00000	35,000 ft	43	-
LATLON	-	-168.00000	10,668 m		
4300N16700W	-	43.00000	35,000 ft	43	-
LATLON	-	-167.00000	10,668 m		
4300N16600W	-	43.00000	35,000 ft	43	-
LATLON	-	-166.00000	10,668 m		
4300N16500W	-	43.00000	35,000 ft	43	-
LATLON	-	-165.00000	10,668 m		
4300N16400W	-	43.00000	35,000 ft	43	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-164.00000	10,668 m		
4300N16300W	-	43.00000	35,000 ft	43	-
LATLON	-	-163.00000	10,668 m		
4300N16200W	-	43.00000	35,000 ft	43	-
LATLON	-	-162.00000	10,668 m		
4300N16100W	-	43.00000	35,000 ft	43	-
LATLON	-	-161.00000	10,668 m		
4300N16000W	-	43.00000	35,000 ft	43	-
LATLON	-	-160.00000	10,668 m		
4300N15900W	-	43.00000	35,000 ft	43	-
LATLON	-	-159.00000	10,668 m		
4300N15800W	-	43.00000	35,000 ft	43	-
LATLON	-	-158.00000	10,668 m		
4300N15700W	-	43.00000	35,000 ft	43	-
LATLON	-	-157.00000	10,668 m		
4300N15600W	-	43.00000	35,000 ft	43	-
LATLON	-	-156.00000	10,668 m		
4300N15500W	-	43.00000	35,000 ft	43	-
LATLON	-	-155.00000	10,668 m		
4200N15300W	-	42.00000	35,000 ft	106	-
LATLON	-	-153.00000	10,668 m		
4200N15200W	-	42.00000	35,000 ft	44	-
LATLON	-	-152.00000	10,668 m		
4200N15100W	-	42.00000	35,000 ft	44	-
LATLON	-	-151.00000	10,668 m		
4200N15000W	-	42.00000	35,000 ft	44	-
LATLON	-	-150.00000	10,668 m		
4200N14900W	-	42.00000	35,000 ft	44	-
LATLON	-	-149.00000	10,668 m		
4200N14800W	-	42.00000	35,000 ft	44	-
LATLON	-	-148.00000	10,668 m		
4200N14700W	-	42.00000	35,000 ft	44	-
LATLON	-	-147.00000	10,668 m		
4200N14600W	-	42.00000	35,000 ft	44	-
LATLON	-	-146.00000	10,668 m		
4200N14500W	-	42.00000	35,000 ft	44	-
LATLON	-	-145.00000	10,668 m		
4100N14300W	-	41.00000	35,000 ft	108	-
LATLON	-	-143.00000	10,668 m		
4100N14200W	-	41.00000	35,000 ft	45	-
LATLON	-	-142.00000	10,668 m		
4100N14100W	-	41.00000	35,000 ft	45	-
LATLON	-	-141.00000	10,668 m		
4000N13900W	-	40.00000	35,000 ft	109	-
LATLON	-	-139.00000	10,668 m		
4000N13800W	-	40.00000	35,000 ft	46	-
LATLON	-	-138.00000	10,668 m		
4000N13700W	-	40.00000	35,000 ft	46	-
LATLON	-	-137.00000	10,668 m		
4000N13600W	-	40.00000	35,000 ft	46	-
LATLON	-	-136.00000	10,668 m		
HEKAB	-	39.41250	35,000 ft	59	-
FIX	-	-134.97300	10,668 m		
3900N13400W	-	39.00000	35,000 ft	51	-
LATLON	-	-134.00000	10,668 m		
3800N13200W	-	38.00000	35,000 ft	111	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-132.00000	10,668 m		
3800N13100W	-	38.00000	35,000 ft	47	-
LATLON	-	-131.00000	10,668 m		
3800N13000W	-	38.00000	35,000 ft	47	-
LATLON	-	-130.00000	10,668 m		
3700N12800W	-	37.00000	35,000 ft	112	-
LATLON	-	-128.00000	10,668 m		
BAART	-	36.46190	35,000 ft	60	-
FIX	-	-126.93300	10,668 m		
3600N12600W	-	36.00000	35,000 ft	53	-
LATLON	-	-126.00000	10,668 m		
3600N12500W	-	36.00000	35,000 ft	48	-
LATLON	-	-125.00000	10,668 m		
3600N12400W	-	36.00000	35,000 ft	48	-
LATLON	-	-124.00000	10,668 m		
3600N12300W	-	36.00000	35,000 ft	48	-
LATLON	-	-123.00000	10,668 m		
BSR	-	36.18130	35,000 ft	66	BIG SUR
VOR	-	-121.64200	10,668 m		
ZONAL	J501	35.46920	32,800 ft	58	-
FIX	AWY-HI	-120.83200	9,997 m		
PEGRS	J501	35.31290	30,100 ft	12	-
FIX	AWY-HI	-120.65600	9,174 m		
RZS	J501	34.50950	16,200 ft	65	SAN MARCUS (SANTA BARBARA)
VOR	AWY-HI	-119.77100	4,938 m		
KLAX	-	33.94310	0 ft	75	Los Angeles Intl
APT	-	-118.40900	0 m		

RPLL

Region: PHILIPPINES
Timezone: ASIA/MANILA
Runways: 2

Elevation: 75 ft / 23 m
Location: 14.511300 121.013000
Magnetic Var: 2.786 W

METAR

RPLL 061700Z VRB02KT 9999 FEW025 26/26 Q1010 NOSIG RMK A2983

TAF

TAF RPLL 061100Z 0612/0718 28006KT 9999 SCT025 BKN100 TX34/0706Z TN25/0620Z TEMPO 0612/0618 VRB04KT 5000 TSRA FEW

Frequencies

REC - 126.40 MHz - ATIS	APP - 119.70 MHz - MANILA APPROACH
APP - 121.10 MHz - MANILA APPROACH	APP - 127.70 MHz - MANILA APPROACH
TWR - 118.10 MHz - MANILA TOWER	GND - 121.80 MHz - MANILA GROUND
GND - 121.70 MHz - MANILA RAMP	GND - 128.80 MHz - MANILA RAMP
GND - 123.25 MHz - MANILA RAMP	GND - 121.35 MHz - MANILA RAMP
CLD - 125.10 MHz - MANILA CLEARANCE DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	11,742 ft	60.15	ASPHALT	545 ft	0 ft
	60 m	3,579 m	62.93		166 m	0 m
24	197 ft	11,742 ft	240.15	ASPHALT	0 ft	0 ft
	60 m	3,579 m	242.94		0 m	0 m
13	144 ft	7,729 ft	134.96	ASPHALT	804 ft	0 ft
	44 m	2,356 m	137.74		245 m	0 m
31	144 ft	7,729 ft	314.96	ASPHALT	0 ft	0 ft
	44 m	2,356 m	317.75		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IML	109.10 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
24	DME	IMA	109.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
06	LOC-ILS	IML	109.10 MHz	18 nm	60.15	-	75 ft
				33 km	62.94		75 m
24	LOC-ILS	IMA	109.90 MHz	18 nm	240.15	-	75 ft
				33 km	242.94		75 m
06	GS	IML	109.10 MHz	10 nm	60.15	3.01	75 ft
				19 km	62.94		75 m
24	GS	IMA	109.90 MHz	10 nm	240.15	3.06	75 ft
				19 km	242.94		75 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.434 E

METAR

KLAX 061653Z 24006KT 6SM HZ OVC009 18/15 A2991 RMK A02 SLP127 T01780150

TAF

KLAX 061405Z 0614/0718 VRB03KT 4SM BR OVC006 FM061600 VRB03KT 6SM BR OVC008 FM061900 25010KT P6SM OVC012 FM070400

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.52		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.55	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.55	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.55	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.55	3.00	125 ft 125 m