

SBGR

Guarulhos-Andre Franco Montoro Intl


SBCF

Confins-Tancredo Neves Intl

2024/05/05 0748Z

SBGR UBRIR **UZ23** UKAKI SBCF

267.99 nm / 496.32 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 320ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBGR APT	-	-23.43230 -46.46950	0 ft 0 m	-	Guarulhos-Andre Franco Montoro Intl
UBRIR FIX	-	-22.20370 -45.80160	300 ft 91 m	82	-
MAVMO FIX	UZ23 AWY-HI	-21.77650 -45.47150	300 ft 91 m	31	-
UKAKI FIX	UZ23 AWY-HI	-21.12020 -44.97020	300 ft 91 m	48	-
SBCF APT	-	-19.63580 -43.96690	0 ft 0 m	105	Confins-Tancredo Neves Intl

SBGR

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,461 ft / 750 m
Location: -23.432300 -46.469500
Magnetic Var: 22.208 W

METAR

SBGR 050700Z 04002KT CAVOK 17/16 Q1020

TAF

TAF SBGR 050430Z 0506/0612 07005KT CAVOK TN18/0509Z TX31/0518Z BECMG 0515/0517 09005KT BECMG 0521/0523 12005KT BE

Frequencies

REC - 127.75 MHz - GUARULHOS ATIS	CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 121.70 MHz - GUARULHOS GROUND	GND - 126.90 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER	TWR - 132.75 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER	APP - 129.75 MHz - SAO PAULO APPROACH
APP - 119.15 MHz - SAO PAULO APPROACH	APP - 120.45 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH	APP - 133.85 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft	12,131 ft	73.60	ASPHALT	295 ft	190 ft
	45 m	3,698 m	95.81		90 m	58 m
27R	148 ft	12,131 ft	253.59	ASPHALT	200 ft	194 ft
	45 m	3,698 m	275.79		61 m	59 m
09R	148 ft	9,832 ft	73.60	ASPHALT	0 ft	194 ft
	45 m	2,997 m	95.81		0 m	59 m
27L	148 ft	9,832 ft	253.59	ASPHALT	0 ft	194 ft
	45 m	2,997 m	275.80		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm	73.59	-	2,461 ft
				33 km	95.80		2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm	73.60	-	2,461 ft
				33 km	95.81		2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm	253.60	-	2,459 ft
				33 km	275.81		2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm	253.59	-	2,459 ft
				33 km	275.80		2,459 m
09L	GS	IUC	110.70 MHz	10 nm	73.59	3.00	2,461 ft
				19 km	95.80		2,461 m
09R	GS	IGR	111.50 MHz	10 nm	73.60	2.92	2,461 ft
				19 km	95.81		2,461 m
27L	GS	IBC	111.10 MHz	10 nm	253.60	3.00	2,459 ft
				19 km	275.81		2,459 m
27R	GS	IGS	111.90 MHz	10 nm	253.59	3.00	2,458 ft
				19 km	275.80		2,458 m

SBCF

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 1

Elevation: 2,721 ft / 829 m
Location: -19.635800 -43.966900
Magnetic Var: 23.410 W

METAR

SBCF 050700Z 14003KT CAVOK 18/15 Q1022

TAF

TAF SBCF 050430Z 0506/0606 13005KT CAVOK TN17/0509Z TX30/0517Z BECMG 0513/0515 09007KT BECMG 0516/0518 FEW045 BEC

Frequencies

REC - 127.85 MHz - ATIS	CLD - 121.00 MHz - CONFINS CLEARANCE
GND - 121.90 MHz - CONFINS GROUND	TWR - 118.20 MHz - CONFINS TOWER
APP - 119.10 MHz - BELO HORIZONTE APPROACH	APP - 119.30 MHz - BELO HORIZONTE APPROACH
APP - 119.65 MHz - BELO HORIZONTE APPROACH	APP - 120.20 MHz - BELO HORIZONTE APPROACH
APP - 128.55 MHz - BELO HORIZONTE APPROACH	APP - 129.10 MHz - BELO HORIZONTE APPROACH
APP - 129.40 MHz - BELO HORIZONTE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,854 ft	138.96	ASPHALT	0 ft	0 ft
	45 m	3,613 m	162.37		0 m	0 m
34	148 ft	11,854 ft	318.96	ASPHALT	0 ft	0 ft
	45 m	3,613 m	342.37		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	ICF	109.70 MHz	18 nm	138.96	-	2,721 ft
				33 km	162.37		2,721 m
34	LOC-ILS	ITN	110.30 MHz	18 nm	318.96	-	2,721 ft
				33 km	342.37		2,721 m
16	GS	ICF	109.70 MHz	10 nm	138.96	3.00	2,721 ft
				19 km	162.37		2,721 m
34	GS	ITN	110.30 MHz	10 nm	318.96	3.00	2,721 ft
				19 km	342.37		2,721 m