

WIOK

Ketapang Rahadi Oesman


WIOO

Supadio

2024/05/08 0601Z

WIOK TRIBO WIOO

113.55 nm / 210.29 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIOK APT	-	-1.81690 109.96300	0 ft 0 m	-	Ketapang Rahadi Oesman
TRIBO FIX	-	-1.68387 110.11400	4,300 ft 1,311 m	12	-
WIOO APT	-	-0.15074 109.40400	0 ft 0 m	101	Supadio

W100

Region: INDONESIA
Timezone: ASIA/PONTIANAK
Runways: 1

Elevation: 12 ft / 4 m
Location: -0.150737 109.404000
Magnetic Var: 0.234 E

METAR

W100 080530Z 21004KT 9999 BKN012 31/26 Q1009 NOSIG

TAF

UNKNOWN

Frequencies

REC - 127.40 MHz - ATIS
TWR - 118.30 MHz - SUPADIO TOWER
TWR - 123.00 MHz - PONTIANAK APPROACH
TWR - 122.35 MHz - SUPADIO TOWER
APP - 119.00 MHz - PONTIANAK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	7,402 ft	157.89	ASPHALT	0 ft	200 ft
	45 m	2,256 m	157.66		0 m	61 m
33	148 ft	7,402 ft	337.89	ASPHALT	0 ft	203 ft
	45 m	2,256 m	337.66		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	IPNK	111.30 MHz	18 nm	157.89	-	12 ft
				33 km	157.66		12 m
15	GS	IPNK	111.30 MHz	10 nm	157.89	3.00	12 ft
				19 km	157.66		12 m