


2024/06/07 0929Z

LEPA SOTAX **UT100** ETOIL **UM739** TABOT **R723** CBN **UM739** SONAK **M978** ASDAX LMML

634.34 nm / 1174.80 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEPA	-	39.55254	0 ft	-	Palma De Mallorca
APT	-	2.73496	0 m	-	
SOTAX	-	39.58444	31,900 ft	89	-
FIX	-	4.66667	9,723 m	-	-
EDINO	UT100	39.66722	35,000 ft	59	-
FIX	AWY-HI	5.95444	10,668 m	-	-
ETOIL	UT100	39.73167	35,000 ft	55	-
FIX	AWY-HI	7.16333	10,668 m	-	-
TABOT	UM739	39.15000	35,000 ft	52	-
FIX	AWY-HI	8.00000	10,668 m	-	-
DOPEL	R723	38.52750	35,000 ft	55	-
FIX	AWY-LO	8.88361	10,668 m	-	-
ELKIS	R723	38.26194	35,000 ft	23	-
FIX	AWY-LO	9.25278	10,668 m	-	-
SAMEK	R723	38.00194	35,000 ft	23	-
FIX	AWY-LO	9.61028	10,668 m	-	-
TANIT	R723	37.75417	35,000 ft	21	-
FIX	AWY-LO	9.94750	10,668 m	-	-
MANEX	R723	37.45444	35,000 ft	26	-
FIX	AWY-LO	10.35000	10,668 m	-	-
ICANI	R723	37.23611	35,000 ft	19	-
FIX	AWY-LO	10.64056	10,668 m	-	-
CBN	R723	36.89556	35,000 ft	29	CAP BON VOR
VOR	AWY-LO	11.08833	10,668 m	-	
SONAK	UM739	36.62000	32,500 ft	25	-
FIX	AWY-HI	11.50000	9,906 m	-	-
DOBIX	M978	36.50000	25,800 ft	31	-
FIX	AWY-LO	12.12667	7,864 m	-	-
ASDAX	M978	36.26528	14,300 ft	53	-
FIX	AWY-LO	13.20417	4,359 m	-	-
LMML	-	35.84948	0 ft	66	La Valette Luqa
APT	-	14.48184	0 m	-	

## LEPA

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 2

Elevation: 24 ft / 7 m  
Location: 39.551700 2.738890  
Magnetic Var: 1.686 E

## METAR

LEPA 070900Z 06010KT CAVOK 29/11 Q1017 NOSIG

## TAF

TAF TAF LEPA 070500Z 0706/0806 04005KT CAVOK TX33/0712Z TN18/0706Z BECMG 0706/0708 09010KT PROB30 TEMPO 0706/0716

## Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.80		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.82		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.80		69 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.78		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.81		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.78		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.78		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.81		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.78		24 m

## LMML

Region: MALTA  
Timezone: EUROPE/MALTA  
Runways: 2

Elevation: 297 ft / 91 m  
Location: 35.849400 14.481800  
Magnetic Var: 3.628 E

## METAR

LMML 070915Z 12006KT 080V170 CAVOK 28/19 Q1019 NOSIG

## TAF

TAF LMML 070500Z 0706/0806 27008KT 9999 FEW007 PROB40 0722/0806 5000 BR BKN005

## Frequencies

REC - 127.40 MHz - LUQA ATIS  
TWR - 135.10 MHz - LUQA TOWER

GND - 121.60 MHz - LUQA GROUND  
APP - 128.15 MHz - LUQA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	197 ft	11,618 ft	134.87	ASPHALT	0 ft	0 ft
	60 m	3,541 m	131.24		0 m	0 m
31	197 ft	11,618 ft	314.89	ASPHALT	614 ft	177 ft
	60 m	3,541 m	311.26		187 m	54 m
05	148 ft	7,794 ft	54.40	ASPHALT	0 ft	95 ft
	45 m	2,376 m	50.78		0 m	29 m
23	148 ft	7,794 ft	234.42	ASPHALT	0 ft	102 ft
	45 m	2,376 m	230.79		0 m	31 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	LQ	109.70 MHz	18 nm	134.86	-	299 ft
				33 km	131.23		299 m
31	LOC-ILS	LM	110.50 MHz	18 nm	314.86	-	299 ft
				33 km	311.23		299 m
13	GS	LQ	109.70 MHz	10 nm	134.86	2.85	299 ft
				19 km	131.23		299 m
31	GS	LM	110.50 MHz	10 nm	314.86	2.85	299 ft
				19 km	311.23		299 m