

NZWN

Wellington Intl


VHHH

Hong Kong Intl

2024/05/30 0008Z

NZWN WN M639 LHI J208 BN V134 SU W397 GLA Q26 BARIA V134 CS B473 DAO W8 MCT W11 MIA W16 AVMUP
A461 CH VHHH

5143.53 nm / 9525.81 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZWN	-	-41.32670	0 ft	-	Wellington Intl
APT	-	174.80700	0 m		
WN	-	-41.33720	200 ft	0	WELLINGTON
VOR	-	174.81700	61 m		
GULUT	M639	-39.47650	35,000 ft	199	-
FIX	AWY-HI	171.19500	10,668 m		
VEPAS	M639	-34.41300	35,000 ft	496	-
FIX	AWY-HI	163.00000	10,668 m		
LHI	M639	-31.52890	35,000 ft	262	LORD HOWE
NDB	AWY-HI	159.07300	10,668 m		
CHEWY	J208	-28.96810	35,000 ft	248	-
FIX	AWY-HI	155.31500	10,668 m		
SCOTT	J208	-27.86830	35,000 ft	103	-
FIX	AWY-HI	153.80000	10,668 m		
POODL	J208	-27.52030	35,000 ft	32	-
FIX	AWY-HI	153.33900	10,668 m		
BN	J208	-27.36610	35,000 ft	14	BRISBANE
VOR	AWY-HI	153.13900	10,668 m		
SU	V134	-26.59770	35,000 ft	46	SUNSHINE COAST
VOR	AWY-LO	153.09000	10,668 m		
CLAMP	W397	-26.09000	35,000 ft	36	-
FIX	AWY-LO	152.73300	10,668 m		
KASPA	W397	-25.81300	35,000 ft	19	-
FIX	AWY-LO	152.53600	10,668 m		
KETEN	W397	-25.07150	35,000 ft	52	-
FIX	AWY-LO	152.02400	10,668 m		
GLA	W397	-23.86530	35,000 ft	85	GLADSTONE
VOR	AWY-LO	151.20400	10,668 m		
CAPRI	Q26	-22.26670	35,000 ft	111	-
FIX	AWY-HI	150.19000	10,668 m		
HM	Q26	-20.35120	35,000 ft	134	HAMILTON I
VOR	AWY-HI	148.95600	10,668 m		
SWALO	Q26	-17.78680	35,000 ft	195	-
FIX	AWY-HI	146.82800	10,668 m		
BARIA	Q26	-17.21330	35,000 ft	43	-
FIX	AWY-HI	146.36300	10,668 m		
CS	V134	-16.85000	35,000 ft	41	CAIRNS
VOR	AWY-LO	145.74400	10,668 m		
LAKED	B473	-16.22950	35,000 ft	50	-
FIX	AWY-HI	145.16200	10,668 m		
MEMOS	B473	-14.98420	35,000 ft	100	-
FIX	AWY-HI	144.00900	10,668 m		
WP	B473	-12.67360	35,000 ft	184	WEIPA
VOR	AWY-HI	141.92300	10,668 m		
PEBTA	B473	-10.96400	35,000 ft	145	-
FIX	AWY-HI	140.17500	10,668 m		
OPABA	B473	-8.85833	35,000 ft	177	-
FIX	AWY-HI	138.06700	10,668 m		
OLENG	B473	-3.00000	35,000 ft	441	-
FIX	AWY-HI	133.60000	10,668 m		
SAMGE	B473	1.96006	35,000 ft	381	-
FIX	AWY-HI	129.62600	10,668 m		
SADAN	B473	4.00000	35,000 ft	153	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	128.08300	10,668 m		
DAPEL	B473	6.71541	35,000 ft	205	-
FIX	AWY-HI	125.97900	10,668 m		
EDLOR	B473	6.86722	35,000 ft	11	-
FIX	AWY-HI	125.86000	10,668 m		
DAO	B473	7.13124	35,000 ft	20	DAVAO
VOR	AWY-HI	125.65400	10,668 m		
SIVAL	W8	7.42860	35,000 ft	20	-
FIX	AWY-HI	125.50000	10,668 m		
JOFER	W8	7.96856	35,000 ft	36	-
FIX	AWY-HI	125.21900	10,668 m		
GONIL	W8	8.34347	35,000 ft	25	-
FIX	AWY-HI	125.02300	10,668 m		
BALIN	W8	8.79496	35,000 ft	30	-
FIX	AWY-HI	124.78700	10,668 m		
YAYIN	W8	9.02516	35,000 ft	15	-
FIX	AWY-HI	124.66700	10,668 m		
BOHOL	W8	9.57168	35,000 ft	36	-
FIX	AWY-HI	124.38000	10,668 m		
DAHoy	W8	9.94269	35,000 ft	25	-
FIX	AWY-HI	124.18400	10,668 m		
MCT	W8	10.31360	35,000 ft	25	MACTAN (LAPU-LAPU)
VOR	AWY-HI	123.98800	10,668 m		
MANOK	W11	10.65840	35,000 ft	25	-
FIX	AWY-HI	123.74900	10,668 m		
MOLOC	W11	11.00310	35,000 ft	25	-
FIX	AWY-HI	123.50800	10,668 m		
SAGRA	W11	12.36990	35,000 ft	99	-
FIX	AWY-HI	122.54900	10,668 m		
CONDE	W11	13.68590	35,000 ft	96	-
FIX	AWY-HI	121.61300	10,668 m		
PABLO	W11	14.08340	35,000 ft	29	-
FIX	AWY-HI	121.32800	10,668 m		
BANOS	W11	14.23410	35,000 ft	11	-
FIX	AWY-HI	121.21900	10,668 m		
MIA	W11	14.50800	35,000 ft	20	MANILA
VOR	AWY-HI	121.02200	10,668 m		
VOTAS	W16	14.71060	35,000 ft	14	-
FIX	AWY-HI	120.88500	10,668 m		
OLIVA	W16	14.94940	35,000 ft	17	-
FIX	AWY-HI	120.72200	10,668 m		
CIA	W16	15.18690	35,000 ft	17	CLARK (ANGELES)
VOR	AWY-HI	120.56100	10,668 m		
TADEL	W16	15.41410	35,000 ft	15	-
FIX	AWY-HI	120.43300	10,668 m		
BIGBI	W16	15.51280	35,000 ft	6	-
FIX	AWY-HI	120.37700	10,668 m		
TAREM	W16	15.67430	35,000 ft	11	-
FIX	AWY-HI	120.28600	10,668 m		
AVMUP	W16	17.99330	35,000 ft	158	-
FIX	AWY-HI	118.95900	10,668 m		
MUMOT	A461	19.02860	35,000 ft	91	-
FIX	AWY-HI	117.79000	10,668 m		
NOMAN	A461	20.00000	35,000 ft	86	-
FIX	AWY-HI	116.67200	10,668 m		
CH	A461	22.21950	1,700 ft	199	CHEUNG CHAU

Ident	Via	Lat	Alt	Dist	Name
Type		Lon		(nm)	
VOR	AWY-HI	114.03000	518 m		
VHHH	-	22.30890	0 ft	8	Hong Kong Intl
APT	-	113.91500	0 m		

NZWN

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 1

Elevation: 41 ft / 12 m
Location: -41.326700 174.807000
Magnetic Var: 22.994 E

METAR

NZWN 292330Z AUTO 35006KT 9999 NCD 12/06 Q1017

TAF

TAF NZWN 292304Z 3000/3106 36010KT 9999 FEW040

Frequencies

CLD - 128.20 MHz - CLNC DEL
DEP - 122.30 MHz -
GND - 121.90 MHz -
REC - 126.90 MHz - ATIS

APP - 119.30 MHz -
TWR - 118.80 MHz -
COM - 122.80 MHz - UNICOM
TWR - 128.80 MHz - UNNAMED ENTITY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	131 ft	6,735 ft	182.88	ASPHALT	427 ft	62 ft
	40 m	2,053 m	159.89		130 m	19 m
34	131 ft	6,735 ft	2.88	ASPHALT	348 ft	161 ft
	40 m	2,053 m	339.89		106 m	49 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IEB	110.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
34	DME	IMP	109.90 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
16	LOC-ILS	IEB	110.30 MHz	18 nm	182.84	-	20 ft
				33 km	159.85		20 m
34	LOC-ILS	IMP	109.90 MHz	18 nm	2.75	-	20 ft
				33 km	339.76		20 m
16	GS	IEB	110.30 MHz	10 nm	184.06	3.00	26 ft
				19 km	161.07		26 m
34	GS	IMP	109.90 MHz	10 nm	3.00	3.00	6 ft
				19 km	340.01		6 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.241 W

METAR

VHHH 292330Z 09014KT 9999 FEW015 SCT020 26/22 Q1006 NOSIG

TAF

TAF VHHH 292300Z 3000/3106 10010KT 9999 FEW015 SCT025 TX31/3006Z TX30/3106Z TN26/3022Z TEMPO 3100/3106 18015G25K

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.02		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m