


2024/05/13 0841Z

LEMD RBO DGO LEBB

174.52 nm / 323.22 km



Notes

Requested: LEMD 60VOR RBO DGO F130 LEBB

Unmatched points: 60VOR F130

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEMD	-	40.49045	0 ft	-	Barajas
APT	-	-3.56061	0 m		
RBO	-	40.85387	0 ft	26	ROBLEDILLO VOR-DME
VOR	-	-3.24663	0 m		
DGO	-	42.45331	0 ft	97	DOMINGO VOR-DME
VOR	-	-2.88071	0 m		
LEBB	-	43.30169	0 ft	50	Bilbao
APT	-	-2.91766	0 m		

LEMD

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 4

Elevation: 1,998 ft / 609 m
Location: 40.495300 -3.560200
Magnetic Var: 0.079 E

METAR

LEMD 130830Z 18001KT CAVOK 20/10 Q1014 NOSIG

TAF

TAF LEMD 130500Z 1306/1412 VRB05KT CAVOK TX30/1315Z TN17/1405Z BECMG 1310/1312 22010KT PROB40 TEMPO 1310/1320 220

Frequencies

REC - 130.85 MHz - ATIS DEPARTURE	REC - 118.25 MHz - ATIS ARRIVAL
TWR - 120.65 MHz - BARAJAS TOWER	TWR - 120.15 MHz - BARAJAS TOWER
TWR - 119.50 MHz - BARAJAS TOWER	TWR - 118.15 MHz - BARAJAS TOWER
GND - 121.75 MHz - BARAJAS GROUND	GND - 123.15 MHz - BARAJAS GROUND
GND - 121.70 MHz - BARAJAS APRON	GND - 123.25 MHz - BARAJAS APRON
GND - 121.85 MHz - BARAJAS APRON	GND - 123.00 MHz - BARAJAS APRON
CLD - 130.35 MHz - CLEARANCE DELIVERY	CLD - 130.00 MHz - CLEARANCE DELIVERY
APP - 127.50 MHz - MADRID APPROACH	APP - 136.10 MHz - MADRID APPROACH
APP - 134.00 MHz - MADRID APPROACH	APP - 130.80 MHz - MADRID APPROACH
APP - 127.10 MHz - MADRID APPROACH	APP - 124.00 MHz - MADRID APPROACH
APP - 118.75 MHz - MADRID APPROACH	APP - 118.40 MHz - MADRID APPROACH
DEP - 131.17 MHz - MADRID DEPARTURE	DEP - 124.22 MHz - MADRID DEPARTURE
APP - 134.95 MHz - MADRID DIRECT	APP - 128.70 MHz - MADRID DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14R	197 ft	13,097 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,992 m	142.23		0 m	0 m
32L	197 ft	13,097 ft	322.32	ASPHALT	3,041 ft	0 ft
	60 m	3,992 m	322.25		927 m	0 m
18R	197 ft	13,723 ft	179.75	ASPHALT	2,644 ft	0 ft
	60 m	4,183 m	179.67		806 m	0 m
36L	197 ft	13,723 ft	359.75	ASPHALT	0 ft	0 ft
	60 m	4,183 m	359.67		0 m	0 m
14L	197 ft	11,494 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,504 m	142.24		0 m	0 m
32R	197 ft	11,494 ft	322.33	ASPHALT	1,627 ft	0 ft
	60 m	3,504 m	322.25		496 m	0 m
18L	197 ft	11,494 ft	179.76	ASPHALT	1,621 ft	0 ft
	60 m	3,503 m	179.68		494 m	0 m
36R	197 ft	11,494 ft	359.76	ASPHALT	0 ft	0 ft
	60 m	3,503 m	359.68		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	DME	IML	111.50 MHz	18 nm	-	-	1,916 ft
				33 km	-		1,916 m
18R	DME	IMR	110.70 MHz	18 nm	-	-	1,986 ft
				33 km	-		1,986 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32L	DME	MAA	109.90 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
32R	DME	MBB	109.10 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
18L	LOC-ILS	IML	111.50 MHz	18 nm	179.76	-	1,998 ft
				33 km	179.68		1,998 m
18R	LOC-ILS	IMR	110.70 MHz	18 nm	179.75	-	1,998 ft
				33 km	179.67		1,998 m
32L	LOC-ILS	MAA	109.90 MHz	18 nm	322.32	-	1,998 ft
				33 km	322.24		1,998 m
32R	LOC-ILS	MBB	109.10 MHz	18 nm	322.33	-	1,998 ft
				33 km	322.25		1,998 m
18L	GS	IML	111.50 MHz	10 nm	179.76	3.00	1,998 ft
				19 km	179.68		1,998 m
18R	GS	IMR	110.70 MHz	10 nm	179.75	3.00	1,978 ft
				19 km	179.67		1,978 m
32L	GS	MAA	109.90 MHz	10 nm	322.32	3.00	1,998 ft
				19 km	322.24		1,998 m
32R	GS	MBB	109.10 MHz	10 nm	322.33	3.00	1,998 ft
				19 km	322.25		1,998 m

LEBB

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 136 ft / 41 m
Location: 43.301700 -2.917430
Magnetic Var: 0.172 E

METAR

LEBB 130830Z 11006KT 070V140 CAVOK 19/12 Q1010 NOSIG

TAF

TAF LEBB 130500Z 1306/1406 28009KT 9999 FEW015 TX27/1312Z TN08/1405Z TEMPO 1318/1404 3000 SHRA SCT030TCU

Frequencies

TWR - 118.50 MHz - BILBAO TOWER
APP - 120.70 MHz - BILBAO APPROACH

GND - 121.70 MHz - BILBAO GROUND
REC - 118.82 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	6,264 ft	96.65	ASPHALT	0 ft	0 ft
	45 m	1,909 m	96.48		0 m	0 m
28	148 ft	6,264 ft	276.67	ASPHALT	1,808 ft	0 ft
	45 m	1,909 m	276.50		551 m	0 m
12	148 ft	8,520 ft	116.73	ASPHALT	0 ft	194 ft
	45 m	2,597 m	116.56		0 m	59 m
30	148 ft	8,520 ft	296.75	ASPHALT	1,496 ft	187 ft
	45 m	2,597 m	296.58		456 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IBO	111.55 MHz	13 nm	-	-	133 ft
				24 km	-		133 m
30	DME	IBL	110.30 MHz	13 nm	-	-	132 ft
				24 km	-		132 m
12	LOC-ILS	IBO	111.55 MHz	18 nm	116.73	-	137 ft
				33 km	116.56		137 m
30	LOC-ILS	IBL	110.30 MHz	18 nm	296.73	-	137 ft
				33 km	296.56		137 m
12	GS	IBO	111.55 MHz	10 nm	116.73	3.10	137 ft
				19 km	116.56		137 m
30	GS	IBL	110.30 MHz	10 nm	296.73	3.40	137 ft
				19 km	296.56		137 m