

LICC

Catania-Fontanarossa "Vincenzo Bellini"


LICR

Reggio Calabria "Tito Minniti"

2024/05/04 0842Z

LICC DIVAR LICR

45.85 nm / 84.92 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 500ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LICC	-	37.46680	0 ft	-	Catania-Fontanarossa	"Vincenzo Bellini"
APT	-	15.06640	0 m			
DIVAR	-	37.77170	500 ft	21	-	
FIX	-	15.31220	152 m			
LICR	-	38.07280	0 ft	24	Reggio Calabria	"Tito Minniti"
APT	-	15.64930	0 m			

LICC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 39 ft / 12 m
Location: 37.466800 15.066400
Magnetic Var: 3.829 E

METAR

LICC 040820Z 09007KT 050V120 CAVOK 20/06 Q1015 WS R08

TAF

TAF LICC 040500Z 0406/0506 26013KT CAVOK BECMG 0411/0413 08010KT BECMG 0417/0419 29008KT

Frequencies

GND - 129.72 MHz - CATANIA GROUND
APP - 120.80 MHz - CATANIA APPROACH
REC - 127.67 MHz - ATIS

TWR - 118.70 MHz - CATANIA TOWER
APP - 119.25 MHz - CATANIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	8,000 ft	83.93	ASPHALT	308 ft	0 ft
	45 m	2,438 m	80.10		94 m	0 m
26	148 ft	8,000 ft	263.95	ASPHALT	285 ft	0 ft
	45 m	2,438 m	260.12		87 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	CTN	109.90 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
08	LOC-ILS	CTN	109.90 MHz	18 nm	83.95	-	39 ft
				33 km	80.12		39 m
08	GS	CTN	109.90 MHz	10 nm	83.95	3.00	39 ft
				19 km	80.12		39 m

LICR

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 96 ft / 29 m
Location: 38.072800 15.649300
Magnetic Var: 3.965 E

METAR

LICR 040820Z AUTO 35014KT 9999 FEW061/// 19/11 Q1016

TAF

TAF LICR 040500Z 0406/0506 34014KT 9999 SCT030 TEMPO 0406/0416 34016G26KT

Frequencies

TWR - 118.25 MHz - REGGIO TOWER

APP - 120.27 MHz - REGGIO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	6,561 ft	152.90	ASPHALT	820 ft	0 ft
	45 m	2,000 m	148.93		250 m	0 m
33	148 ft	6,561 ft	332.90	ASPHALT	164 ft	0 ft
	45 m	2,000 m	328.94		50 m	0 m
11	148 ft	5,579 ft	112.65	ASPHALT	0 ft	0 ft
	45 m	1,701 m	108.68		0 m	0 m
29	148 ft	5,579 ft	292.66	ASPHALT	0 ft	0 ft
	45 m	1,701 m	288.69		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	LOC-LOC	REG	109.30 MHz	18 nm	19.16	-	95 ft
				33 km	15.20		95 m