

# SPQT

Francisco Secada Vignetta Int'l


# SPST

CADETE GUILLERMO DEL CASTILLO PAREDES

2024/06/12 0650Z

SPQT RONSO **UV5** PUPOL SPST

245.95 nm / 455.50 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SPQT	-	-3.78474	0 ft	-	Francisco Secada Vignetta Int'l	
APT	-	-73.30880	0 m			
RONSO	-	-4.36778	18,100 ft	50	-	
FIX	-	-73.92330	5,517 m			
PUPOL	UV5	-5.79000	15,200 ft	124	-	
FIX	AWY-HI	-75.42750	4,633 m			
SPST	-	-6.50872	0 ft	71	CADETE GUILLERMO DEL CASTILLO PAREDES	
APT	-	-76.37330	0 m			

## SPQT

Region: PERU  
Timezone: AMERICA/LIMA  
Runways: 1

Elevation: 306 ft / 93 m  
Location: -3.784740 -73.308800  
Magnetic Var: 7.646 W

## METAR

SPQT 120622Z 29002KT 0400 R06/0600N FG VV001 24/24 Q1012

## TAF

TAF SPQT 120500Z 1206/1306 VRB02KT 0500 FG OVC002 TX32/1219Z TN23/1211Z FM121245 02004KT 2000 BR BKN004 BECMG 121300

## Frequencies

TWR - 118.50 MHz - IQUITOS TWR

APP - 124.10 MHz - IQUITOS APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,210 ft	56.52	CONCRETE	0 ft	46 ft
	45 m	2,502 m	64.17		0 m	14 m
24	148 ft	8,210 ft	236.52	CONCRETE	0 ft	56 ft
	45 m	2,502 m	244.17		0 m	17 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ISEC	109.70 MHz	18 nm	-	-	306 ft
				33 km	-		306 m
06	LOC-ILS	ISEC	109.70 MHz	18 nm	56.52	-	306 ft
				33 km	64.17		306 m
06	GS	ISEC	109.70 MHz	10 nm	57.05	3.00	306 ft
				19 km	64.69		306 m