


2024/05/07 0457Z

EGSS BEKSA **UN14** PEMOB **UN24** SLANY EICK

326.73 nm / 605.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS APT	-	51.88510 0.23496	0 ft 0 m	-	London Stansted
BEKSA FIX	-	51.81778 -2.54611	35,000 ft 10,668 m	103	-
DOBEM FIX	UN14 AWY-HI	51.86944 -2.92917	35,000 ft 10,668 m	14	-
TOPRO FIX	UN14 AWY-HI	51.91167 -3.24917	35,000 ft 10,668 m	12	-
MEDOG FIX	UN14 AWY-HI	51.95028 -3.54944	35,000 ft 10,668 m	11	-
ABAPO FIX	UN14 AWY-HI	52.10278 -4.80333	29,600 ft 9,022 m	47	-
PEMOB FIX	UN14 AWY-HI	52.14389 -5.16139	26,700 ft 8,138 m	13	-
SLANY FIX	UN24 AWY-HI	52.15861 -5.84222	21,300 ft 6,492 m	25	-
EICK APT	-	51.84261 -8.48906	0 ft 0 m	99	Cork

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.577 E

METAR

EGSS 070420Z AUTO 35005KT 3900 BR NCD 07/07 Q1017

TAF

TAF AMD EGSS 070325Z 0703/0806 03005KT 7000 FEW025 PROB30 0703/0707 1200 BR BKN004 BECMG 0707/0710 9999 PROB40 0707/0710 1200 BR BKN004

Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.21		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.23		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.22		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.22		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.22		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.22		348 m

EICK

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 501 ft / 153 m
Location: 51.842800 -8.489330
Magnetic Var: 2.581 W

METAR

EICK 070430Z 32005KT 9999 FEW016 BKN020 10/08 Q1021 NOSIG

TAF

TAF EICK 062300Z 0700/0724 34009KT 9999 FEW015 BKN025 PROB30 TEMPO 0703/0706 3000 BR BECMG 0708/0710 VRB03KT BECMG

Frequencies

REC - 120.92 MHz - CORK ATIS
TWR - 119.30 MHz - CORK TOWER

GND - 121.85 MHz - CORK GROUND
APP - 119.90 MHz - CORK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	150 ft	6,992 ft	159.93	ASPHALT	0 ft	0 ft
	46 m	2,131 m	162.51		0 m	0 m
34	150 ft	6,992 ft	339.94	ASPHALT	0 ft	0 ft
	46 m	2,131 m	342.52		0 m	0 m
07	148 ft	4,250 ft	62.54	CONCRETE	0 ft	0 ft
	45 m	1,295 m	65.12		0 m	0 m
25	148 ft	4,250 ft	242.55	CONCRETE	0 ft	0 ft
	45 m	1,295 m	245.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	ICS	109.90 MHz	18 nm	159.94	-	501 ft
				33 km	162.52		501 m
34	LOC-ILS	ICN	109.15 MHz	18 nm	339.94	-	501 ft
				33 km	342.52		501 m
16	GS	ICS	109.90 MHz	10 nm	159.94	3.00	501 ft
				19 km	162.52		501 m
34	GS	ICN	109.15 MHz	10 nm	339.94	3.00	501 ft
				19 km	342.52		501 m