

# LSGG

Geneva


# LGAV

Athens Eleftherios Venizelos

2024/05/02 1021Z

LSGG INVOP L612 SRN L153 OSBUL Y765 ANC L612 BRD L995 TIGRA UL995 KRK L995 VARDI LGAV

946.19 nm / 1752.35 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 39000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23810	0 ft	-	Geneva
APT	-	6.10901	0 m		
INVOP	-	45.80280	39,000 ft	89	-
FIX	-	8.15639	11,887 m		
SRN	L612	45.64600	39,000 ft	37	SARONNO
VOR	AWY-HI	9.02158	11,887 m		
ROBAS	L153	45.19360	39,000 ft	40	-
FIX	AWY-LO	9.72611	11,887 m		
OSBUL	L153	44.82220	39,000 ft	32	-
FIX	AWY-LO	10.29330	11,887 m		
INDIR	Y765	44.60110	39,000 ft	29	-
FIX	AWY-HI	10.89940	11,887 m		
PETAS	Y765	44.34810	39,000 ft	32	-
FIX	AWY-HI	11.56310	11,887 m		
AMSED	Y765	43.77110	39,000 ft	71	-
FIX	AWY-HI	13.01860	11,887 m		
ANC	Y765	43.58640	39,000 ft	22	ANCONA
VOR	AWY-HI	13.47110	11,887 m		
MASEG	L612	43.41290	39,000 ft	15	-
FIX	AWY-HI	13.74930	11,887 m		
NUTRO	L612	43.16000	39,000 ft	23	-
FIX	AWY-HI	14.14920	11,887 m		
ARSOB	L612	42.67920	39,000 ft	43	-
FIX	AWY-HI	14.89610	11,887 m		
ERPOG	L612	42.47830	39,000 ft	18	-
FIX	AWY-HI	15.20250	11,887 m		
RUPAX	L612	42.30080	39,000 ft	16	-
FIX	AWY-HI	15.47170	11,887 m		
VIE	L612	41.91280	39,000 ft	34	VIESTE
VOR	AWY-HI	16.04920	11,887 m		
PISIP	L612	41.53030	39,000 ft	34	-
FIX	AWY-HI	16.63640	11,887 m		
UVOKA	L612	41.37970	39,000 ft	13	-
FIX	AWY-HI	16.86360	11,887 m		
PIKEL	L612	41.18420	39,000 ft	17	-
FIX	AWY-HI	17.15830	11,887 m		
DOLON	L612	40.88920	39,000 ft	26	-
FIX	AWY-HI	17.59440	11,887 m		
BRD	L612	40.61090	39,000 ft	24	BRINDISI
VOR	AWY-HI	18.00290	11,887 m		
ORSOM	L995	40.36580	39,000 ft	25	-
FIX	AWY-HI	18.44670	11,887 m		
TIGRA	L995	40.05670	39,000 ft	31	-
FIX	AWY-LO	19.00000	11,887 m		
KRK	UL995	39.44390	39,000 ft	61	KERKIRA
VOR	AWY-HI	20.07280	11,887 m		
LATSO	L995	39.32000	39,000 ft	16	-
FIX	AWY-LO	20.38190	11,887 m		
VARDI	L995	38.67190	31,100 ft	82	-
FIX	AWY-LO	21.95110	9,479 m		
LGAV	-	37.93670	0 ft	103	Athens Eleftherios Venizelos
APT	-	23.94450	0 m		

## LSGG

Region: SWITZERLAND  
Timezone: EUROPE/ZURICH  
Runways: 1

Elevation: 1,411 ft / 430 m  
Location: 46.238100 6.109010  
Magnetic Var: 2.508 E

## METAR

LSGG 020950Z AUTO 21007KT 200V270 9999 -RA FEW010 OVC042 10/08 Q1005 RESHRA NOSIG

## TAF

TAF LSGG 020825Z 0209/0315 22007KT 9999 SHRA SCT035 BKN060 TX11/0212Z TN08/0306Z TX15/0315Z

## Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.94		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m

## LGAV

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 2

Elevation: 308 ft / 94 m  
Location: 37.936700 23.944500  
Magnetic Var: 5.105 E

## METAR

LGAV 020950Z 06011KT 9999 FEW030 21/10 Q1013 NOSIG

## TAF

TAF TAF LGAV 020500Z 0206/0306 04010KT 9999 FEW025 BECMG 0210/0212 12010KT BECMG 0218/0220 25010KT

## Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.77		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.77		300 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.42		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.87		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.40		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m