


2024/05/23 0910Z

EGDL LOVEL **UL612** LAKEY EGPB

273.44 nm / 506.42 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGDL	-	51.50540	0 ft	-	MoD Lyneham
APT	-	-1.98300	0 m	-	
LOVEL	-	53.25170	35,000 ft	105	-
FIX	-	-2.27444	10,668 m	-	
BARTN	UL612	53.47060	32,900 ft	14	-
FIX	AWY-HI	-2.42806	10,028 m	-	
CROFT	UL612	53.62690	30,700 ft	10	-
FIX	AWY-HI	-2.53889	9,357 m	-	
CALDA	UL612	53.77420	28,700 ft	9	-
FIX	AWY-HI	-2.64389	8,748 m	-	
OBUNI	UL612	53.91110	26,700 ft	8	-
FIX	AWY-HI	-2.74250	8,138 m	-	
VAMEB	UL612	54.00280	25,500 ft	5	-
FIX	AWY-HI	-2.80889	7,772 m	-	
LAKEY	UL612	54.23890	22,200 ft	15	-
FIX	AWY-HI	-2.98111	6,767 m	-	
EGPH	-	55.95000	0 ft	103	Edinburgh
APT	-	-3.37250	0 m	-	

## EGDL

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 513 ft / 156 m  
Location: 51.505400 -1.983000  
Magnetic Var: 0.143 W

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

GND - 129.47 MHz -  
APP - 118.42 MHz -

TWR - 119.22 MHz -  
APP - 135.15 MHz - CAC

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	151 ft	7,826 ft	60.11	ASPHALT	0 ft	0 ft
	46 m	2,385 m	60.25		0 m	0 m
24	151 ft	7,826 ft	240.13	ASPHALT	581 ft	0 ft
	46 m	2,385 m	240.28		177 m	0 m
18	151 ft	5,990 ft	174.95	ASPHALT	20 ft	0 ft
	46 m	1,826 m	175.09		6 m	0 m
36	151 ft	5,990 ft	354.95	ASPHALT	20 ft	0 ft
	46 m	1,826 m	355.09		6 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	ILA	109.70 MHz	18 nm	244.30	-	513 ft
				33 km	244.44		513 m
24	GS	ILA	109.70 MHz	10 nm	240.30	3.00	513 ft
				19 km	240.44		513 m

## EGPH

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 136 ft / 41 m  
Location: 55.950000 -3.372500  
Magnetic Var: 1.210 W

## METAR

EGPH 230820Z 01006KT 320V050 9999 BKN020 13/10 Q1008

## TAF

TAF EGPB 230501Z 2306/2406 02009KT 9999 SCT012 BKN020 TEMPO 2306/2406 6000 -RADZ BKN010 PROB30 TEMPO 2306/2316 4000

## Frequencies

APP - 121.20 MHz - EDINBURGH APPROACH  
TWR - 118.70 MHz - EDINBURGH TOWER

GND - 121.75 MHz - EDINBURGH GROUND  
REC - 131.35 MHz - EDINBURGH INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,369 ft	58.80	ASPHALT	692 ft	190 ft
	46 m	2,551 m	60.01		211 m	58 m
24	150 ft	8,369 ft	238.82	ASPHALT	682 ft	194 ft
	46 m	2,551 m	240.03		208 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IVG	108.90 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
24	DME	ITH	108.90 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
06	LOC-ILS	IVG	108.90 MHz	18 nm	58.81	-	136 ft
				33 km	60.02		136 m
24	LOC-ILS	ITH	108.90 MHz	18 nm	238.81	-	136 ft
				33 km	240.02		136 m
06	GS	IVG	108.90 MHz	10 nm	58.81	3.00	136 ft
				19 km	60.02		136 m
24	GS	ITH	108.90 MHz	10 nm	238.81	3.00	136 ft
				19 km	240.02		136 m