

PHNL

Daniel K. Inouye International Airport


OMDB

Dubai Intl

2024/05/04 2051Z

PHNL HUXOR HADIG GRAIL CHOKL LILIA CANON DOGIF 25N70 IMAXE 33E70 36E60 37E50 SPEAR ITAKO CI03R
BROOK SYE BODAI KARUI SUWAH STRAW HESEN KOAJI SONBU SAMON SPIDR JOUDO LANAT TL051 BASEM BEG00
POSAN PTK HANKY SS813 COWAY REBIT DANTI D017R D YCS BTO ISGOD OMDB

7655.62 nm / 14178.20 km



Notes

Requested: PHNL HUXOR MAGDA HADIG GRAIL CHOKL LILIA CANON DOGIF 25N70 IMAXE 33E70 36E60 37E50 SPEAR ITAKO CI03R BR
Unmatched points: SIW

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
PHNL	-	21.31940	0 ft	-		Daniel K. Inouye International Airport
APT	-	-157.92100	0 m			
HUXOR	-	21.30680	0 ft	7	-	
FIX	-	-158.04900	0 m			
HADIG	-	21.30650	0 ft	13	-	
FIX	-	-158.28700	0 m			
GRAIL	-	21.51300	0 ft	34	-	
FIX	-	-158.85900	0 m			
CHOKL	-	22.14060	0 ft	96	-	
FIX	-	-160.45000	0 m			
LILIA	-	22.50770	0 ft	66	-	
FIX	-	-161.58300	0 m			
CANON	-	22.80150	0 ft	59	-	
FIX	-	-162.61700	0 m			
DOGIF	-	23.25830	0 ft	73	-	
FIX	-	-163.85500	0 m			
25N70	-	25.00000	0 ft	352	-	
FIX	-	-170.00000	0 m			
IMAXE	-	28.02680	0 ft	443	-	
FIX	-	-177.52200	0 m			
33E70	-	33.00000	0 ft	710	-	
FIX	-	170.00000	0 m			
36E60	-	36.00000	0 ft	526	-	
FIX	-	160.00000	0 m			
37E50	-	37.00000	0 ft	486	-	
FIX	-	150.00000	0 m			
SPEAR	-	36.53710	0 ft	297	-	
FIX	-	143.85100	0 m			
ITAKO	-	36.11790	0 ft	138	-	
FIX	-	141.02600	0 m			
CI03R	-	36.05160	0 ft	32	-	
FIX	-	140.35800	0 m			
BROOK	-	36.03730	0 ft	8	-	
FIX	-	140.17800	0 m			
SYE	-	36.01090	0 ft	16		SEKIYADO
VOR	-	139.83900	0 m			
BODAI	-	36.01020	0 ft	26	-	
FIX	-	139.29300	0 m			
KARUI	-	36.04980	0 ft	34	-	
FIX	-	138.58800	0 m			
SUWAH	-	36.07560	0 ft	21	-	
FIX	-	138.14000	0 m			
STRAW	-	36.11670	0 ft	34	-	
FIX	-	137.42900	0 m			
HESEN	-	36.19190	0 ft	42	-	
FIX	-	136.56700	0 m			
KOAJI	-	36.20240	0 ft	24	-	
FIX	-	136.07000	0 m			
SONBU	-	36.19230	0 ft	23	-	
FIX	-	135.58400	0 m			
SAMON	-	36.24290	0 ft	52	-	
FIX	-	134.50300	0 m			
SPIDR	-	36.25310	0 ft	23	-	

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	134.01600	0 m			
JOUDO	-	36.23100	0 ft	25	-	
FIX	-	133.48400	0 m			
LANAT	-	36.37320	0 ft	99	-	
FIX	-	131.42800	0 m			
TL051	-	36.62520	0 ft	88	-	
FIX	-	129.62300	0 m			
BASEM	-	36.84360	0 ft	81	-	
FIX	-	127.95300	0 m			
BEG00	-	36.85720	0 ft	10	-	
FIX	-	127.72500	0 m			
POSAN	-	36.93750	0 ft	24	-	
FIX	-	127.22100	0 m			
PTK	-	36.96780	0 ft	9		PYONGTAEK
VOR	-	127.02100	0 m			
HANKY	-	37.03890	0 ft	24	-	
FIX	-	126.51600	0 m			
SS813	-	37.07630	0 ft	13	-	
FIX	-	126.24800	0 m			
COWAY	-	37.13830	0 ft	21	-	
FIX	-	125.80100	0 m			
REBIT	-	37.20080	0 ft	15	-	
FIX	-	125.48700	0 m			
DANTI	-	37.30170	0 ft	40	-	
FIX	-	124.65800	0 m			
D017R	-	37.48670	0 ft	113	-	
FIX	-	122.28800	0 m			
D	-	37.57940	0 ft	30	-	
FIX	-	121.66300	0 m			
YCS	-	37.67980	0 ft	32		PENGLAI
VOR	-	121.00100	0 m			
BTO	-	38.10830	0 ft	211		POTOU VOR-DME
DME	-	116.57800	0 m			
ISGOD	-	38.28500	0 ft	117	-	
FIX	-	114.09000	0 m			
OMDB	-	25.25110	0 ft	3046		Dubai Intl
APT	-	55.37110	0 m			

PHNL

Region: USA (HAWAII)
Timezone: PACIFIC/HONOLULU
Runways: 4

Elevation: 13 ft / 4 m
Location: 21.319400 -157.921000
Magnetic Var: 9.260 E

METAR

PHNL 041953Z 06016G24KT 10SM FEW026 FEW030 SCT045 26/18 A3005

TAF

PHNL 041725Z 0418/0524 06012G20KT P6SM VCSH FEW025 FEW035 SCT060 FM042000 07020G28KT P6SM SCT025 BKN050 FM050600

Frequencies

REC - 127.90 MHz - ATIS	TWR - 118.10 MHz - HONOLULU TOWER
TWR - 123.90 MHz - HONOLULU TOWER	GND - 121.90 MHz - HONOLULU GROUND
CLD - 121.40 MHz - CLEARANCE DELIVERY	APP - 118.30 MHz - HCF APPROACH
DEP - 124.80 MHz - HCF DEPARTURE	DEP - 124.80 MHz - HCF DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	6,961 ft	52.84	ASPHALT	0 ft	0 ft
	46 m	2,122 m	43.58		0 m	0 m
22R	150 ft	6,961 ft	232.85	ASPHALT	0 ft	0 ft
	46 m	2,122 m	223.59		0 m	0 m
04R	150 ft	9,010 ft	52.85	ASPHALT	0 ft	194 ft
	46 m	2,746 m	43.59		0 m	59 m
22L	150 ft	9,010 ft	232.86	ASPHALT	0 ft	197 ft
	46 m	2,746 m	223.60		0 m	60 m
08R	200 ft	11,987 ft	90.01	ASPHALT	0 ft	558 ft
	61 m	3,654 m	80.75		0 m	170 m
26L	200 ft	11,987 ft	270.02	ASPHALT	0 ft	554 ft
	61 m	3,654 m	260.76		0 m	169 m
08L	150 ft	12,297 ft	90.00	ASPHALT	0 ft	469 ft
	46 m	3,748 m	80.74		0 m	143 m
26R	150 ft	12,297 ft	270.01	ASPHALT	0 ft	696 ft
	46 m	3,748 m	260.75		0 m	212 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IIUM	110.50 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
26L	DME	IEPC	109.10 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
26L	LOC-LOC	IEPC	109.10 MHz	18 nm	304.00	-	13 ft
				33 km	294.74		13 m
04R	GS	IIUM	110.50 MHz	10 nm	52.85	3.00	13 ft
				19 km	43.59		13 m
08L	GS	IHNL	111.70 MHz	10 nm	90.01	3.01	13 ft
				19 km	80.75		13 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 042000Z 13006KT CAVOK 32/17 Q1007 NOSIG

TAF

TAF OMDB 041700Z 0418/0600 14005KT 8000 NSC PROB30 0501/0504 4000 HZ BECMG 0505/0507 30010KT BECMG 0515/0517 VRB0

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m