

CYUL

Montreal-Pierre Elliot Trudeau Intl

—


CYMX

Montreal Mirabel Intl

2024/05/23 0458Z

CYUL YUL CYMX

17.54 nm / 32.48 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 4000ft
- Cruise Speed: 200kts
- Descent Rate: 1500ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
CYUL	-	45.46750	0 ft	-		Montreal-Pierre Elliot Trudeau Intl
APT	-	-73.74380	0 m			
YUL	-	45.61570	2,000 ft	13		MONTREAL
VOR	-	-73.97090	610 m			
CYMX	-	45.67520	0 ft	4		Montreal Mirabel Intl
APT	-	-74.03540	0 m			

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.895 W

METAR

CYUL 230400Z 24011KT 15SM BKN140 OVC230 23/17 A2968 RMK AC6CI2 SLP054 DENSITY ALT 1400FT

TAF

TAF CYUL 230240Z 2303/2324 20008G18KT P6SM FEW030 SCT150 TEMPO 2303/2304 P6SM -SHRA FEW030 BKN070 PROB40 2303/2304

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.45		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.47		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m

CYMX

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 2

Elevation: 270 ft / 82 m
Location: 45.675200 -74.035400
Magnetic Var: 13.814 W

METAR

CYMX 230400Z 23006KT 190V270 25SM FEW080 SCT220 BKN240 23/17 A2968 RMK AC2CI1CI2 SLP052 DENSITY ALT 1600FT

TAF

TAF CYMX 222340Z 2300/2324 17010KT P6SM SCT080 FM230100 24005KT P6SM BKN080 TEMPO 2301/2306 P6SM -SHRA PROB40 230

Frequencies

REC - 125.70 MHz - ATIS
APP - 124.65 MHz -

COM - 119.10 MHz - MIRABEL RADIO
DEP - 124.65 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	11,992 ft	44.87	CONCRETE	0 ft	200 ft
	61 m	3,655 m	58.68		0 m	61 m
24	200 ft	11,992 ft	224.89	CONCRETE	0 ft	200 ft
	61 m	3,655 m	238.70		0 m	61 m
11	200 ft	11,969 ft	98.45	CONCRETE	0 ft	148 ft
	61 m	3,648 m	112.26		0 m	45 m
29	200 ft	11,969 ft	278.48	CONCRETE	0 ft	148 ft
	61 m	3,648 m	292.29		0 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IKP	111.30 MHz	18 nm	44.88	-	270 ft
				33 km	58.69		270 m
11	LOC-ILS	IJX	110.90 MHz	18 nm	98.46	-	270 ft
				33 km	112.27		270 m
24	LOC-ILS	IIT	111.70 MHz	18 nm	224.88	-	270 ft
				33 km	238.69		270 m
06	GS	IKP	111.30 MHz	10 nm	44.88	3.00	270 ft
				19 km	58.69		270 m
11	GS	IJX	110.90 MHz	10 nm	98.46	3.00	270 ft
				19 km	112.27		270 m
24	GS	IIT	111.70 MHz	10 nm	224.88	3.00	270 ft
				19 km	238.69		270 m