


2024/05/29 0339Z

KSHV WARLO KLIT

158.74 nm / 293.98 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KSHV	-	32.44700	0 ft	-	SHREVEPORT	RGNL
APT	-	-93.82540	0 m			
WARLO	-	33.54030	17,600 ft	76	-	
FIX	-	-93.04990	5,364 m			
KLIT	-	34.72960	0 ft	82	Adams Field/Bill and Hillary Clinton National	
APT	-	-92.22590	0 m			

KSHV

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 256 ft / 78 m
Location: 32.447000 -93.825400
Magnetic Var: 0.722 E

METAR

KSHV 290156Z 10004KT 10SM SCT250 22/18 A3004 RMK SLPNO

TAF

TAF KSHV 282344Z 2900/2924 04007KT P6SM SCT250 FM290300 VRB04KT P6SM SCT035 FM291500 13005KT P6SM BKN040 OVC250 FM

Frequencies

REC - 128.45 MHz - ATIS	GND - 121.90 MHz - SHREVEPORT GROUND
TWR - 121.40 MHz - SHREVEPORT TOWER	APP - 119.90 MHz - SHREVEPORT APPROACH
DEP - 119.90 MHz - SHREVEPORT DEPARTURE	CLD - 124.65 MHz - CLEARANCE DELIVERY
COM - 122.95 MHz - SHREVEPORT UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	6,207 ft	60.78	ASPHALT	0 ft	92 ft
	45 m	1,892 m	60.06		0 m	28 m
24	148 ft	6,207 ft	240.79	ASPHALT	0 ft	98 ft
	45 m	1,892 m	240.07		0 m	30 m
14	197 ft	8,358 ft	142.84	ASPHALT	0 ft	102 ft
	60 m	2,547 m	142.11		0 m	31 m
32	197 ft	8,358 ft	322.85	ASPHALT	371 ft	102 ft
	60 m	2,547 m	322.12		113 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IMWP	109.10 MHz	18 nm	-	-	258 ft
				33 km	-		258 m
14	DME	ISHV	110.70 MHz	18 nm	-	-	258 ft
				33 km	-		258 m
14	LOC-ILS	ISHV	110.70 MHz	18 nm	142.85	-	257 ft
				33 km	142.12		257 m
32	LOC-ILS	IFOG	110.30 MHz	18 nm	322.84	-	270 ft
				33 km	322.11		270 m
06	LOC-LOC	IMWP	109.10 MHz	18 nm	60.79	-	256 ft
				33 km	60.07		256 m
14	GS	ISHV	110.70 MHz	10 nm	143.69	3.00	251 ft
				19 km	142.97		251 m
32	GS	IFOG	110.30 MHz	10 nm	323.69	3.00	219 ft
				19 km	322.97		219 m

KLIT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 266 ft / 81 m
Location: 34.729600 -92.225900
Magnetic Var: 0.422 W

METAR

KLIT 290253Z 00000KT 10SM FEW250 22/18 A3006 RMK A02 SLP179 T02170178 55003

TAF

KLIT 282335Z 2900/2924 VRB04KT P6SM BKN250 FM290600 VRB03KT P6SM SCT250 FM291500 12005KT P6SM SCT100 BKN250 FM291

Frequencies

CLD - 118.95 MHz - ADAMS CLEARANCE DELIVERY	GND - 121.90 MHz - ADAMS GROUND
TWR - 118.70 MHz - ADAMS TOWER	REC - 125.65 MHz - ATIS
DEP - 119.50 MHz - LITTLE ROCK DEPARTURE	DEP - 135.40 MHz - LITTLE ROCK DEPARTURE
APP - 119.50 MHz - LITTLE ROCK APPROACH	APP - 135.40 MHz - LITTLE ROCK APPROACH
COM - 122.95 MHz - ADAMS UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	151 ft	6,243 ft	181.51	CONCRETE	0 ft	0 ft
	46 m	1,903 m	181.93		0 m	0 m
36	151 ft	6,243 ft	1.51	CONCRETE	164 ft	194 ft
	46 m	1,903 m	1.93		50 m	59 m
04R	151 ft	8,259 ft	46.39	CONCRETE	1,056 ft	194 ft
	46 m	2,517 m	46.81		322 m	59 m
22L	151 ft	8,259 ft	226.40	CONCRETE	0 ft	400 ft
	46 m	2,517 m	226.82		0 m	122 m
04L	151 ft	8,282 ft	46.38	CONCRETE	305 ft	705 ft
	46 m	2,524 m	46.80		93 m	215 m
22R	151 ft	8,282 ft	226.39	CONCRETE	0 ft	200 ft
	46 m	2,524 m	226.81		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	ILIT	110.30 MHz	18 nm	-	-	265 ft
				33 km	-		265 m
04R	DME	ICNL	111.30 MHz	18 nm	-	-	254 ft
				33 km	-		254 m
22R	DME	IAAY	110.30 MHz	18 nm	-	-	265 ft
				33 km	-		265 m
04L	LOC-ILS	ILIT	110.30 MHz	18 nm	46.39	-	262 ft
				33 km	46.81		262 m
04R	LOC-ILS	ICNL	111.30 MHz	18 nm	46.39	-	262 ft
				33 km	46.81		262 m
22L	LOC-ILS	IBWY	110.70 MHz	18 nm	226.39	-	262 ft
				33 km	226.81		262 m
22R	LOC-ILS	IAAY	110.30 MHz	18 nm	226.39	-	262 ft
				33 km	226.81		262 m
04L	GS	ILIT	110.30 MHz	10 nm	46.39	3.00	262 ft
				19 km	46.81		262 m
04R	GS	ICNL	111.30 MHz	10 nm	46.39	3.00	262 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	46.81		262 m
22L	GS	IBWY	110.70 MHz	10 nm	226.39	3.00	262 ft
				19 km	226.81		262 m
22R	GS	IAAY	110.30 MHz	10 nm	226.39	3.00	262 ft
				19 km	226.81		262 m