

KDTW

Detroit Metro International Airport


KDFW

Dallas Fort Worth Intl

2024/05/13 0030Z

KDTW BENJO **J554** GIJ **J146** JOT **J96** NORIS **J105** PLATE KDFW

899.47 nm / 1665.82 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KDTW	-	42.21220	0 ft	-		Detroit Metro International Airport
APT	-	-83.35260	0 m			
BENJO	-	41.87980	30,400 ft	85	-	
FIX	-	-85.20910	9,266 m			
GIJ	J554	41.76860	35,000 ft	50		GIPPER (NILES)
VOR	AWY-HI	-86.31850	10,668 m			
JOT	J146	41.54640	35,000 ft	90		JOLIET
VOR	AWY-HI	-88.31840	10,668 m			
PIA	J96	40.68010	35,000 ft	84		PEORIA
VOR	AWY-HI	-89.79280	10,668 m			
NORIS	J96	40.61290	35,000 ft	17	-	
FIX	AWY-HI	-90.16010	10,668 m			
MAGOO	J105	40.02490	35,000 ft	44	-	
FIX	AWY-HI	-90.76180	10,668 m			
BAYLI	J105	39.70900	35,000 ft	23	-	
FIX	AWY-HI	-91.07960	10,668 m			
WELTS	J105	39.00640	35,000 ft	53	-	
FIX	AWY-HI	-91.77280	10,668 m			
ELSTO	J105	38.63620	35,000 ft	27	-	
FIX	AWY-HI	-92.13090	10,668 m			
ULMAN	J105	38.04010	35,000 ft	44	-	
FIX	AWY-HI	-92.69770	10,668 m			
SGF	J105	37.35590	35,000 ft	51		SPRINGFIELD
VOR	AWY-HI	-93.33400	10,668 m			
RZC	J105	36.24640	35,000 ft	76		RAZORBACK (FAYETTEVILLE)
VOR	AWY-HI	-94.12140	10,668 m			
KLUBB	J105	35.12040	33,300 ft	94	-	
FIX	AWY-HI	-95.46670	10,150 m			
MLC	J105	34.84940	28,400 ft	22		MC ALESTER
VOR	AWY-HI	-95.78230	8,656 m			
PLATE	J105	34.38000	21,400 ft	32	-	
FIX	AWY-HI	-96.12390	6,523 m			
KDFW	-	32.89720	0 ft	100		Dallas Fort Worth Intl
APT	-	-97.03770	0 m			

KDTW

Region: UNITED STATES
Timezone: AMERICA/DETROIT
Runways: 6

Elevation: 645 ft / 197 m
Location: 42.212200 -83.352600
Magnetic Var: 7.491 W

METAR

KDTW 122353Z 15009KT 10SM SCT220 18/08 A2984 RMK AO2 SLP106 T01780078 10217 20178 58012

TAF

KDTW 122324Z 1300/1406 18007KT P6SM SCT250 FM130700 22011KT P6SM BKN090 FM131400 23014G22KT P6SM SCT150 BKN250 FM

Frequencies

REC - 118.12 MHz - ATIS	REC - 133.67 MHz - ATIS
COM - 122.95 MHz - UNICOM	CLD - 120.65 MHz - CLEARANCE DELIVERY
GND - 119.25 MHz - METRO GROUND	GND - 119.45 MHz - METRO GROUND
GND - 121.80 MHz - METRO GROUND	GND - 132.72 MHz - METRO GROUND
TWR - 118.40 MHz - METRO TOWER	TWR - 128.12 MHz - METRO TOWER
TWR - 128.75 MHz - METRO TOWER	TWR - 135.00 MHz - METRO TOWER
APP - 124.05 MHz - DETROIT APPROACH	APP - 125.15 MHz - DETROIT APPROACH
DEP - 118.95 MHz - DETROIT DEPARTURE	DEP - 125.52 MHz - DETROIT DEPARTURE
DEP - 132.02 MHz - DETROIT DEPARTURE	DEP - 134.30 MHz - DETROIT DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	200 ft	12,011 ft	28.61	CONCRETE	512 ft	397 ft
	61 m	3,661 m	36.10		156 m	121 m
22L	200 ft	12,011 ft	208.63	CONCRETE	0 ft	433 ft
	61 m	3,661 m	216.12		0 m	132 m
03R	151 ft	10,005 ft	28.61	CONCRETE	0 ft	400 ft
	46 m	3,049 m	36.10		0 m	122 m
21L	151 ft	10,005 ft	208.62	CONCRETE	0 ft	400 ft
	46 m	3,049 m	216.11		0 m	122 m
04L	151 ft	10,003 ft	28.58	CONCRETE	0 ft	400 ft
	46 m	3,049 m	36.07		0 m	122 m
22R	151 ft	10,003 ft	208.59	CONCRETE	0 ft	400 ft
	46 m	3,049 m	216.08		0 m	122 m
09L	151 ft	8,687 ft	88.70	CONCRETE	0 ft	400 ft
	46 m	2,648 m	96.19		0 m	122 m
27R	151 ft	8,687 ft	268.72	CONCRETE	0 ft	400 ft
	46 m	2,648 m	276.22		0 m	122 m
03L	150 ft	8,505 ft	28.62	CONCRETE	0 ft	400 ft
	46 m	2,592 m	36.12		0 m	122 m
21R	150 ft	8,505 ft	208.63	CONCRETE	0 ft	397 ft
	46 m	2,592 m	216.13		0 m	121 m
09R	151 ft	8,480 ft	88.71	CONCRETE	0 ft	400 ft
	46 m	2,585 m	96.20		0 m	122 m
27L	151 ft	8,480 ft	268.73	CONCRETE	0 ft	400 ft
	46 m	2,585 m	276.22		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
--------	------	-------	-----------	-------	-------------------------	-------	-----------

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHJT	111.95 MHz	18 nm	-	-	650 ft
				33 km	-		650 m
04R	DME	IDTW	110.70 MHz	18 nm	-	-	650 ft
				33 km	-		650 m
22L	DME	IDWC	110.70 MHz	18 nm	-	-	646 ft
				33 km	-		646 m
03R	LOC-ILS	IHUU	111.50 MHz	18 nm	28.62	-	645 ft
				33 km	36.11		645 m
04L	LOC-ILS	IHJT	111.95 MHz	18 nm	28.59	-	645 ft
				33 km	36.08		645 m
04R	LOC-ILS	IDTW	110.70 MHz	18 nm	28.63	-	645 ft
				33 km	36.12		645 m
21L	LOC-ILS	IEJR	111.50 MHz	18 nm	208.62	-	645 ft
				33 km	216.11		645 m
22L	LOC-ILS	IDWC	110.70 MHz	18 nm	208.63	-	645 ft
				33 km	216.12		645 m
22R	LOC-ILS	IJKI	111.95 MHz	18 nm	208.59	-	645 ft
				33 km	216.08		645 m
27L	LOC-ILS	IEPA	110.15 MHz	18 nm	268.72	-	645 ft
				33 km	276.21		645 m
27R	LOC-ILS	IDMI	108.50 MHz	18 nm	268.71	-	645 ft
				33 km	276.20		645 m
22R	LOC-LOC	IJKI	111.95 MHz	18 nm	208.59	-	645 ft
				33 km	216.08		645 m
03R	GS	IHUU	111.50 MHz	10 nm	28.62	3.00	645 ft
				19 km	36.11		645 m
04L	GS	IHJT	111.95 MHz	10 nm	28.59	3.00	645 ft
				19 km	36.08		645 m
04R	GS	IDTW	110.70 MHz	10 nm	28.63	3.00	645 ft
				19 km	36.12		645 m
21L	GS	IEJR	111.50 MHz	10 nm	208.62	3.00	645 ft
				19 km	216.11		645 m
22L	GS	IDWC	110.70 MHz	10 nm	208.63	2.85	645 ft
				19 km	216.12		645 m
22R	GS	IJKI	111.95 MHz	10 nm	208.59	3.00	645 ft
				19 km	216.08		645 m
27L	GS	IEPA	110.15 MHz	10 nm	268.72	3.00	645 ft
				19 km	276.21		645 m
27R	GS	IDMI	108.50 MHz	10 nm	268.71	3.00	645 ft
				19 km	276.20		645 m

KDFW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 7

Elevation: 604 ft / 184 m
Location: 32.897200 -97.037700
Magnetic Var: 2.730 E

METAR

KDFW 122353Z 10008KT 10SM BKN007 BKN012 OVC060 19/18 A2977 RMK AO2 RAE34 SLP076 P0003 60062 T01890183 10200 20183

TAF

TAF KDFW 122338Z 1300/1406 09009KT P6SM -RA OVC006 FM130500 13008KT 5SM BR VCSH OVC005 TEMPO 1308/1312 2SM BR OVC0

Frequencies

REC - 123.77 MHz - ATIS ARRIVAL	REC - 135.92 MHz - ATIS DEPARTURE
COM - 122.95 MHz - UNICOM	CLD - 128.25 MHz - CLNC DEL
GND - 121.65 MHz - RGNL GND EAST 1	GND - 121.80 MHz - RGNL GND EAST 2
GND - 121.85 MHz - RGNL GND WEST	TWR - 126.55 MHz - RGNL TWR EAST 1
TWR - 127.50 MHz - RGNL TWR EAST 2	TWR - 134.90 MHz - RGNL TWR WEST 1
TWR - 124.15 MHz - RGNL TWR WEST 2	APP - 125.02 MHz - RGNL APP EAST 1
APP - 133.52 MHz - RGNL APP EAST 3	APP - 133.62 MHz - RGNL APP WEST 1
APP - 119.87 MHz - RGNL APP WEST 2	DEP - 118.55 MHz - RGNL DEP EAST 1
DEP - 124.82 MHz - RGNL DEP NORTH 1	DEP - 125.12 MHz - RGNL DEP SOUTH 1
DEP - 126.47 MHz - RGNL DEP WEST 1	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17C	151 ft	13,440 ft	180.26	CONCRETE	0 ft	413 ft
	46 m	4,097 m	177.53		0 m	126 m
35C	151 ft	13,440 ft	0.26	CONCRETE	0 ft	299 ft
	46 m	4,097 m	357.53		0 m	91 m
17L	151 ft	8,523 ft	180.25	CONCRETE	0 ft	400 ft
	46 m	2,598 m	177.52		0 m	122 m
35R	151 ft	8,523 ft	0.25	CONCRETE	0 ft	407 ft
	46 m	2,598 m	357.52		0 m	124 m
18R	151 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	46 m	4,096 m	177.52		0 m	123 m
36L	151 ft	13,439 ft	0.25	CONCRETE	0 ft	299 ft
	46 m	4,096 m	357.52		0 m	91 m
17R	200 ft	13,439 ft	180.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	177.53		0 m	122 m
35L	200 ft	13,439 ft	0.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	357.53		0 m	122 m
18L	200 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	61 m	4,096 m	177.52		0 m	123 m
36R	200 ft	13,439 ft	0.25	CONCRETE	0 ft	394 ft
	61 m	4,096 m	357.52		0 m	120 m
13R	151 ft	9,309 ft	139.18	CONCRETE	0 ft	397 ft
	46 m	2,837 m	136.45		0 m	121 m
31L	151 ft	9,309 ft	319.19	CONCRETE	0 ft	400 ft
	46 m	2,837 m	316.46		0 m	122 m
13L	200 ft	9,010 ft	135.41	CONCRETE	630 ft	299 ft
	61 m	2,746 m	132.68		192 m	91 m
31R	200 ft	9,010 ft	315.42	CONCRETE	0 ft	299 ft
	61 m	2,746 m	312.69		0 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	DME	ILWN	109.50 MHz	18 nm	-	-	590 ft
				33 km	-		590 m
17C	DME	IFLQ	110.30 MHz	18 nm	-	-	575 ft
				33 km	-		575 m
17L	DME	IPPZ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
17R	DME	IJHZ	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18L	DME	ICIX	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18R	DME	IVYN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
31R	DME	IRRA	110.90 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
35C	DME	IPKQ	110.30 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
35L	DME	IUWX	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
35R	DME	IAJQ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
36L	DME	IBXN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
36R	DME	IFJN	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
13R	LOC-ILS	ILWN	109.50 MHz	18 nm	139.19	-	577 ft
				33 km	136.45		577 m
17C	LOC-ILS	IFLQ	110.30 MHz	18 nm	180.26	-	563 ft
				33 km	177.53		563 m
17L	LOC-ILS	IPPZ	111.75 MHz	18 nm	180.27	-	570 ft
				33 km	177.54		570 m
17R	LOC-ILS	IJHZ	111.35 MHz	18 nm	180.26	-	558 ft
				33 km	177.53		558 m
18L	LOC-ILS	ICIX	110.55 MHz	18 nm	180.25	-	570 ft
				33 km	177.52		570 m
18R	LOC-ILS	IVYN	111.90 MHz	18 nm	180.25	-	580 ft
				33 km	177.52		580 m
31R	LOC-ILS	IRRA	110.90 MHz	18 nm	315.40	-	552 ft
				33 km	312.67		552 m
35C	LOC-ILS	IPKQ	110.30 MHz	18 nm	0.26	-	558 ft
				33 km	357.53		558 m
35L	LOC-ILS	IUWX	111.35 MHz	18 nm	0.26	-	607 ft
				33 km	357.53		607 m
35R	LOC-ILS	IAJQ	111.75 MHz	18 nm	0.27	-	607 ft
				33 km	357.54		607 m
36L	LOC-ILS	IBXN	111.90 MHz	18 nm	0.25	-	598 ft
				33 km	357.52		598 m
36R	LOC-ILS	IFJN	110.55 MHz	18 nm	0.25	-	595 ft
				33 km	357.52		595 m
13R	GS	ILWN	109.50 MHz	10 nm	139.37	3.00	589 ft
				19 km	136.64		589 m
17C	GS	IFLQ	110.30 MHz	10 nm	180.53	3.00	562 ft
				19 km	177.80		562 m
17L	GS	IPPZ	111.75 MHz	10 nm	180.54	3.00	532 ft
				19 km	177.81		532 m
17R	GS	IJHZ	111.35 MHz	10 nm	180.52	3.00	567 ft
				19 km	177.79		567 m
18L	GS	ICIX	110.55 MHz	10 nm	180.49	3.00	594 ft
				19 km	177.76		594 m
18R	GS	IVYN	111.90 MHz	10 nm	180.50	3.00	601 ft
				19 km	177.76		601 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	177.77		601 m
31R	GS	IRRA	110.90 MHz	10 nm	315.80	3.00	513 ft
				19 km	313.07		513 m
35C	GS	IPKQ	110.30 MHz	10 nm	0.52	3.00	563 ft
				19 km	357.79		563 m
35L	GS	IUWX	111.35 MHz	10 nm	0.52	3.00	564 ft
				19 km	357.79		564 m
35R	GS	IAJQ	111.75 MHz	10 nm	0.54	3.00	565 ft
				19 km	357.81		565 m
36L	GS	IBXN	111.90 MHz	10 nm	0.50	3.00	584 ft
				19 km	357.77		584 m
36R	GS	IFJN	110.55 MHz	10 nm	0.49	3.00	577 ft
				19 km	357.76		577 m