


2024/05/16 0827Z

ENRM STO **UM609** BDO **M609** ULVAK ENDU

308.16 nm / 570.72 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ENRM APT	-	64.83711 11.14311	0 ft 0 m	-	Rorvik Ryum
STO VOR	-	65.96042 12.46945	26,800 ft 8,169 m	75	STOKKA VOR-DME
BDO VOR	UM609 AWY-HI	67.26670 14.36486	30,500 ft 9,296 m	90	BODO VOR-DME
MISBA FIX	M609 AWY-LO	67.57389 14.93417	25,600 ft 7,803 m	22	-
ULVAK FIX	M609 AWY-LO	68.11750 15.98944	17,000 ft 5,182 m	40	-
ENDU APT	-	69.05593 18.53890	0 ft 0 m	79	Bardufoss

## ENDU

Region: NORWAY  
Timezone: EUROPE/OSLO  
Runways: 1

Elevation: 252 ft / 77 m  
Location: 69.055900 18.539000  
Magnetic Var: 9.854 E

## METAR

ENDU 160820Z VRB02KT 9999 FEW025 BKN035 09/03 Q1023 NOSIG RMK WIND 1100FT VRB01KT WIND 2200FT VRB03KT

## TAF

TAF ENDU 160500Z 1606/1706 VRB03KT 9999 FEW020 SCT035

## Frequencies

TWR - 118.10 MHz - BARDUFOSS TOWER  
APP - 118.80 MHz - BARDUFOSS APPROACH  
REC - 129.72 MHz - BARDUFOSS ATIS

TWR - 122.10 MHz - BARDUFOSS TOWER  
APP - 125.85 MHz - BARDUFOSS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,765 ft	109.04	ASPHALT	906 ft	0 ft
	45 m	2,976 m	99.19		276 m	0 m
28	148 ft	9,765 ft	289.11	ASPHALT	892 ft	0 ft
	45 m	2,976 m	279.26		272 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DU	110.30 MHz	18 nm	-	-	269 ft
				33 km	-		269 m
28	LOC-ILS	BF	108.70 MHz	18 nm	285.23	-	258 ft
				33 km	275.37		258 m
10	LOC-LOC	DU	110.30 MHz	18 nm	114.14	-	269 ft
				33 km	104.29		269 m
28	GS	BF	108.70 MHz	10 nm	289.10	3.80	252 ft
				19 km	279.25		252 m