

LFPT

Pontoise Cormeilles En Vexin


EGLL

London Heathrow

2024/05/12 0550Z

LFPT DPE06 EGLL

171.85 nm / 318.26 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LFPT	-	49.09579	0 ft	-		Pontoise Cormeilles En Vexin
APT	-	2.03558	0 m			
DPE06	-	50.00000	22,700 ft	65	-	
FIX	-	1.07917	6,919 m			
EGLL	-	51.47122	0 ft	105		London Heathrow
APT	-	-0.46098	0 m			

LFPT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 324 ft / 99 m
Location: 49.095800 2.035590
Magnetic Var: 1.335 E

METAR

LFPT 120530Z AUTO 28001KT CAVOK 12/11 Q1013

TAF

UNKNOWN

Frequencies

REC - 124.12 MHz - PONTOISE ATIS
APP - 118.80 MHz - PONTOISE APPROACH

TWR - 121.20 MHz - PONTOISE TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	164 ft	5,389 ft	118.19	ASPHALT	190 ft	0 ft
	50 m	1,643 m	116.85		58 m	0 m
30	164 ft	5,389 ft	298.20	ASPHALT	584 ft	0 ft
	50 m	1,643 m	296.87		178 m	0 m
05	154 ft	5,517 ft	44.55	ASPHALT	0 ft	0 ft
	47 m	1,682 m	43.22		0 m	0 m
23	154 ft	5,517 ft	224.57	ASPHALT	551 ft	0 ft
	47 m	1,682 m	223.23		168 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	CVN	110.95 MHz	18 nm	-	-	325 ft
				33 km	-		325 m
05	LOC-ILS	CVN	110.50 MHz	18 nm	44.56	-	324 ft
				33 km	43.22		324 m
05	GS	CVN	110.50 MHz	10 nm	44.56	3.20	324 ft
				19 km	43.22		324 m

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.378 E

METAR

EGLL 120520Z AUTO 04003KT 9999 NCD 13/11 Q1015

TAF

TAF EGLL 112253Z 1200/1306 08007KT 9999 FEW045 PROB30 1203/1207 8000 PROB30 TEMPO 1213/1218 3000 +SHRA BECMG 1215

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m