


2024/06/11 1900Z

SCEL ANDIX **UQ803** LENOS SCTE

495.65 nm / 917.94 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SCEL	-	-33.39100	0 ft	-	Arturo Merino Benitez Intl
APT	-	-70.79430	0 m	-	
ANDIX	-	-34.72610	29,200 ft	81	-
FIX	-	-71.11920	8,900 m	-	-
MUNEP	UQ803	-35.54440	35,000 ft	50	-
FIX	AWY-HI	-71.31940	10,668 m	-	-
SUMKO	UQ803	-37.71750	35,000 ft	133	-
FIX	AWY-HI	-71.87330	10,668 m	-	-
GEDIN	UQ803	-38.50000	35,000 ft	48	-
FIX	AWY-HI	-72.11920	10,668 m	-	-
MUBIL	UQ803	-38.91560	33,500 ft	25	-
FIX	AWY-HI	-72.25210	10,211 m	-	-
LENOS	UQ803	-39.75110	22,400 ft	51	-
FIX	AWY-HI	-72.52420	6,828 m	-	-
SCTE	-	-41.43890	0 ft	104	El Tepual
APT	-	-73.09400	0 m	-	

SCEL

Region: CHILE
Timezone: AMERICA/SANTIAGO
Runways: 2

Elevation: 1,555 ft / 474 m
Location: -33.391000 -70.794300
Magnetic Var: 0.770 E

METAR

SCEL 111800Z VRB04KT 7000 OVC140 13/08 Q1014 NOSIG

TAF

TAF SCEL 111600Z 1118/1218 19010KT 9999 SCT100 BKN150 TX15/1119Z TN08/1211Z BECMG 1118/1120 SCT140 BKN170 BECMG 1

Frequencies

REC - 132.70 MHz - ATIS
TWR - 118.35 MHz - SANTIAGO TOWER
CLD - 121.70 MHz - CLEARANCE DELIVERY
APP - 129.70 MHz - SANTIAGO APPROACH
TWR - 118.10 MHz - SANTIAGO TOWER
GND - 122.20 MHz - SANTIAGO GROUND
APP - 119.70 MHz - SANTIAGO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	12,479 ft	177.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	176.70		0 m	0 m
35L	148 ft	12,479 ft	357.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	356.70		0 m	0 m
17L	180 ft	12,315 ft	177.42	ASPHALT	0 ft	0 ft
	55 m	3,754 m	176.65		0 m	0 m
35R	180 ft	12,315 ft	357.42	ASPHALT	1,785 ft	0 ft
	55 m	3,754 m	356.65		544 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IUEL	110.30 MHz	18 nm	-	-	1,557 ft
				33 km	-		1,557 m
17R	DME	IMER	111.10 MHz	18 nm	-	-	1,555 ft
				33 km	-		1,555 m
17L	LOC-ILS	IUEL	110.30 MHz	18 nm	177.42	-	1,555 ft
				33 km	176.65		1,555 m
17R	LOC-ILS	IMER	111.10 MHz	18 nm	177.47	-	1,555 ft
				33 km	176.70		1,555 m
17L	GS	IUEL	110.30 MHz	10 nm	177.42	3.00	1,555 ft
				19 km	176.65		1,555 m
17R	GS	IMER	111.10 MHz	10 nm	177.47	3.00	1,555 ft
				19 km	176.70		1,555 m

SCTE

Region: CHILE
Timezone: AMERICA/SANTIAGO
Runways: 1

Elevation: 293 ft / 89 m
Location: -41.438900 -73.094000
Magnetic Var: 7.736 E

METAR

SCTE 111800Z 02012KT 9999 BKN035 13/10 Q1008 NOSIG

TAF

TAF SCTE 111604Z 1118/1218 01012KT 9999 FEW020 BKN040 TX14/1119Z TN09/1212Z BECMG 1209/1211 BKN070 BECMG 1213/121

Frequencies

COM - 128.30 MHz - CNTR
TWR - 118.10 MHz -
DEP - 126.90 MHz - RDO
GND - 121.90 MHz -
APP - 123.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	8,708 ft	181.54	CONCRETE	0 ft	200 ft
	45 m	2,654 m	173.81		0 m	61 m
35	148 ft	8,708 ft	1.54	CONCRETE	0 ft	203 ft
	45 m	2,654 m	353.81		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	DME	IMON	115.70 MHz	18 nm	-	-	293 ft
				33 km	-		293 m
35	LOC-ILS	IMON	110.10 MHz	18 nm	1.54	-	293 ft
				33 km	353.80		293 m
35	GS	IMON	110.10 MHz	10 nm	1.54	3.00	293 ft
				19 km	353.80		293 m