

# ROAH

Naha


# RJFK

Kagoshima

2024/05/29 0407Z

ROAH 2700N12800E 2800N12900E 3000N13000E RJFK

378.02 nm / 700.09 km



## Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 14000ft
- Cruise Speed: 250kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: no



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ROAH	-	26.19340	0 ft	-	Naha
APT	-	127.63900	0 m		
2700N12800E	-	27.00000	14,000 ft	52	-
LATLON	-	128.00000	4,267 m		
2800N12900E	-	28.00000	14,000 ft	80	-
LATLON	-	129.00000	4,267 m		
3000N13000E	-	30.00000	14,000 ft	131	-
LATLON	-	130.00000	4,267 m		
RJFK	-	31.80340	0 ft	114	Kagoshima
APT	-	130.71900	0 m		

## ROAH

Region: JAPAN  
Timezone: ASIA/TOKYO  
Runways: 2

Elevation: 11 ft / 3 m  
Location: 26.193400 127.639000  
Magnetic Var: 5.806 W

## METAR

ROAH 290330Z 02011KT 9999 SCT019 BKN030 27/22 Q1007

## TAF

TAF ROAH 282306Z 2900/3006 05012KT 9999 FEW015 BKN025 BECMG 3000/3003 21010KT

## Frequencies

REC - 127.80 MHz - NAHA AIRPORT	TWR - 118.10 MHz - NAHA TOWER
TWR - 118.75 MHz - NAHA TOWER	TWR - 126.20 MHz - NAHA TOWER
GND - 121.80 MHz - NAHA GROUND	GND - 121.90 MHz - NAHA GROUND
CLD - 122.07 MHz - NAHA DELIVERY	APP - 119.10 MHz - NAHA APPROACH
APP - 126.50 MHz - NAHA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	194 ft	8,892 ft	177.57	ASPHALT	0 ft	1,037 ft
	59 m	2,710 m	183.38		0 m	316 m
36L	194 ft	8,892 ft	357.57	ASPHALT	0 ft	1,040 ft
	59 m	2,710 m	3.38		0 m	317 m
18L	145 ft	10,027 ft	177.59	ASPHALT	141 ft	489 ft
	44 m	3,056 m	183.40		43 m	149 m
36R	145 ft	10,027 ft	357.59	ASPHALT	0 ft	495 ft
	44 m	3,056 m	3.40		0 m	151 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18R	LOC-ILS	ION	110.15 MHz	18 nm	177.57	-	11 ft
				33 km	183.38		11 m
36L	LOC-ILS	IOW	111.70 MHz	18 nm	357.57	-	11 ft
				33 km	3.38		11 m
36R	LOC-ILS	IOK	110.30 MHz	18 nm	357.59	-	11 ft
				33 km	3.40		11 m
18R	GS	ION	110.15 MHz	10 nm	177.57	3.00	11 ft
				19 km	183.38		11 m
36L	GS	IOW	111.70 MHz	10 nm	357.57	3.00	11 ft
				19 km	3.38		11 m
36R	GS	IOK	110.30 MHz	10 nm	357.59	3.00	11 ft
				19 km	3.40		11 m

## RJFK

Region: JAPAN  
Timezone: ASIA/TOKYO  
Runways: 1

Elevation: 891 ft / 272 m  
Location: 31.803400 130.719000  
Magnetic Var: 7.419 W

## METAR

RJFK 290300Z VRB03KT CAVOK 24/13 Q1011 RMK A2988

## TAF

TAF RJFK 282306Z 2900/3006 36005KT 9999 FEW040 BECMG 2900/2902 14006KT

## Frequencies

REC - 127.05 MHz - KAGOSHIMA ATIS  
GND - 121.70 MHz - KAGOSHIMA GROUND  
APP - 126.00 MHz - KAGOSHIMA RADAR  
CLD - 121.80 MHz - KAGOSHIMA DELIVERY  
TWR - 118.20 MHz - KAGOSHIMA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	150 ft	9,852 ft	150.11	ASPHALT	0 ft	200 ft
	46 m	3,003 m	157.53		0 m	61 m
34	150 ft	9,852 ft	330.12	ASPHALT	0 ft	194 ft
	46 m	3,003 m	337.54		0 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IKG	111.70 MHz	18 nm	330.12	-	905 ft
				33 km	337.54		905 m
34	GS	IKG	111.70 MHz	10 nm	330.12	3.00	905 ft
				19 km	337.54		905 m