

LPPT

Lisboa Humberto Delgado


LFPG

Paris Charles De Gaulle

2024/05/23 0653Z

LPPT ABRAT **UN745** RIVRO **G52** ZMR **UN873** DESAB **UN867** NORMI **A5** NTS **UN741** ANG **UT188** CHW LFPG

814.08 nm / 1507.67 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LPPT	-	38.77880	0 ft	-	Lisboa Humberto Delgado
APT	-	-9.13519	0 m		
ABRAT	-	39.82170	33,200 ft	93	-
FIX	-	-7.65417	10,119 m		
PINOX	UN745	40.29060	35,000 ft	37	-
FIX	AWY-HI	-7.10917	10,668 m		
RIVRO	UN745	40.62280	35,000 ft	26	-
FIX	AWY-HI	-6.72275	10,668 m		
ZMR	G52	41.53020	35,000 ft	73	ZAMORA
VOR	AWY-LO	-5.63969	10,668 m		
NUBLO	UN873	42.66600	35,000 ft	74	-
FIX	AWY-HI	-4.98889	10,668 m		
RONSI	UN873	43.48440	35,000 ft	53	-
FIX	AWY-HI	-4.50358	10,668 m		
DELOG	UN873	44.32890	35,000 ft	55	-
FIX	AWY-HI	-3.98750	10,668 m		
DESAB	UN873	45.83030	35,000 ft	100	-
FIX	AWY-HI	-2.95917	10,668 m		
TEPRA	UN867	46.49580	35,000 ft	45	-
FIX	AWY-HI	-2.42444	10,668 m		
NORMI	UN867	46.89610	35,000 ft	27	-
FIX	AWY-HI	-2.09194	10,668 m		
NTS	A5	47.16090	35,000 ft	25	NANTES ATLANTIQUE
VOR	AWY-LO	-1.61297	10,668 m		
ANG	UN741	47.53690	34,900 ft	38	ANGERS
VOR	AWY-HI	-0.85183	10,638 m		
CHW	UT188	48.48000	15,000 ft	93	CHARTRES
VOR	AWY-HI	0.98706	4,572 m		
LFPG	-	49.00970	0 ft	70	Paris Charles De Gaulle
APT	-	2.56257	0 m		

LPPT

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 2

Elevation: 374 ft / 114 m
Location: 38.778800 -9.135190
Magnetic Var: 1.565 W

METAR

LPPT 230630Z 34013KT 9999 FEW015 13/10 Q1019

TAF

TAF LPPT 230500Z 2306/2412 34012KT CAVOK BECMG 2307/2309 01007KT BECMG 2313/2315 32012KT BECMG 2321/2323 35007KT

Frequencies

REC - 121.95 MHz - ATIS	REC - 124.15 MHz - ATIS
TWR - 118.10 MHz - LISBOA TOWER	TWR - 118.50 MHz - LISBOA TOWER
GND - 121.75 MHz - LISBOA GROUND	CLD - 118.95 MHz - CLEARANCE DELIVERY
APP - 119.10 MHz - LISBOA APPROACH	APP - 119.55 MHz - LISBOA APPROACH
APP - 125.35 MHz - LISBOA ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,505 ft	22.65	ASPHALT	302 ft	0 ft
	45 m	3,812 m	24.21		92 m	0 m
21	148 ft	12,505 ft	202.66	ASPHALT	1,965 ft	0 ft
	45 m	3,812 m	204.22		599 m	0 m
17	148 ft	7,612 ft	168.14	ASPHALT	0 ft	0 ft
	45 m	2,320 m	169.70		0 m	0 m
35	148 ft	7,612 ft	348.14	ASPHALT	194 ft	299 ft
	45 m	2,320 m	349.71		59 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	ILI	109.10 MHz	18 nm	-	-	419 ft
				33 km	-		419 m
21	DME	ILB	109.50 MHz	18 nm	-	-	423 ft
				33 km	-		423 m
03	LOC-ILS	ILI	109.10 MHz	18 nm	22.66	-	374 ft
				33 km	24.22		374 m
21	LOC-ILS	ILB	109.50 MHz	18 nm	202.59	-	335 ft
				33 km	204.15		335 m
03	GS	ILI	109.10 MHz	10 nm	22.66	3.00	374 ft
				19 km	24.22		374 m
21	GS	ILB	109.50 MHz	10 nm	203.42	3.00	423 ft
				19 km	204.98		423 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.500 E

METAR

LFPG 230630Z 25005KT 230V290 9999 FEW040 BKN073 BKN100 13/11 Q1016 NOSIG

TAF

TAF LFPG 230500Z 2306/2412 26005KT CAVOK TX20/2314Z TN11/2402Z TEMPO 2312/2323 4000 SHRA BKN030TCU PROB30 TEMPO 2

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m