

LIBC

Crotone-Sant'Anna "Pitagora"


LIMC

Milano-Malpensa

2024/06/06 0500Z

LIBC MAREP **Z910** LOMED **L995** LUPOS LIMC

549.11 nm / 1016.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 10000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIBC	-	38.99720	0 ft	-	Crotone-Sant'Anna "Pitagora"
APT	-	17.08020	0 m	-	
MAREP	-	39.86720	10,000 ft	86	-
FIX	-	15.60390	3,048 m	-	-
KUTID	Z910	40.42030	10,000 ft	37	-
FIX	AWY-HI	15.21170	3,048 m	-	-
AKAMO	Z910	41.19080	10,000 ft	52	-
FIX	AWY-HI	14.65330	3,048 m	-	-
NEBAS	Z910	41.30420	10,000 ft	9	-
FIX	AWY-HI	14.49140	3,048 m	-	-
ERIKI	Z910	41.62280	10,000 ft	28	-
FIX	AWY-HI	14.03110	3,048 m	-	-
EVULI	Z910	42.16890	10,000 ft	44	-
FIX	AWY-HI	13.34560	3,048 m	-	-
GENGI	Z910	42.39580	10,000 ft	18	-
FIX	AWY-HI	13.05580	3,048 m	-	-
NIKMA	Z910	43.06640	10,000 ft	55	-
FIX	AWY-HI	12.18030	3,048 m	-	-
VERUN	Z910	43.28140	10,000 ft	17	-
FIX	AWY-HI	11.92140	3,048 m	-	-
LOMED	Z910	44.02720	10,000 ft	59	-
FIX	AWY-HI	11.00330	3,048 m	-	-
IPLUB	L995	44.24830	10,000 ft	15	-
FIX	AWY-HI	10.80890	3,048 m	-	-
LUPOS	L995	44.50470	10,000 ft	18	-
FIX	AWY-HI	10.58140	3,048 m	-	-
LIMC	-	45.63060	0 ft	103	Milano-Malpensa
APT	-	8.72812	0 m	-	

LIMC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 767 ft / 234 m
Location: 45.630600 8.728120
Magnetic Var: 3.130 E

METAR

LIMC 060420Z 34003KT CAVOK 15/13 Q1017 NOSIG

TAF

TAF LIMC 052300Z 0600/0706 VRB04KT 9999 SCT060

Frequencies

REC - 120.02 MHz - ATIS ARRIVAL	REC - 121.62 MHz - ATIS DEPARTURE
CLD - 120.90 MHz - CLEARANCE DELIVERY	GND - 121.82 MHz - MALPENSA GROUND
GND - 121.90 MHz - MALPENSA GROUND	TWR - 119.00 MHz - MALPENSA TOWER
TWR - 128.35 MHz - MALPENSA TOWER	APP - 126.75 MHz - MILANO APPROACH
APP - 125.62 MHz - MILANO APPROACH	APP - 132.70 MHz - MILANO APPROACH
DEP - 126.30 MHz - MILANO DEPARTURE	DEP - 126.75 MHz - MILANO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	197 ft	12,873 ft	169.06	ASPHALT	0 ft	387 ft
	60 m	3,924 m	165.93		0 m	118 m
35L	197 ft	12,873 ft	349.07	ASPHALT	1,319 ft	197 ft
	60 m	3,924 m	345.94		402 m	60 m
17L	197 ft	12,873 ft	169.06	ASPHALT	3,081 ft	207 ft
	60 m	3,924 m	165.93		939 m	63 m
35R	197 ft	12,873 ft	349.07	ASPHALT	0 ft	180 ft
	60 m	3,924 m	345.94		0 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IMSL	110.75 MHz	25 nm	-	-	792 ft
				46 km	-		792 m
35L	DME	IMA	109.10 MHz	25 nm	-	-	768 ft
				46 km	-		768 m
35R	DME	MLP	109.90 MHz	18 nm	-	-	713 ft
				33 km	-		713 m
17L	LOC-ILS	IMSL	110.75 MHz	18 nm	169.06	-	697 ft
				33 km	165.93		697 m
35L	LOC-ILS	IMA	109.10 MHz	18 nm	349.07	-	767 ft
				33 km	345.94		767 m
35R	LOC-ILS	MLP	109.90 MHz	18 nm	349.07	-	780 ft
				33 km	345.94		780 m
17L	GS	IMSL	110.75 MHz	10 nm	170.24	3.00	792 ft
				19 km	167.11		792 m
35L	GS	IMA	109.10 MHz	10 nm	350.24	3.00	768 ft
				19 km	347.11		768 m
35R	GS	MLP	109.90 MHz	10 nm	350.24	3.00	740 ft
				19 km	347.11		740 m