

OIAW

Ahwaz


OISS

SHIRAZ SHAHID DASTGHAIB INTL

2024/05/06 2136Z

OIAW KIXOB W3 RADID OISS

234.32 nm / 433.96 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 12ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIAW	-	31.33740	0 ft	-	Ahwaz
APT	-	48.76200	0 m		
KIXOB	-	31.15470	0 ft	85	-
FIX	-	50.41640	0 m		
RADID	W3	30.41470	0 ft	68	-
FIX	AWY-HI	51.42750	0 m		
OISS	-	29.53910	0 ft	80	SHIRAZ SHAHID DASTGHAIB INTL
APT	-	52.58990	0 m		

OIAW

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 1

Elevation: 64 ft / 20 m
Location: 31.337400 48.762000
Magnetic Var: 4.252 E

METAR

OIAW 062100Z 18010KT 9999 FEW040 SCT100 27/18 Q1004

TAF

TAF OIAW 061730Z 0618/0724 15008KT 7000 NSC TEMPO 0618/0622 TS FEW035CB SCT040 BKN090

Frequencies

REC - 126.40 MHz - AHWAZ ATIS
TWR - 121.90 MHz - AHWAZ TOWER

TWR - 120.85 MHz - AHWAZ TOWER
TWR - 121.10 MHz - AHWAZ TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	11,139 ft	124.22	ASPHALT	0 ft	978 ft
	45 m	3,395 m	119.97		0 m	298 m
30	148 ft	11,139 ft	304.24	ASPHALT	0 ft	978 ft
	45 m	3,395 m	299.99		0 m	298 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IAWZ	109.90 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
30	LOC-ILS	IAWZ	109.90 MHz	18 nm	304.24	-	66 ft
				33 km	299.99		66 m
30	GS	IAWZ	109.90 MHz	10 nm	304.49	3.06	64 ft
				19 km	300.24		64 m

OISS

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 2

Elevation: 4,925 ft / 1,501 m
Location: 29.539100 52.589900
Magnetic Var: 3.483 E

METAR

OISS 062100Z 14012KT 6000 SCT030CB SCT035TCU 16/11 Q1020 A3012

TAF

TAF OISS 061730Z 0618/0724 26006KT 8000 FEW040 TEMPO 0619/0705 3000 TS/RA SCT035CB SCT040 BKN100 TEMPO 0707/0714 Z

Frequencies

REC - 127.00 MHz - ATIS
TWR - 118.10 MHz -
APP - 131.40 MHz -
APP - 125.40 MHz -
TWR - 121.90 MHz -
APP - 134.10 MHz -
APP - 119.00 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11L	148 ft	14,209 ft	114.59	ASPHALT	0 ft	1,444 ft
	45 m	4,331 m	111.11		0 m	440 m
29R	148 ft	14,209 ft	294.61	ASPHALT	0 ft	1,161 ft
	45 m	4,331 m	291.13		0 m	354 m
11R	148 ft	14,009 ft	114.58	ASPHALT	0 ft	1,122 ft
	45 m	4,270 m	111.10		0 m	342 m
29L	148 ft	14,009 ft	294.60	ASPHALT	0 ft	988 ft
	45 m	4,270 m	291.12		0 m	301 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29L	DME	ISYZ	109.90 MHz	18 nm	-	-	4,868 ft
				33 km	-		4,868 m
29L	LOC-ILS	ISYZ	109.90 MHz	18 nm	294.40	-	4,933 ft
				33 km	290.92		4,933 m
29L	GS	ISYZ	109.90 MHz	10 nm	294.83	3.00	4,864 ft
				19 km	291.35		4,864 m