

MMMX

Benito Juarez Intl


MMPR

Gustavo Diaz Ordaz Intl

2024/05/04 0522Z

MMMX PTJ **UJ65** MLM **UJ12** GDL **UJ14** DUNSU MMPR

358.16 nm / 663.31 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMMX	-	19.43630	0 ft	-	Benito Juarez Intl
APT	-	-99.07210	0 m		
PTJ	-	19.64570	15,300 ft	42	PASTEJE
VOR	-	-99.79800	4,663 m		
MLM	UJ65	19.84380	35,000 ft	71	MORELIA
VOR	AWY-HI	-101.03700	10,668 m		
VOGAS	UJ12	20.15800	35,000 ft	61	-
FIX	AWY-HI	-102.07400	10,668 m		
LONKU	UJ12	20.27450	34,100 ft	23	-
FIX	AWY-HI	-102.46500	10,394 m		
OVALI	UJ12	20.37460	29,900 ft	19	-
FIX	AWY-HI	-102.80300	9,114 m		
GDL	UJ12	20.52340	23,400 ft	30	GUADALAJARA
VOR	AWY-HI	-103.31200	7,132 m		
DUNSU	UJ14	20.58000	15,900 ft	34	-
FIX	AWY-HI	-103.93000	4,846 m		
MMPR	-	20.68010	0 ft	74	Gustavo Diaz Ordaz Intl
APT	-	-105.25400	0 m		

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.904 E

METAR

MMM 040345Z 29003KT 6SM FEW020 SCT220 21/10 A3022 NOSIG RMK 8/502 HZY

TAF

TAF MMM 032303Z 0400/0500 14015KT 6SM -RA BKN020CB OVC080 TX33/0421Z TN16/0412Z BECMG 0401/0402 16010KT P6SM FM0

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.33		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.35		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m