

UKKK

Kyiv-Zhuliany Intl


OMDB

Dubai Intl

2024/05/18 0142Z

UKKK NIKIG **P987** DOTEI **M991** OLGIN **B494** TESMI **B947** ABELA OGMAL **B947** GUSLI **L125** SIBVU **R661** TBZ TBZ
Z1 PEKAM **P574** SYZ SYZ **P574** DENSA OMDB

1960.12 nm / 3630.14 km



Notes

Basic altitude profile:

- Ascent Rate: 2300ft/min
- Ascent Speed: 230kts
- Cruise Altitude: 39000ft
- Cruise Speed: 485kts
- Descent Rate: 1800ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UKKK APT	-	50.40180 30.45100	0 ft 0 m	-	Kyiv-Zhuliany Intl
NIKIG FIX	-	49.41670 31.99670	23,900 ft 7,285 m	84	-
AKULO FIX	P987 AWY-HI	48.68830 32.74190	38,900 ft 11,857 m	52	-
OSLAN FIX	P987 AWY-HI	48.47140 32.98440	39,000 ft 11,887 m	16	-
DOTEL FIX	P987 AWY-HI	47.92060 33.57860	39,000 ft 11,887 m	40	-
TOKMU FIX	M991 AWY-HI	47.24670 35.79000	39,000 ft 11,887 m	98	-
OLGIN FIX	M991 AWY-HI	46.65830 37.42170	39,000 ft 11,887 m	75	-
INSER FIX	B494 AWY-HI	46.18140 38.95830	39,000 ft 11,887 m	69	-
UH NDB	B494 AWY-HI	45.85190 40.09000	39,000 ft 11,887 m	51	TIKHORETSK
ROTIM FIX	B494 AWY-HI	45.61330 40.73670	39,000 ft 11,887 m	30	-
LEGNA FIX	B494 AWY-HI	45.32140 41.50500	39,000 ft 11,887 m	36	-
TESMI FIX	B494 AWY-HI	45.10920 42.11250	39,000 ft 11,887 m	28	-
BUKOD FIX	B947 AWY-HI	44.84220 42.25560	39,000 ft 11,887 m	17	-
OTMOK FIX	B947 AWY-HI	44.57780 42.39640	39,000 ft 11,887 m	16	-
ABELA FIX	B947 AWY-HI	44.19140 42.60030	39,000 ft 11,887 m	24	-
OGMAL FIX	-	43.88690 42.78310	39,000 ft 11,887 m	19	-
UGADA FIX	B947 AWY-HI	43.46640 43.03190	39,000 ft 11,887 m	27	-
LODNA FIX	B947 AWY-HI	42.99500 43.24690	39,000 ft 11,887 m	29	-
GUSLI FIX	B947 AWY-HI	42.91830 43.28500	39,000 ft 11,887 m	4	-
BASKA FIX	L125 AWY-HI	42.58310 43.44860	39,000 ft 11,887 m	21	-
BT NDB	L125 AWY-HI	42.08970 43.65030	39,000 ft 11,887 m	30	ALI
OGEVI FIX	L125 AWY-HI	41.13470 43.78690	39,000 ft 11,887 m	57	-
REBGI FIX	L125 AWY-HI	40.24330 44.57750	39,000 ft 11,887 m	64	-
NEGAN FIX	L125 AWY-HI	39.75500 45.01000	39,000 ft 11,887 m	35	-
NAX VOR	L125 AWY-HI	39.20160 45.44090	39,000 ft 11,887 m	38	NAKHCHIVAN
DULAV FIX	L125 AWY-HI	38.95000 45.63330	39,000 ft 11,887 m	17	-
RABDI	L125	38.80110	39,000 ft	10	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	45.74190	11,887 m		
SIBVU	L125	38.74560	39,000 ft	3	-
FIX	AWY-HI	45.78250	11,887 m		
TBZ	R661	38.14820	39,000 ft	41	TABRIZ
VOR	AWY-HI	46.21270	11,887 m		
TBZ	-	38.13910	39,000 ft	1	TABRIZ VORTAC
DME	-	46.23090	11,887 m		
SISIL	Z1	37.57830	39,000 ft	43	-
FIX	AWY-HI	46.82280	11,887 m		
AMBEX	Z1	37.06560	39,000 ft	40	-
FIX	AWY-HI	47.36190	11,887 m		
DAXIL	Z1	34.85970	39,000 ft	170	-
FIX	AWY-HI	49.58170	11,887 m		
DEKBA	Z1	34.36250	39,000 ft	40	-
FIX	AWY-HI	50.14220	11,887 m		
PEKAM	Z1	33.48440	39,000 ft	68	-
FIX	AWY-HI	51.02170	11,887 m		
IMRAG	P574	32.86170	39,000 ft	39	-
FIX	AWY-HI	51.27860	11,887 m		
EGPAT	P574	32.55830	39,000 ft	19	-
FIX	AWY-HI	51.40250	11,887 m		
LOXAK	P574	31.74830	39,000 ft	51	-
FIX	AWY-HI	51.72890	11,887 m		
OBTUX	P574	31.37780	39,000 ft	23	-
FIX	AWY-HI	51.87640	11,887 m		
ASNIT	P574	30.64830	39,000 ft	46	-
FIX	AWY-HI	52.16330	11,887 m		
SYZ	P574	29.54220	39,000 ft	69	SHIRAZ SHAHID DASTGHAIB TACAN
DME	AWY-HI	52.58430	11,887 m		
SYZ	-	29.54020	39,000 ft	0	SHIRAZ
VOR	-	52.58880	11,887 m		
SITEN	P574	29.03530	39,000 ft	35	-
FIX	AWY-HI	52.92560	11,887 m		
KASOL	P574	28.52970	39,000 ft	35	-
FIX	AWY-HI	53.25920	11,887 m		
ROTAL	P574	27.54470	35,400 ft	67	-
FIX	AWY-HI	53.88890	10,790 m		
DENSA	P574	26.53280	20,100 ft	68	-
FIX	AWY-HI	54.48890	6,126 m		
OMDB	-	25.25110	0 ft	90	Dubai Intl
APT	-	55.37110	0 m		

UKKK

Region: UKRAINE
Timezone: EUROPE/KIEV
Runways: 1

Elevation: 586 ft / 179 m
Location: 50.401800 30.451000
Magnetic Var: 8.351 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 120.70 MHz - ZHULIANY TOWER
APP - 123.00 MHz - KYIV RADAR

GND - 119.00 MHz - ZHULIANY GROUND
REC - 127.47 MHz - ZHULIANY ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	7,586 ft	86.12	ASPHALT	512 ft	135 ft
	45 m	2,312 m	77.77		156 m	41 m
26	148 ft	7,586 ft	266.14	ASPHALT	154 ft	0 ft
	45 m	2,312 m	257.79		47 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IKI	111.70 MHz	18 nm	86.13	-	586 ft
				33 km	77.78		586 m
26	LOC-ILS	IKV	108.30 MHz	18 nm	266.13	-	586 ft
				33 km	257.78		586 m
08	GS	IKI	111.70 MHz	10 nm	86.13	3.00	586 ft
				19 km	77.78		586 m
26	GS	IKV	108.30 MHz	10 nm	266.13	3.00	586 ft
				19 km	257.78		586 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 180100Z VRB04KT CAVOK 33/13 Q1005 NOSIG

TAF

TAF OMDB 172300Z 1800/1906 16005KT CAVOK BECMG 1806/1808 30012KT BECMG 1818/1820 21005KT BECMG 1904/1906 27012KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m