

VIDP

INDIRA GANDHI INTL


FIMP

SIR SEEWOOSAGUR RAMGOOLAM INTL

2024/05/12 0057Z

VIDP REBON A347 BODAR A474 MURUS UA474F PLS FIMP

3155.11 nm / 5843.27 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VIDP	-	28.56650	0 ft	-	INDIRA GANDHI INTL
APT	-	77.10309	0 m		
REBON	-	27.80019	18,700 ft	55	-
FIX	-	76.52239	5,700 m		
JJP	A347	26.82486	34,000 ft	70	JAIPUR VOR-DME
VOR	AWY-HI	75.80067	10,363 m		
GUDUM	A347	26.01694	34,000 ft	52	-
FIX	AWY-HI	75.44899	10,363 m		
NIKOT	A347	25.90523	34,000 ft	7	-
FIX	AWY-HI	75.41161	10,363 m		
IDOLA	A347	25.00037	34,000 ft	56	-
FIX	AWY-HI	75.11571	10,363 m		
PRA	A347	24.02990	34,000 ft	61	PRATAPGARH VOR-DME
VOR	AWY-HI	74.75077	10,363 m		
BODAR	A347	22.60530	34,000 ft	90	-
FIX	AWY-HI	74.22141	10,363 m		
SG	A474	21.16737	34,000 ft	93	SONGARH NDB
NDB	AWY-HI	73.56595	10,363 m		
AKTIV	A474	20.25078	34,000 ft	57	-
FIX	AWY-HI	73.24933	10,363 m		
BBB	A474	19.08539	34,000 ft	73	MUMBAI VOR-DME
VOR	AWY-HI	72.87536	10,363 m		
ERVIS	A474	17.09105	34,000 ft	128	-
FIX	AWY-HI	72.05394	10,363 m		
OPIRA	A474	16.10114	34,000 ft	63	-
FIX	AWY-HI	71.64956	10,363 m		
OSIRI	A474	14.35128	34,000 ft	112	-
FIX	AWY-HI	70.94964	10,363 m		
OTABI	A474	13.05136	34,000 ft	83	-
FIX	AWY-HI	70.44969	10,363 m		
ODOLI	A474	11.61817	34,000 ft	92	-
FIX	AWY-HI	69.88311	10,363 m		
ESMIT	A474	9.73385	34,000 ft	120	-
FIX	AWY-HI	69.17209	10,363 m		
POPET	A474	7.22848	34,000 ft	160	-
FIX	AWY-HI	68.22666	10,363 m		
MONTO	A474	0.00233	34,000 ft	462	-
FIX	AWY-HI	65.54867	10,363 m		
MURUS	A474	-5.99728	34,000 ft	384	-
FIX	AWY-HI	63.32922	10,363 m		
TOPAN	UA474F	-6.36833	34,000 ft	23	-
FIX	AWY-HI	63.19083	10,363 m		
KANDA	UA474F	-10.00000	34,000 ft	232	-
FIX	AWY-HI	61.82250	10,363 m		
LUXAG	UA474F	-13.34083	34,000 ft	214	-
FIX	AWY-HI	60.53472	10,363 m		
UDMED	UA474F	-18.09389	32,400 ft	305	-
FIX	AWY-HI	58.63278	9,876 m		
PLS	UA474F	-20.42003	3,500 ft	150	PLAISANCE VOR-DME
VOR	AWY-HI	57.66233	1,067 m		
FIMP	-	-20.43023	0 ft	1	SIR SEEWOOSAGUR RAMGOOLAM INTL
APT	-	57.68360	0 m		

VIDP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 3

Elevation: 778 ft / 237 m
Location: 28.558500 77.097900
Magnetic Var: 1.601 E

METAR

VIDP 120030Z 27006KT 3000 HZ SCT100 28/17 Q1010 NOSIG

TAF

TAF VIDP 112300Z 1200/1306 22005KT 3000 HZ FEW035 SCT100 TEMPO 1204/1210 09008G18KT 1500 -TSRA FEW015 FEW035CB SCT

Frequencies

REC - 126.40 MHz - DELHI ATIS
TWR - 118.10 MHz - DELHI TOWER
APP - 124.20 MHz - DELHI APPROACH

GND - 121.90 MHz - DELHI GROUND
APP - 126.35 MHz - DELHI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.12		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.09		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.11		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.86		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m

FIMP

Region: MAURITIUS
Timezone: INDIAN/MAURITIUS
Runways: 1

Elevation: 183 ft / 56 m
Location: -20.430200 57.683600
Magnetic Var: 18.070 W

METAR

FIMP 120000Z 12009KT 9999 SCT018 25/21 Q1017

TAF

TAF FIMP 112315Z 1200/1306 12010G20KT 9999 SCT018 TEMPO 1200/1206 5000 -SHRA FEW008 BKN015 PROB30 TEMPO 1212/1300

Frequencies

REC - 126.20 MHz - MAURITIUS ATIS
APP - 119.10 MHz - MAURITIUS APPROACH
TWR - 118.10 MHz - MAURITIUS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.25		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.24		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m