

KMMK

Meriden Markham Municipal


KFFC

Atlanta Peachtree City Falcon Fld

2024/05/26 0259Z

KMMK TYKES **V123** DAVYS **V213** ENO **V157** RIC **V20** SUG **V222** ODF KFFC

758.27 nm / 1404.32 km



Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 120kts
- Cruise Altitude: 10000ft
- Cruise Speed: 120kts
- Descent Rate: 1000ft/min
- Descent Speed: 120kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMMK APT	-	41.50870 -72.82950	0 ft 0 m	-	Meriden Markham Municipal
TYKES FIX	-	40.28960 -74.38500	10,000 ft 3,048 m	101	-
RBV VOR	V123 AWY-LO	40.20240 -74.49500	10,000 ft 3,048 m	7	ROBBINSVILLE
KORRY FIX	V123 AWY-LO	40.09380 -74.65150	10,000 ft 3,048 m	9	-
BRAND FIX	V123 AWY-LO	40.03510 -74.73600	10,000 ft 3,048 m	5	-
HOLEY FIX	V123 AWY-LO	39.97160 -74.82690	10,000 ft 3,048 m	5	-
ENZEW FIX	V123 AWY-LO	39.94470 -74.86730	10,000 ft 3,048 m	2	-
DAVYS FIX	V123 AWY-LO	39.92240 -74.89720	10,000 ft 3,048 m	1	-
EDJER FIX	V213 AWY-LO	39.84870 -74.96390	10,000 ft 3,048 m	5	-
BESSI FIX	V213 AWY-LO	39.67630 -75.11240	10,000 ft 3,048 m	12	-
SKIPY FIX	V213 AWY-LO	39.50620 -75.27180	10,000 ft 3,048 m	12	-
ENO VOR	V213 AWY-LO	39.23160 -75.51600	10,000 ft 3,048 m	20	SMYRNA (KENTON)
CANNY FIX	V157 AWY-LO	39.06110 -75.67800	10,000 ft 3,048 m	12	-
RIDGY FIX	V157 AWY-LO	38.94300 -75.78980	10,000 ft 3,048 m	8	-
HEDGE FIX	V157 AWY-LO	38.89230 -75.83730	10,000 ft 3,048 m	3	-
ORETE FIX	V157 AWY-LO	38.84230 -75.88440	10,000 ft 3,048 m	3	-
CHOPS FIX	V157 AWY-LO	38.76160 -75.96010	10,000 ft 3,048 m	6	-
GARED FIX	V157 AWY-LO	38.69460 -76.02280	10,000 ft 3,048 m	4	-
CHURK FIX	V157 AWY-LO	38.48460 -76.21820	10,000 ft 3,048 m	15	-
GOFER FIX	V157 AWY-LO	38.41880 -76.27930	10,000 ft 3,048 m	4	-
PXT VOR	V157 AWY-LO	38.28790 -76.40020	10,000 ft 3,048 m	9	PATUXENT (PATUXENT RIVER)
COLIN FIX	V157 AWY-LO	38.09980 -76.66410	10,000 ft 3,048 m	16	-
DUPEY FIX	V157 AWY-LO	38.03690 -76.75180	10,000 ft 3,048 m	5	-
TAPPA FIX	V157 AWY-LO	37.97020 -76.84460	10,000 ft 3,048 m	5	-
SVILL FIX	V157 AWY-LO	37.78640 -77.03250	10,000 ft 3,048 m	14	-
RIC VOR	V157 AWY-LO	37.50230 -77.32030	10,000 ft 3,048 m	21	RICHMOND
MELIA	V20	37.28230	10,000 ft	25	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-77.77940	3,048 m		
NUTTS	V20	37.07620	10,000 ft	23	-
FIX	AWY-LO	-78.20380	3,048 m		
YUDUG	V20	36.99700	10,000 ft	9	-
FIX	AWY-LO	-78.36550	3,048 m		
LELLI	V20	36.98830	10,000 ft	0	-
FIX	AWY-LO	-78.38320	3,048 m		
SBV	V20	36.67500	10,000 ft	35	SOUTH BOSTON
VOR	AWY-LO	-79.01450	3,048 m		
UFFIN	V20	36.51300	10,000 ft	24	-
FIX	AWY-LO	-79.47510	3,048 m		
LEAKS	V20	36.41370	10,000 ft	14	-
FIX	AWY-LO	-79.75390	3,048 m		
MAYOS	V20	36.32660	10,000 ft	12	-
FIX	AWY-LO	-79.99650	3,048 m		
PROVE	V20	36.28230	10,000 ft	6	-
FIX	AWY-LO	-80.11900	3,048 m		
INGON	V20	36.21860	10,000 ft	9	-
FIX	AWY-LO	-80.29440	3,048 m		
JOTTA	V20	36.01470	10,000 ft	29	-
FIX	AWY-LO	-80.84940	3,048 m		
SANFI	V20	35.96150	10,000 ft	7	-
FIX	AWY-LO	-80.99260	3,048 m		
BZM	V20	35.86890	10,000 ft	13	BARRETTS MOUNTAIN (HICKOR
VOR	AWY-LO	-81.24050	3,048 m		
VAESE	V20	35.73110	10,000 ft	17	-
FIX	AWY-LO	-81.55030	3,048 m		
SWENK	V20	35.67150	10,000 ft	7	-
FIX	AWY-LO	-81.68330	3,048 m		
GENOD	V20	35.55170	10,000 ft	14	-
FIX	AWY-LO	-81.94920	3,048 m		
SUG	V20	35.40650	10,000 ft	17	SUGARLOAF MT. (ASHEVILLE)
VOR	AWY-LO	-82.26860	3,048 m		
FREEZ	V222	35.20990	10,000 ft	18	-
FIX	AWY-LO	-82.55640	3,048 m		
SUNET	V222	34.99480	10,000 ft	20	-
FIX	AWY-LO	-82.86850	3,048 m		
CALOK	V222	34.89310	10,000 ft	9	-
FIX	AWY-LO	-83.01510	3,048 m		
ODF	V222	34.69590	10,000 ft	18	FOOTHILLS (TOCCOA)
VOR	AWY-LO	-83.29770	3,048 m		
KFFC	-	33.35720	0 ft	102	Atlanta Peachtree City Falcon Fld
APT	-	-84.57180	0 m		

KFFC

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 1

Elevation: 808 ft / 246 m
Location: 33.357200 -84.571800
Magnetic Var: 5.509 W

METAR

KFFC 260153Z AUTO 00000KT 8SM CLR 25/21 A2992 RMK A02 SLP125 T02500211

TAF

UNKNOWN

Frequencies

None

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	100 ft	5,223 ft	128.27	ASPHALT	0 ft	0 ft
	30 m	1,592 m	133.77		0 m	0 m
31	100 ft	5,223 ft	308.27	ASPHALT	0 ft	0 ft
	30 m	1,592 m	313.78		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	FFC	111.95 MHz	18 nm	-	-	808 ft
				33 km	-		808 m
31	LOC-LOC	FFC	111.95 MHz	18 nm	308.29	-	808 ft
				33 km	313.79		808 m