

SWYQ

FAZENDA NOVA FRONTEIRA


SBEG

Eduardo Gomes Intl

2024/05/06 1627Z

SWYQ ATF **UM417** TELOS **UL795** POSTU SBEG

572.54 nm / 1060.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SWYQ APT	-	-11.46780 -56.43760	0 ft 0 m	-	FAZENDA NOVA FRONTEIRA
ATF VOR	-	-9.86836 -56.10490	35,000 ft 10,668 m	98	ALTA FLORESTA
TELOS FIX	UM417 AWY-HI	-9.25856 -56.38420	35,000 ft 10,668 m	40	-
MOLKO FIX	UL795 AWY-HI	-8.21883 -57.08830	35,000 ft 10,668 m	75	-
POSTU FIX	UL795 AWY-HI	-4.58438 -59.43100	21,400 ft 6,523 m	259	-
SBEG APT	-	-3.03860 -60.04970	0 ft 0 m	99	Eduardo Gomes Intl

SBEG

Region: BRAZIL
Timezone: AMERICA/MANAUS
Runways: 1

Elevation: 264 ft / 80 m
Location: -3.038600 -60.049700
Magnetic Var: 16.531 W

METAR

SBEG 061600Z 25005KT 220V290 9999 VCSH FEW004 BKN013 FEW015TCU BKN090 29/27 Q1011

TAF

TAF SBEG 060900Z 0612/0712 13005KT 9999 FEW012 FEW025TCU TX30/0618Z TN25/0710Z TEMPO 0612/0616 10005KT 5000 TSRA

Frequencies

REC - 127.65 MHz - ATIS	GND - 121.90 MHz - EDUARDO GOMES GROUND
TWR - 118.30 MHz - EDUARDO GOMES TOWER	APP - 119.25 MHz - MANAUS APPROACH
APP - 119.70 MHz - MANAUS APPROACH	APP - 120.40 MHz - MANAUS APPROACH
APP - 129.55 MHz - MANAUS APPROACH	APP - 129.80 MHz - MANAUS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	8,867 ft	90.13	ASPHALT	0 ft	0 ft
	45 m	2,703 m	106.66		0 m	0 m
29	148 ft	8,867 ft	270.13	ASPHALT	0 ft	0 ft
	45 m	2,703 m	286.66		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IEG	110.30 MHz	18 nm	90.13	-	264 ft
				33 km	106.66		264 m
11	GS	IEG	110.30 MHz	10 nm	90.13	3.01	264 ft
				19 km	106.66		264 m