

LIRF

Roma Fiumicino Leonardo Da Vinci


LGSR

SANTORINI

2024/05/08 0350Z

LIRF TEA L995 BRD UL995 TIGRA L995 KRK L53 AKORO LGSR

704.11 nm / 1304.02 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRF	-	41.81081	0 ft	-	Roma Fiumicino Leonardo Da Vinci
APT	-	12.25090	0 m		
TEA	-	41.29665	29,700 ft	83	TEANO VOR-DME
VOR	-	13.97055	9,053 m		
AKAMO	L995	41.19083	35,000 ft	31	-
FIX	AWY-LO	14.65333	10,668 m		
AMSOR	L995	41.15722	35,000 ft	9	-
FIX	AWY-LO	14.86917	10,668 m		
EKTOL	L995	41.10778	35,000 ft	13	-
FIX	AWY-LO	15.17139	10,668 m		
DOGUS	L995	41.02000	35,000 ft	24	-
FIX	AWY-LO	15.70333	10,668 m		
TOPNO	L995	40.95167	35,000 ft	18	-
FIX	AWY-LO	16.10778	10,668 m		
LUXIL	L995	40.81917	35,000 ft	35	-
FIX	AWY-LO	16.87083	10,668 m		
ROBOT	L995	40.70972	35,000 ft	28	-
FIX	AWY-LO	17.46944	10,668 m		
BRD	L995	40.61083	35,000 ft	25	BRINDISI VORTAC
VOR	AWY-LO	18.00278	10,668 m		
TIGRA	UL995	40.05667	35,000 ft	56	-
FIX	AWY-HI	19.00000	10,668 m		
KRK	L995	39.44389	35,000 ft	61	KERKIRA VOR-DME
VOR	AWY-LO	20.07278	10,668 m		
PARNA	L53	39.26222	35,000 ft	19	-
FIX	AWY-LO	20.43028	10,668 m		
GARTA	L53	38.98500	35,000 ft	30	-
FIX	AWY-LO	20.96833	10,668 m		
ELVAS	L53	38.52472	35,000 ft	49	-
FIX	AWY-LO	21.84194	10,668 m		
IXONI	L53	38.31667	35,000 ft	22	-
FIX	AWY-LO	22.23333	10,668 m		
PIKAD	L53	38.06139	35,000 ft	26	-
FIX	AWY-LO	22.69778	10,668 m		
KOR	L53	37.93028	32,800 ft	13	KORINTHOS NDB
NDB	AWY-LO	22.93583	9,997 m		
AKORO	L53	37.21000	15,200 ft	81	-
FIX	AWY-LO	24.39333	4,633 m		
LGSR	-	36.39895	0 ft	71	SANTORINI
APT	-	25.47851	0 m		

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.665 E

METAR

LIRF 080320Z VRB02KT CAVOK 12/12 Q1015 NOSIG

TAF

TAF LIRF 072300Z 0800/0906 VRB04KT 9999 FEW030 TEMPO 0801/0805 3000 BCFG BKN002 BECMG 0809/0811 21010KT BECMG 0811/0813 3000 BCFG BKN002

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.03		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.01		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.03		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.01		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.03		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.03		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.01		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.03		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.01		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.03		13 m