

LEIB

Ibiza


LSZH

Zurich

2024/05/29 0152Z

LEIB CDP **UZ238** CHELY **UN853** LUMAS **UZ191** NEVIX **UZ192** ROTIS **UN870** MAXIR **UN853** IRMAR **UZ241** MEDAM
LURAG KUKEV AOSTA BIBAN LSZH

630.55 nm / 1167.77 km



Notes

Basic altitude profile:

- Ascent Rate: 200ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 350kts
- Descent Rate: 1500ft/min
- Descent Speed: 220kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEIB	-	38.87280	0 ft	-	Ibiza
APT	-	1.37313	0 m		
CDP	-	39.69770	3,600 ft	107	CAPDEPERA
VOR	-	3.43436	1,097 m		
CHELY	UZ238	41.07500	6,900 ft	96	-
FIX	AWY-HI	4.50486	2,103 m		
LUMAS	UN853	41.73320	8,300 ft	40	-
FIX	AWY-HI	4.66667	2,530 m		
NEVIX	UZ191	42.41420	9,800 ft	44	-
FIX	AWY-HI	5.06167	2,987 m		
TINOT	UZ192	42.69770	10,500 ft	20	-
FIX	AWY-HI	5.31511	3,200 m		
ROTIS	UZ192	42.96670	11,200 ft	18	-
FIX	AWY-HI	5.50000	3,414 m		
ADITA	UN870	43.22860	11,900 ft	21	-
FIX	AWY-HI	5.82886	3,627 m		
MAXIR	UN870	43.39560	12,400 ft	13	-
FIX	AWY-HI	6.04056	3,780 m		
LUSOL	UN853	43.77140	13,100 ft	22	-
FIX	AWY-HI	6.07861	3,993 m		
BODRU	UN853	44.20860	14,100 ft	29	-
FIX	AWY-HI	6.37778	4,298 m		
OKTET	UN853	44.48500	14,800 ft	18	-
FIX	AWY-HI	6.56944	4,511 m		
IRMAR	UN853	44.80000	15,500 ft	21	-
FIX	AWY-HI	6.79056	4,724 m		
MEDAM	UZ241	45.26440	16,500 ft	28	-
FIX	AWY-HI	6.94000	5,029 m		
LURAG	-	45.52780	17,100 ft	17	-
FIX	-	7.08889	5,212 m		
KUKEV	-	45.65280	17,400 ft	9	-
FIX	-	7.20806	5,304 m		
AOSTA	-	45.79640	17,700 ft	10	-
FIX	-	7.34583	5,395 m		
BIBAN	-	45.92560	18,000 ft	8	-
FIX	-	7.45083	5,486 m		
LSZH	-	47.46350	0 ft	102	Zurich
APT	-	8.54995	0 m		

LEIB

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 24 ft / 7 m
Location: 38.872800 1.373130
Magnetic Var: 1.361 E

METAR

LEIB 290130Z 32002KT CAVOK 17/14 Q1018 NOSIG

TAF

TAF LEIB 282000Z 2821/2921 09009KT 9999 FEW015 TX25/2912Z TN16/2905Z BECMG 2821/2823 VRB04KT PROB30 TEMPO 2900/29

Frequencies

REC - 119.80 MHz - ATIS
TWR - 118.50 MHz - IBIZA TOWER
APP - 134.82 MHz - PALMA APPROACH
GND - 121.92 MHz - IBIZA GROUND
CLD - 121.37 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.64		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.64		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.64		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.64		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.64		24 m

LSZH

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 3

Elevation: 1,416 ft / 432 m
Location: 47.463500 8.549950
Magnetic Var: 3.131 E

METAR

LSZH 290120Z AUTO VRB02KT CAVOK 10/09 Q1018 NOSIG

TAF

TAF LSZH 282025Z 2821/3003 VRB02KT CAVOK TX19/2913Z TN10/2904Z BECMG 2908/2911 26008KT 9999 BKN050 PROB30 TEMPO 2

Frequencies

REC - 125.72 MHz - ATIS	GND - 121.90 MHz - ZURICH GROUND
GND - 118.15 MHz - ZURICH GROUND	GND - 119.75 MHz - ZURICH GROUND
GND - 121.75 MHz - ZURICH APRON	GND - 121.70 MHz - ZURICH APRON
GND - 121.85 MHz - ZURICH APRON	GND - 121.97 MHz - ZURICH APRON
TWR - 118.10 MHz - ZURICH TOWER	TWR - 120.22 MHz - ZURICH TOWER
TWR - 119.70 MHz - ZURICH TOWER	APP - 118.00 MHz - ZURICH ARRIVAL
APP - 135.22 MHz - ZURICH APPROACH	APP - 125.32 MHz - ZURICH FINAL
APP - 120.75 MHz - ZURICH FINAL	DEP - 125.95 MHz - ZURICH DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	12,181 ft	155.03	CONCRETE	0 ft	62 ft
	60 m	3,713 m	151.90		0 m	19 m
34	197 ft	12,181 ft	335.05	CONCRETE	1,542 ft	49 ft
	60 m	3,713 m	331.92		470 m	15 m
14	197 ft	10,816 ft	137.29	CONCRETE	492 ft	75 ft
	60 m	3,297 m	134.16		150 m	23 m
32	197 ft	10,816 ft	317.31	CONCRETE	0 ft	82 ft
	60 m	3,297 m	314.18		0 m	25 m
10	197 ft	8,196 ft	95.99	CONCRETE	0 ft	62 ft
	60 m	2,498 m	92.86		0 m	19 m
28	197 ft	8,196 ft	276.02	CONCRETE	0 ft	276 ft
	60 m	2,498 m	272.89		0 m	84 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IKL	108.30 MHz	18 nm	-	-	1,460 ft
				33 km	-		1,460 m
16	DME	IZH	110.50 MHz	18 nm	-	-	1,400 ft
				33 km	-		1,400 m
28	DME	IZW	109.75 MHz	18 nm	-	-	1,416 ft
				33 km	-		1,416 m
34	DME	IZS	110.75 MHz	18 nm	-	-	1,410 ft
				33 km	-		1,410 m
14	LOC-ILS	IKL	111.75 MHz	18 nm	137.31	-	1,417 ft
				33 km	134.18		1,417 m
16	LOC-ILS	IZH	110.50 MHz	18 nm	155.05	-	1,417 ft
				33 km	151.92		1,417 m
28	LOC-ILS	IZW	109.75 MHz	18 nm	276.01	-	1,417 ft
				33 km	272.88		1,417 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IZS	110.75 MHz	18 nm	335.06	-	1,417 ft
				33 km	331.93		1,417 m
14	GS	IKL	111.75 MHz	10 nm	137.31	3.00	1,417 ft
				19 km	134.18		1,417 m
16	GS	IZH	110.50 MHz	10 nm	155.05	3.00	1,417 ft
				19 km	151.92		1,417 m
28	GS	IZW	109.75 MHz	10 nm	276.01	3.30	1,417 ft
				19 km	272.88		1,417 m
34	GS	IZS	110.75 MHz	10 nm	335.06	3.30	1,417 ft
				19 km	331.93		1,417 m