

LIBD

Bari Palese Macchie


LMML

La Valette Luqa

2024/05/10 0923Z

LIBD MAREP **UZ910** CDC **UL137** NOTRI LMML

370.00 nm / 685.25 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIBD	-	41.13787	0 ft	-	Bari Palese Macchie
APT	-	16.75832	0 m		
MAREP	-	39.86722	32,100 ft	92	-
FIX	-	15.60389	9,784 m		
CDC	UZ910	38.75583	35,000 ft	75	CARAFFA DI CATANZARO VORTAC
VOR	AWY-HI	16.36917	10,668 m		
RCA	UL137	38.07610	30,800 ft	53	REGGIO CALABRIA VOR-DME
VOR	AWY-HI	15.64527	9,388 m		
DIVAR	UL137	37.77167	26,600 ft	24	-
FIX	AWY-HI	15.31222	8,108 m		
NOTRI	UL137	37.45611	20,200 ft	25	-
FIX	AWY-HI	14.96944	6,157 m		
LMML	-	35.84948	0 ft	99	La Valette Luqa
APT	-	14.48184	0 m		

LIBD

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 173 ft / 53 m
Location: 41.137900 16.758300
Magnetic Var: 4.391 E

METAR

LIBD 100850Z 32011KT 280V350 CAVOK 22/13 Q1015

TAF

TAF LIBD 100500Z 1006/1106 29006KT 9999 SCT040 BECMG 1006/1007 35016KT BECMG 1017/1019 29008KT

Frequencies

REC - 124.05 MHz - ATIS
TWR - 122.10 MHz - BARI TOWER
TWR - 118.30 MHz - BARI TOWER
APP - 136.10 MHz - BARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,260 ft	69.40	ASPHALT	1,240 ft	0 ft
	45 m	2,823 m	65.00		378 m	0 m
25	148 ft	9,260 ft	249.42	ASPHALT	0 ft	0 ft
	45 m	2,823 m	245.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	BAP	111.35 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
07	LOC-ILS	BAP	111.35 MHz	18 nm	69.39	-	175 ft
				33 km	65.00		175 m
07	GS	BAP	111.35 MHz	10 nm	69.39	3.32	175 ft
				19 km	65.00		175 m

LMML

Region: MALTA
Timezone: EUROPE/MALTA
Runways: 2

Elevation: 297 ft / 91 m
Location: 35.849400 14.481800
Magnetic Var: 3.621 E

METAR

LMML 100845Z 03011KT 9999 FEW018 20/14 Q1014 NOSIG

TAF

TAF LMML 100500Z 1006/1106 35010KT 9999 FEW020 BECMG 1012/1015 28007KT PROB40 1021/1106 6000 BKN004

Frequencies

REC - 127.40 MHz - LUQA ATIS
TWR - 135.10 MHz - LUQA TOWER

GND - 121.60 MHz - LUQA GROUND
APP - 128.15 MHz - LUQA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	197 ft	11,618 ft	134.87	ASPHALT	0 ft	0 ft
	60 m	3,541 m	131.25		0 m	0 m
31	197 ft	11,618 ft	314.89	ASPHALT	614 ft	177 ft
	60 m	3,541 m	311.27		187 m	54 m
05	148 ft	7,794 ft	54.40	ASPHALT	0 ft	95 ft
	45 m	2,376 m	50.78		0 m	29 m
23	148 ft	7,794 ft	234.42	ASPHALT	0 ft	102 ft
	45 m	2,376 m	230.79		0 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	LQ	109.70 MHz	18 nm	134.86	-	299 ft
				33 km	131.24		299 m
31	LOC-ILS	LM	110.50 MHz	18 nm	314.86	-	299 ft
				33 km	311.24		299 m
13	GS	LQ	109.70 MHz	10 nm	134.86	2.85	299 ft
				19 km	131.24		299 m
31	GS	LM	110.50 MHz	10 nm	314.86	2.85	299 ft
				19 km	311.24		299 m