

LIRF

Roma-Fiumicino "Leonardo da Vinci"


EDDM

Muenchen International Airport Franz-Josef Strauss

2024/05/10 0536Z

LIRF VERUN **Z806** GAVRA **M726** EKPIS EDDM

397.51 nm / 736.18 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIRF	-	41.81080	0 ft	-		Roma-Fiumicino "Leonardo da Vinci"
APT	-	12.25090	0 m			
VERUN	-	43.28140	31,900 ft	89	-	
FIX	-	11.92140	9,723 m			
GAVRA	Z806	43.77610	35,000 ft	30	-	
FIX	AWY-HI	11.82470	10,668 m			
BAGNO	M726	43.89060	35,000 ft	6	-	
FIX	AWY-HI	11.80220	10,668 m			
PELEG	M726	44.22780	35,000 ft	20	-	
FIX	AWY-HI	11.73530	10,668 m			
SUKOM	M726	44.55250	35,000 ft	19	-	
FIX	AWY-HI	11.66970	10,668 m			
LUMAV	M726	44.81440	35,000 ft	15	-	
FIX	AWY-HI	11.61640	10,668 m			
ALBET	M726	45.42670	35,000 ft	37	-	
FIX	AWY-HI	11.50920	10,668 m			
VADIK	M726	45.64000	35,000 ft	12	-	
FIX	AWY-HI	11.47140	10,668 m			
DIKEM	M726	46.03970	30,100 ft	24	-	
FIX	AWY-HI	11.39940	9,174 m			
SUMIR	M726	46.25890	27,300 ft	13	-	
FIX	AWY-HI	11.35970	8,321 m			
NAXAV	M726	46.46390	24,600 ft	12	-	
FIX	AWY-HI	11.32220	7,498 m			
EKPIS	M726	46.78720	20,500 ft	19	-	
FIX	AWY-HI	11.35560	6,248 m			
EDDM	-	48.35380	0 ft	95		Muenchen International Airport Franz-Josef Strauss
APT	-	11.78610	0 m			

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.665 E

METAR

LIRF 100450Z 06004KT CAVOK 15/10 Q1015 NOSIG

TAF

TAF LIRF 092300Z 1000/1106 03008KT 9999 FEW020 BECMG 1009/1011 26012KT BECMG 1017/1019 03006KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE
GND - 121.72 MHz - FIUME APRON
GND - 121.90 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER
DEP - 131.10 MHz - ROMA DEPARTURE
APP - 125.50 MHz - ROMA ARRIVAL
APP - 131.25 MHz - ROMA DIRECT

REC - 126.12 MHz - ATIS ARRIVAL
CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.67 MHz - FIUME GROUND
GND - 122.12 MHz - FIUME GROUND
TWR - 123.72 MHz - FIUME TOWER
DEP - 130.90 MHz - ROMA DEPARTURE
APP - 127.95 MHz - ROMA ARRIVAL
APP - 119.20 MHz - ROMA DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.02		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m

EDDM

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 1,484 ft / 452 m
Location: 48.353800 11.786100
Magnetic Var: 3.941 E

METAR

EDDM 100520Z AUTO VRB01KT CAVOK 07/07 Q1022 NOSIG

TAF

TAF EDDM 092300Z 1000/1106 VRB02KT CAVOK TEMPO 1001/1006 1200 BCFG BECMG 1007/1009 07006KT BECMG 1016/1018 VRB02KT

Frequencies

REC - 123.12 MHz - MUENCHEN ATIS	COM - 122.80 MHz - MUENCHEN UNICOM
CLD - 121.72 MHz - MUENCHEN DELIVERY	GND - 121.97 MHz - MUENCHEN GROUND NORTH
GND - 121.82 MHz - MUENCHEN GROUND SOUTH	GND - 121.77 MHz - MUENCHEN APRON 1
GND - 121.70 MHz - MUENCHEN APRON 2	GND - 121.92 MHz - MUENCHEN APRON 3
TWR - 120.50 MHz - MUENCHEN TOWER SOUTH	TWR - 118.70 MHz - MUENCHEN TOWER NORTH
APP - 123.90 MHz - MUENCHEN RADAR NORTH	APP - 127.95 MHz - MUENCHEN RADAR SOUTH
APP - 128.25 MHz - MUENCHEN ARRIVAL NORTH	APP - 120.77 MHz - MUENCHEN ARRIVAL SOUTH
APP - 118.82 MHz - MUENCHEN DIRECTOR NORTH	APP - 132.30 MHz - MUENCHEN DIRECTOR SOUTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	197 ft	13,135 ft	83.39	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.45		0 m	0 m
26R	197 ft	13,135 ft	263.43	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.49		0 m	0 m
08R	197 ft	13,135 ft	83.37	CONCRETE	0 ft	0 ft
	60 m	4,004 m	79.43		0 m	0 m
26L	197 ft	13,135 ft	263.41	CONCRETE	0 ft	0 ft
	60 m	4,004 m	259.47		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	IMNE	109.50 MHz	18 nm	83.41	-	1,484 ft
				33 km	79.47		1,484 m
08R	LOC-ILS	IMSE	109.30 MHz	18 nm	83.39	-	1,484 ft
				33 km	79.45		1,484 m
26L	LOC-ILS	IMSW	108.30 MHz	18 nm	263.39	-	1,484 ft
				33 km	259.45		1,484 m
26R	LOC-ILS	IMNW	108.70 MHz	18 nm	263.41	-	1,484 ft
				33 km	259.47		1,484 m
08L	GS	IMNE	109.50 MHz	10 nm	83.41	3.00	1,484 ft
				19 km	79.47		1,484 m
08R	GS	IMSE	109.30 MHz	10 nm	83.39	3.00	1,484 ft
				19 km	79.45		1,484 m
26L	GS	IMSW	108.30 MHz	10 nm	263.39	3.00	1,484 ft
				19 km	259.45		1,484 m
26R	GS	IMNW	108.70 MHz	10 nm	263.41	3.00	1,484 ft
				19 km	259.47		1,484 m