LIPZ
Venezia Tessera


-

LQSA
Sarajevo

2024/03/19 1144Z

LIPZ PUL **L614** SONIK LQSA

276.07 nm / 511.28 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ APT	–	45.50479 12.34969	0 ft 0 m	–	Venezia Tessera
PUL VOR	–	44.89237 13.91813	27,100 ft 8,260 m	75	PULA VOR-DME
PALEZ FIX	L614 AWY-LO	44.57500 15.53306	27,500 ft 8,382 m	71	–
SONIK FIX	L614 AWY-LO	44.44833 16.14333	21,700 ft 6,614 m	27	–
LQSA APT	–	43.82460 18.33150	0 ft 0 m	101	Sarajevo

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.889 E

METAR

LIPZ 191120Z 19004KT 150V240 7000 FEW010 14/10 Q1018 NOSIG

TAF

TAF LIPZ 190500Z 1906/2012 VRB05KT 0200 FG NSC BECMG 1907/1910 7000

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH

GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft 45 m	10,836 ft 3,303 m	42.03 38.14	ASPHALT	0 ft 0 m	0 ft 0 m
22L	148 ft 45 m	10,836 ft 3,303 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m
04L	148 ft 45 m	9,129 ft 2,782 m	42.03 38.14	ASPHALT	318 ft 97 m	0 ft 0 m
22R	148 ft 45 m	9,129 ft 2,782 m	222.05 218.16	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm 33 km	- -	-	26 ft 26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm 33 km	42.04 38.15	-	4 ft 4 m
04R	GS	VTS	109.95 MHz	10 nm 19 km	42.04 38.15	3.00	4 ft 4 m

LQSA

Region: BOSNIA AND HERZEGOVINIA
Timezone: EUROPE/SARAJEVO
Runways: 1

Elevation: 1,708 ft / 521 m
Location: 43.824500 18.331800
Magnetic Var: 4.895 E

METAR

LQSA 191130Z 32012KT 290V350 9999 FEW055 11/M03 Q1017 NOSIG

TAF

TAF LQSA 190500Z 1906/2006 27006KT 9999 BKN050 TX11/1911Z TNM02/2006Z PROB30 TEMPO 1906/1909 4000 -RA BKN013 BKN0

Frequencies

APP - 136.45 MHz - APPROACH
GND - 121.90 MHz - GROUND
TWR - 118.25 MHz - TOWER
REC - 124.12 MHz - SARAJEVOE INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	8,515 ft	117.43	ASPHALT	328 ft	0 ft
	45 m	2,595 m	112.54		100 m	0 m
29	148 ft	8,515 ft	297.45	ASPHALT	1,637 ft	0 ft
	45 m	2,595 m	292.56		499 m	0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	BHS	110.70 MHz	18 nm	117.35	-	1,708 ft
				33 km	112.46		1,708 m