

LICR

Reggio Calabria "Tito Minniti"


LEMG

Málaga-Costa del Sol

2024/05/07 2148Z

LICR BEKIV **M871** PAL **L869** TUPAL **UG728** CBN ADRIL **UM978** TUC **UA411** KEMIR **UM978** MORJA **UA411** ANB ANB
A411 BNA **A31** CHE **A411** MOS **UM744** BOLKA LEMG

1011.34 nm / 1873.00 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LICR	-	38.07280	0 ft	-	Reggio Calabria "Tito Minniti"
APT	-	15.64930	0 m	-	
BEKIV	-	37.87670	33,700 ft	94	-
FIX	-	13.66810	10,272 m	-	
PAL	M871	38.03360	35,000 ft	25	PALERMO
VOR	AWY-HI	13.17740	10,668 m	-	
TRP	L869	37.89600	35,000 ft	32	TRAPANI
VOR	AWY-HI	12.51320	10,668 m	-	
LOPKO	L869	37.66610	35,000 ft	20	-
FIX	AWY-HI	12.18030	10,668 m	-	
MEGAN	L869	37.53810	35,000 ft	11	-
FIX	AWY-HI	11.99610	10,668 m	-	
TUPAL	L869	37.18920	35,000 ft	31	-
FIX	AWY-HI	11.50000	10,668 m	-	
CBN	UG728	36.89520	35,000 ft	26	CAP BON
VOR	AWY-HI	11.08890	10,668 m	-	
ADRIL	-	36.77610	35,000 ft	22	-
FIX	-	10.65280	10,668 m	-	
TUC	UM978	36.85140	35,000 ft	20	TUNIS
VOR	AWY-HI	10.23110	10,668 m	-	
KEMIR	UA411	36.83750	35,000 ft	38	-
FIX	AWY-HI	9.42083	10,668 m	-	
MORJA	UM978	36.83440	35,000 ft	37	-
FIX	AWY-HI	8.65000	10,668 m	-	
ANB	UA411	36.83240	35,000 ft	40	ANNABA
VOR	AWY-HI	7.81458	10,668 m	-	
ANB	-	36.81670	35,000 ft	1	ANNABA VOR-DME
DME	-	7.80000	10,668 m	-	
JIL	A411	36.77670	35,000 ft	92	JIJEL VOR-DME
DME	AWY-HI	5.87722	10,668 m	-	
BJA	A411	36.71540	35,000 ft	38	BEJAIA
NDB	AWY-HI	5.07667	10,668 m	-	
BNA	A411	36.65130	35,000 ft	71	BENI AMRANE
NDB	AWY-HI	3.59152	10,668 m	-	
ALR	A31	36.69100	35,000 ft	18	DAR EL BEIDA
VOR	AWY-HI	3.21548	10,668 m	-	
CHE	A31	36.60140	35,000 ft	49	CHERCHELL
NDB	AWY-HI	2.19333	10,668 m	-	
DAHRA	A411	36.36530	35,000 ft	36	-
FIX	AWY-HI	1.50000	10,668 m	-	
MOS	A411	35.89860	35,000 ft	71	MOSTAGANEM
VOR	AWY-HI	0.13630	10,668 m	-	
CARBO	UM744	36.25220	31,500 ft	81	-
FIX	AWY-HI	-1.49500	9,601 m	-	
GOLFO	UM744	36.36770	25,500 ft	27	-
FIX	AWY-HI	-2.05469	7,772 m	-	
BOLKA	UM744	36.47920	19,600 ft	27	-
FIX	AWY-HI	-2.60883	5,974 m	-	
LEMG	-	36.68020	0 ft	91	Málaga-Costa del Sol
APT	-	-4.49665	0 m	-	

LICR

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 96 ft / 29 m
Location: 38.072800 15.649300
Magnetic Var: 3.966 E

METAR

LICR 072120Z AUTO VRB02KT 9999 BKN210/// 19/12 Q1017

TAF

TAF LICR 071700Z 0718/0818 19011KT 9999 FEW030 TEMPO 0809/0818 SHRA

Frequencies

TWR - 118.25 MHz - REGGIO TOWER

APP - 120.27 MHz - REGGIO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	6,561 ft	152.90	ASPHALT	820 ft	0 ft
	45 m	2,000 m	148.93		250 m	0 m
33	148 ft	6,561 ft	332.90	ASPHALT	164 ft	0 ft
	45 m	2,000 m	328.94		50 m	0 m
11	148 ft	5,579 ft	112.65	ASPHALT	0 ft	0 ft
	45 m	1,701 m	108.68		0 m	0 m
29	148 ft	5,579 ft	292.66	ASPHALT	0 ft	0 ft
	45 m	1,701 m	288.69		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	LOC-LOC	REG	109.30 MHz	18 nm	19.16	-	95 ft
				33 km	15.20		95 m

LEMG

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 2

Elevation: 52 ft / 16 m
Location: 36.680200 -4.496650
Magnetic Var: 0.156 W

METAR

LEMG 072130Z 11002KT CAVOK 17/14 Q1019 NOSIG

TAF

TAF LEMG 071700Z 0718/0818 13010KT CAVOK TX26/0814Z TN18/0806Z BECMG 0722/0724 29006KT BECMG 0806/0808 13010KT PR

Frequencies

REC - 124.47 MHz - ATIS	CLD - 121.80 MHz - CLEARANCE DELIVERY
TWR - 118.15 MHz - MALAGA TOWER	TWR - 118.77 MHz - MALAGA TOWER
GND - 121.70 MHz - MALAGA GROUND	GND - 121.95 MHz - MALAGA GROUND
APP - 118.45 MHz - MALAGA APPROACH	APP - 123.95 MHz - MALAGA APPROACH
APP - 128.80 MHz - MALAGA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	10,498 ft	131.69	ASPHALT	0 ft	0 ft
	45 m	3,200 m	131.84		0 m	0 m
31	148 ft	10,498 ft	311.70	ASPHALT	0 ft	0 ft
	45 m	3,200 m	311.86		0 m	0 m
12	148 ft	9,020 ft	117.69	ASPHALT	0 ft	0 ft
	45 m	2,749 m	117.85		0 m	0 m
30	148 ft	9,020 ft	297.71	ASPHALT	0 ft	0 ft
	45 m	2,749 m	297.86		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IMG	110.55 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
13	DME	GMM	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
31	DME	GAA	109.90 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
12	LOC-ILS	IMG	110.55 MHz	18 nm	117.69	-	52 ft
				33 km	117.85		52 m
13	LOC-ILS	GMM	109.50 MHz	18 nm	131.70	-	52 ft
				33 km	131.86		52 m
31	LOC-ILS	GAA	109.90 MHz	18 nm	311.70	-	52 ft
				33 km	311.86		52 m
12	GS	IMG	110.55 MHz	10 nm	117.69	3.00	52 ft
				19 km	117.85		52 m
13	GS	GMM	109.50 MHz	10 nm	131.70	3.20	52 ft
				19 km	131.86		52 m
31	GS	GAA	109.90 MHz	10 nm	311.70	3.00	52 ft
				19 km	311.86		52 m