

LTCG

Trabzon Intl


OMDB

Dubai Intl

2024/05/07 1701Z

LTCG ERZ **UA4** VAN **UG81** BONAM **G781** UMH **UL223** EGSIR **T217** LAM **UL223** KIS OMDB

1234.71 nm / 2286.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTCG	-	40.99500	0 ft	-	Trabzon Intl
APT	-	39.78960	0 m		
ERZ	-	39.95670	32,100 ft	89	ERZURUM
VOR	-	41.20710	9,784 m		
SUSUZ	UA4	39.68080	35,000 ft	24	-
FIX	AWY-HI	41.60830	10,668 m		
GOKSU	UA4	39.49280	35,000 ft	16	-
FIX	AWY-HI	41.87970	10,668 m		
DORUK	UA4	39.27920	35,000 ft	19	-
FIX	AWY-HI	42.18530	10,668 m		
ESENK	UA4	38.74470	35,000 ft	47	-
FIX	AWY-HI	42.93810	10,668 m		
VAN	UA4	38.46610	35,000 ft	24	VAN
VOR	AWY-HI	43.32520	10,668 m		
ZELSU	UG81	38.26560	35,000 ft	24	-
FIX	AWY-HI	43.78310	10,668 m		
BONAM	UG81	38.04890	35,000 ft	27	-
FIX	AWY-HI	44.29970	10,668 m		
TUDNU	G781	37.88360	35,000 ft	23	-
FIX	AWY-HI	44.74640	10,668 m		
UMH	G781	37.68720	35,000 ft	19	UROMIYEH
VOR	AWY-HI	45.08440	10,668 m		
KAPES	UL223	37.42220	35,000 ft	19	-
FIX	AWY-HI	45.33440	10,668 m		
REXAN	UL223	35.98060	35,000 ft	107	-
FIX	AWY-HI	46.65970	10,668 m		
TAVNI	UL223	35.63530	35,000 ft	24	-
FIX	AWY-HI	46.94190	10,668 m		
TUKLO	UL223	35.17060	35,000 ft	32	-
FIX	AWY-HI	47.29750	10,668 m		
UKSIS	UL223	33.36640	35,000 ft	127	-
FIX	AWY-HI	48.66720	10,668 m		
ALTAX	UL223	32.50390	35,000 ft	62	-
FIX	AWY-HI	49.36170	10,668 m		
KIXOB	UL223	31.15470	35,000 ft	97	-
FIX	AWY-HI	50.41640	10,668 m		
EGSIR	UL223	29.77080	35,000 ft	99	-
FIX	AWY-HI	51.45970	10,668 m		
RUBAK	T217	29.43810	35,000 ft	23	-
FIX	AWY-HI	51.70500	10,668 m		
TOTNO	T217	29.18110	35,000 ft	18	-
FIX	AWY-HI	51.89330	10,668 m		
DASDO	T217	28.90030	35,000 ft	19	-
FIX	AWY-HI	52.09750	10,668 m		
LAGSA	T217	28.55170	35,000 ft	24	-
FIX	AWY-HI	52.34890	10,668 m		
LAM	T217	27.37280	35,000 ft	83	LAMERD
VOR	AWY-HI	53.18400	10,668 m		
KIS	UL223	26.52520	23,100 ft	65	KISH ISLAND
VOR	AWY-HI	53.96240	7,041 m		
OMDB	-	25.25110	0 ft	107	Dubai Intl
APT	-	55.37110	0 m		

LTCG

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 104 ft / 32 m
Location: 40.995000 39.789600
Magnetic Var: 6.870 E

METAR

LTCG 071620Z 10007KT 9999 BKN100 14/11 Q1017 NOSIG RMK RWY29 10006KT

TAF

TAF LTCG 071040Z 0712/0812 30012KT 9999 SCT016 BKN033 BECMG 0713/0716 VRB02KT BECMG 0716/0720 SCT035 BKN100

Frequencies

REC - 118.62 MHz - TRABZON INFORMATION	GND - 121.90 MHz - TRABZON GROUND
TWR - 119.32 MHz - TRABZON TOWER	TWR - 126.85 MHz - TRABZON TOWER
APP - 119.25 MHz - TRABZON APPROACH	APP - 130.22 MHz - TRABZON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	8,658 ft	112.27	ASPHALT	0 ft	0 ft
	45 m	2,639 m	105.40		0 m	0 m
29	148 ft	8,658 ft	292.29	ASPHALT	0 ft	0 ft
	45 m	2,639 m	285.41		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	ITBZ	109.10 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
11	LOC-ILS	ITBZ	109.10 MHz	18 nm	112.34	-	104 ft
				33 km	105.47		104 m
11	GS	ITBZ	109.10 MHz	10 nm	112.34	3.30	104 ft
				19 km	105.47		104 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.352 E

METAR

OMDB 071600Z 06005KT 030V100 CAVOK 34/20 Q1007 NOSIG

TAF

TAF OMDB 071100Z 0712/0818 33013KT CAVOK BECMG 0716/0718 12005KT BECMG 0804/0806 18010KT BECMG 0808/0810 34015KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m