

KLAX

Los Angeles Intl


OMDB

DUBAI INTL

2024/05/11 0435Z

KLAX BASAL V394 DAG J100 NORRA J107 MLF J9 FFU J11 TCH J9 GTF J530 YYN NCAE YYQ N554C YFB 5E72
KEF G3 VALDI UL621 LIN UN191 USTIL UA277 GAMAN A277 LAMET R114 TUDEK UR114 TBN UL851 ERZ UA4 VAN
UG81 BONAM G781 UMH UL223 SIR OMDB

7666.20 nm / 14197.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX APT	-	33.94313 -118.40892	0 ft 0 m	-	Los Angeles Intl
BASAL FIX	-	34.75778 -116.86183	31,400 ft 9,571 m	90	-
DAG VOR	V394 AWY-LO	34.96244 -116.57817	17,000 ft 5,182 m	18	DAGGETT VORTAC
MISEN FIX	J100 AWY-HI	35.10235 -116.40385	35,000 ft 10,668 m	12	-
CLARR FIX	J100 AWY-HI	35.67568 -115.67975	35,000 ft 10,668 m	49	-
LAS DME	J100 AWY-HI	36.07970 -115.15979	35,000 ft 10,668 m	35	LAS VEGAS VORTAC
NORRA FIX	J100 AWY-HI	36.75931 -114.28109	35,000 ft 10,668 m	58	-
BERYL FIX	J107 AWY-HI	37.90005 -113.38572	35,000 ft 10,668 m	80	-
MLF VOR	J107 AWY-HI	38.36036 -113.01322	35,000 ft 10,668 m	32	MILFORD VORTAC
FFU VOR	J9 AWY-HI	40.27489 -111.94053	35,000 ft 10,668 m	125	FAIRFIELD VORTAC
TCH VOR	J11 AWY-HI	40.85025 -111.98192	34,000 ft 10,363 m	34	WASATCH VORTAC
DBS VOR	J9 AWY-HI	44.08886 -112.20933	34,000 ft 10,363 m	194	DUBOIS VORTAC
DLN VOR	J9 AWY-HI	45.24858 -112.54714	34,000 ft 10,363 m	71	DILLON VOR-DME
GTF DME	J9 AWY-HI	47.44998 -111.41216	35,000 ft 10,668 m	140	GREAT FALLS VORTAC
GGRBI FIX	J530 AWY-HI	49.00000 -109.45800	35,000 ft 10,668 m	121	-
YYN VOR	J530 AWY-HI	50.29706 -107.69089	35,000 ft 10,668 m	103	SWIFT CURRENT VOR-DME
ELTAX FIX	NCAE AWY-HI	51.95667 -105.59500	35,000 ft 10,668 m	127	-
YYQ VOR	NCAE AWY-HI	58.74175 -94.13531	35,000 ft 10,668 m	563	CHURCHILL VOR-DME
BODRA FIX	N554C AWY-HI	62.28278 -80.00000	35,000 ft 10,668 m	467	-
YFB VOR	N554C AWY-HI	63.74167 -68.47333	35,000 ft 10,668 m	325	FROBAY VOR
SF NDB	5E72 AWY-HI	66.96749 -50.94167	35,000 ft 10,668 m	477	SONDRE STROMFJORD NDB
DA NDB	5E72 AWY-HI	65.57056 -37.20694	35,000 ft 10,668 m	341	KULUSUK NDB
GIMLI FIX	5E72 AWY-HI	64.64000 -26.97833	35,000 ft 10,668 m	264	-
KEF VOR	5E72 AWY-HI	63.98681 -22.61450	35,000 ft 10,668 m	120	KEFLAVIK VORTAC
METIL FIX	G3 AWY-HI	63.97194 -21.52611	35,000 ft 10,668 m	28	-
SKARD FIX	G3 AWY-HI	63.94278 -20.20500	35,000 ft 10,668 m	34	-
MIKLA	G3	63.84833	35,000 ft	69	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-17.57417	10,668 m		
ING	G3	63.80306	35,000 ft	24	INGO VOR-DME
VOR	AWY-HI	-16.63806	10,668 m		
ROSTI	G3	63.40639	35,000 ft	71	-
FIX	AWY-HI	-14.11222	10,668 m		
LINDA	G3	62.62167	35,000 ft	121	-
FIX	AWY-HI	-10.00000	10,668 m		
MY	G3	62.10694	35,000 ft	73	MYGGENES NDB
NDB	AWY-HI	-7.58778	10,668 m		
CONNY	G3	61.90000	35,000 ft	57	-
FIX	AWY-HI	-5.58333	10,668 m		
VALDI	G3	61.21417	35,000 ft	164	-
FIX	AWY-HI	0.00000	10,668 m		
ZOL	UL621	58.87506	35,000 ft	219	SOLA VOR-DME
VOR	AWY-HI	5.64015	10,668 m		
LAREM	UL621	58.23250	35,000 ft	69	-
FIX	AWY-HI	7.50000	10,668 m		
SVA	UL621	58.08450	35,000 ft	15	SVENSHEIA VOR-DME
VOR	AWY-HI	7.90831	10,668 m		
AMSEV	UL621	57.67528	35,000 ft	37	-
FIX	AWY-HI	8.80222	10,668 m		
LAGUM	UL621	57.45556	35,000 ft	19	-
FIX	AWY-HI	9.26833	10,668 m		
AAL	UL621	57.10372	35,000 ft	31	AALBORG VOR-DME
VOR	AWY-HI	9.99558	10,668 m		
NORTI	UL621	56.52444	35,000 ft	63	-
FIX	AWY-HI	11.62556	10,668 m		
MADAG	UL621	56.38056	35,000 ft	15	-
FIX	AWY-HI	12.01361	10,668 m		
ROKAM	UL621	56.31694	35,000 ft	6	-
FIX	AWY-HI	12.18333	10,668 m		
KULUD	UL621	56.26056	35,000 ft	6	-
FIX	AWY-HI	12.33306	10,668 m		
SVD	UL621	56.16886	35,000 ft	9	SVEDA VOR-DME
VOR	AWY-HI	12.57378	10,668 m		
MAXUM	UL621	55.66125	35,000 ft	46	-
FIX	AWY-HI	13.60400	10,668 m		
ELVIX	UL621	55.41186	35,000 ft	22	-
FIX	AWY-HI	14.09422	10,668 m		
ROE	UL621	55.06558	35,000 ft	30	RONNE VOR-DME
VOR	AWY-HI	14.75869	10,668 m		
REDFI	UL621	54.91667	35,000 ft	15	-
FIX	AWY-HI	15.14056	10,668 m		
BABIK	UL621	54.68500	35,000 ft	24	-
FIX	AWY-HI	15.71917	10,668 m		
DAR	UL621	54.41021	35,000 ft	28	DARLOWO VOR-DME
VOR	AWY-HI	16.38808	10,668 m		
BURAN	UL621	54.18028	35,000 ft	26	-
FIX	AWY-HI	17.02972	10,668 m		
GRU	UL621	53.52124	35,000 ft	73	GRUDZIADZ VOR-DME
VOR	AWY-HI	18.78134	10,668 m		
REMPA	UL621	52.60056	35,000 ft	70	-
FIX	AWY-HI	20.00417	10,668 m		
LIN	UL621	51.93289	35,000 ft	58	LININ VOR-DME
VOR	AWY-HI	21.15853	10,668 m		
USTIL	UN191	50.83301	35,000 ft	128	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	24.09815	10,668 m		
BABIS	UA277	49.99803	35,000 ft	99	-
FIX	AWY-HI	26.35626	10,668 m		
SITBA	UA277	49.39055	35,000 ft	68	-
FIX	AWY-HI	27.84518	10,668 m		
NM	UA277	48.96639	35,000 ft	46	NEMYRIV NDB
NDB	AWY-HI	28.84826	10,668 m		
RABEN	UA277	48.08474	35,000 ft	97	-
FIX	AWY-HI	30.89664	10,668 m		
BAROR	UA277	47.62808	35,000 ft	47	-
FIX	AWY-HI	31.84500	10,668 m		
KOREG	UA277	47.08309	35,000 ft	55	-
FIX	AWY-HI	32.94003	10,668 m		
KH	UA277	46.80809	35,000 ft	28	KAKHOVKA NDB
NDB	AWY-HI	33.49504	10,668 m		
BETEG	UA277	45.18310	35,000 ft	155	-
FIX	AWY-HI	36.38179	10,668 m		
GAMAN	UA277	45.00000	35,000 ft	14	-
FIX	AWY-HI	36.59167	10,668 m		
DIBAT	A277	44.57306	35,000 ft	38	-
FIX	AWY-HI	37.25833	10,668 m		
LIMAS	A277	44.20806	35,000 ft	32	-
FIX	AWY-HI	37.82000	10,668 m		
ARKUT	A277	44.02639	35,000 ft	16	-
FIX	AWY-HI	38.09167	10,668 m		
BAKRI	A277	43.89806	35,000 ft	11	-
FIX	AWY-HI	38.28167	10,668 m		
ALUBI	A277	43.68333	35,000 ft	18	-
FIX	AWY-HI	38.60333	10,668 m		
LAMET	A277	43.34972	35,000 ft	29	-
FIX	AWY-HI	39.08861	10,668 m		
KARAT	R114	42.68139	35,000 ft	40	-
FIX	AWY-HI	39.27028	10,668 m		
TUDEK	R114	42.18500	35,000 ft	30	-
FIX	AWY-HI	39.40333	10,668 m		
HAMSI	UR114	41.32806	35,000 ft	52	-
FIX	AWY-HI	39.67750	10,668 m		
TBN	UR114	40.99528	35,000 ft	20	TRABZON NDB
NDB	AWY-HI	39.79556	10,668 m		
ERCAN	UL851	40.77389	35,000 ft	18	-
FIX	AWY-HI	40.09139	10,668 m		
HOCAM	UL851	40.24611	35,000 ft	45	-
FIX	AWY-HI	40.81639	10,668 m		
ERZ	UL851	39.95750	35,000 ft	24	ERZURUM VOR-DME
VOR	AWY-HI	41.20722	10,668 m		
SUSUZ	UA4	39.68222	35,000 ft	24	-
FIX	AWY-HI	41.61306	10,668 m		
GOKSU	UA4	39.49222	35,000 ft	17	-
FIX	AWY-HI	41.88611	10,668 m		
DORUK	UA4	39.29167	35,000 ft	18	-
FIX	AWY-HI	42.17500	10,668 m		
ESENK	UA4	38.75722	35,000 ft	48	-
FIX	AWY-HI	42.94139	10,668 m		
VAN	UA4	38.46519	35,000 ft	25	VAN VOR-DME
VOR	AWY-HI	43.32508	10,668 m		
ZELSU	UG81	38.26556	35,000 ft	24	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	43.78306	10,668 m		
BONAM	UG81	38.04889	35,000 ft	27	-
FIX	AWY-HI	44.29972	10,668 m		
TUDNU	G781	37.85611	35,000 ft	23	-
FIX	AWY-HI	44.72167	10,668 m		
UMH	G781	37.68719	35,000 ft	19	UROMIYEH VOR-DME
VOR	AWY-HI	45.08433	10,668 m		
SNJ	UL223	35.23892	35,000 ft	173	SANANDAJ VOR-DME
VOR	AWY-HI	47.00783	10,668 m		
KRD	UL223	33.43514	35,000 ft	125	KHORAM ABAD VOR-DME
VOR	AWY-HI	48.28911	10,668 m		
ALTAX	UL223	32.14722	35,000 ft	95	-
FIX	AWY-HI	49.39833	10,668 m		
MESVI	UL223	31.48889	35,000 ft	48	-
FIX	AWY-HI	49.95028	10,668 m		
DASDO	UL223	28.85500	35,000 ft	192	-
FIX	AWY-HI	52.06306	10,668 m		
LAM	UL223	27.36714	35,000 ft	107	LAMERD NDB
NDB	AWY-HI	53.19522	10,668 m		
SIR	UL223	25.91422	19,000 ft	113	SIRRI ISLAND VOR-DME
VOR	AWY-HI	54.53650	5,791 m		
OMDB	-	25.25491	0 ft	59	DUBAI INTL
APT	-	55.36426	0 m		

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.441 E

METAR

KLAX 110353Z 25008KT 10SM OVC009 14/12 A2995 RMK A02 SLP142 T01390117

TAF

KLAX 110315Z 1103/1206 28008KT P6SM OVC009 FM110700 VRB03KT P6SM OVC008 FM111600 VRB03KT P6SM OVC012 FM111900 250

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 110400Z 18006KT 120V240 CAVOK 25/21 Q1009 NOSIG

TAF

TAF OMDB 102300Z 1100/1206 18005KT 8000 NSC PROB30 1101/1105 3000 BR BKN005 BECMG 1106/1108 33013KT BECMG 1117/11

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m