


2024/05/13 1654Z

WBSB VIDIP **M754** AKOTA **A583** CH VHHH

1106.55 nm / 2049.33 km



Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 38000ft
- Cruise Speed: 400kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WBSB	-	4.94417	0 ft	-	Brunei Intl
APT	-	114.92833	0 m	-	
VIDIP	-	5.68500	11,600 ft	46	-
FIX	-	115.16750	3,536 m	-	-
SUMLA	M754	8.04528	37,000 ft	150	-
FIX	AWY-HI	116.00972	11,278 m	-	-
VINIK	M754	8.64167	37,000 ft	38	-
FIX	AWY-HI	116.23000	11,278 m	-	-
TENON	M754	9.27446	37,000 ft	38	-
FIX	AWY-HI	116.30701	11,278 m	-	-
LULBU	M754	11.16002	37,000 ft	114	-
FIX	AWY-HI	116.53825	11,278 m	-	-
NOBEN	M754	12.78670	37,000 ft	98	-
FIX	AWY-HI	116.74017	11,278 m	-	-
GUKUM	M754	14.19556	37,000 ft	85	-
FIX	AWY-HI	116.91718	11,278 m	-	-
AKOTA	M754	16.46203	37,000 ft	137	-
FIX	AWY-HI	117.20675	11,278 m	-	-
MAVRA	A583	17.77784	38,000 ft	88	-
FIX	AWY-HI	116.50199	11,582 m	-	-
SABNO	A583	18.98500	38,000 ft	81	-
FIX	AWY-HI	115.84500	11,582 m	-	-
CH	A583	22.21954	8,000 ft	219	CHEUNG CHAU VOR-DME
VOR	AWY-HI	114.03006	2,438 m	-	
VHHH	-	22.30899	0 ft	8	Hong Kong Intl
APT	-	113.91461	0 m	-	

WBSB

Region: BRUNEI AND MALAYSIA
Timezone: ASIA/BRUNEI
Runways: 1

Elevation: 73 ft / 22 m
Location: 4.944170 114.928000
Magnetic Var: 0.710 W

METAR

WBSB 131630Z 18002KT 9999 TS FEW014 FEW015CB SCT140 BKN280 28/28 Q1010 NOSIG

TAF

TAF WBSB 131050Z 1312/1418 14005KT 9999 FEW015 FEW016CB TEMPO 1312/1316 5000 -TSRA SCT014 FEW015CB BECMG 1318/1320 14005KT 9999

Frequencies

REC - 126.80 MHz - ATIS
TWR - 118.70 MHz -
APP - 121.30 MHz - RADAR
GND - 121.90 MHz -
APP - 119.20 MHz - RADAR
APP - 127.10 MHz - RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	151 ft	12,044 ft	30.90	ASPHALT	0 ft	69 ft
	46 m	3,671 m	31.61		0 m	21 m
21	151 ft	12,044 ft	210.90	ASPHALT	0 ft	69 ft
	46 m	3,671 m	211.61		0 m	21 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	BE	108.90 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
21	DME	BI	109.70 MHz	18 nm	-	-	73 ft
				33 km	-		73 m
03	LOC-ILS	BE	108.90 MHz	18 nm	30.92	-	73 ft
				33 km	31.63		73 m
21	LOC-ILS	BI	109.70 MHz	18 nm	210.90	-	20 ft
				33 km	211.60		20 m
03	GS	BE	108.90 MHz	10 nm	31.80	3.00	73 ft
				19 km	32.51		73 m
21	GS	BI	109.70 MHz	10 nm	211.80	3.00	73 ft
				19 km	212.51		73 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.238 W

METAR

VHHH 131630Z 10014KT 9999 FEW012 SCT045 24/19 Q1013 NOSIG

TAF

TAF VHHH 131400Z 1315/1421 09010KT 9999 FEW015 SCT025 TX30/1406Z TN24/1322Z BECMG 1403/1405 27010KT BECMG 1409/14

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m