


2024/05/01 0147Z

KTEX KANON **J28** FLOOD **Q128** ZAROS KULS

319.84 nm / 592.35 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KTEX	-	37.95380	0 ft	-	Telluride Rgnl
APT	-	-107.90900	0 m		
KANON	-	38.39590	33,600 ft	94	-
FIX	-	-105.99200	10,241 m		
RODDY	J28	38.35850	35,000 ft	28	-
FIX	AWY-HI	-105.37900	10,668 m		
FLOOD	J28	38.34000	35,000 ft	13	-
FIX	AWY-HI	-105.09400	10,668 m		
ZAROS	Q128	37.98930	10,900 ft	131	-
FIX	AWY-HI	-102.33900	3,322 m		
KULS	-	37.60340	0 ft	51	ULYSSES
APT	-	-101.37400	0 m		

KTEX

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 1

Elevation: 9,078 ft / 2,767 m

Location: 37.953800 -107.909000

Magnetic Var: 8.772 E

METAR

KTEX 010135Z AUTO 24009G17KT 200V270 10SM CLR 12/M22 A3007 RMK A02

TAF

KTEX 302321Z 0100/0124 27010G17KT P6SM FEW200 FM010300 15006KT P6SM FEW200 FM011600 22013G22KT P6SM VCSH FEW050 B

Frequencies

REC - 118.32 MHz - AWOS

COM - 123.00 MHz - UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft	7,116 ft	104.97	ASPHALT	213 ft	397 ft
	30 m	2,169 m	96.20		65 m	121 m
27	98 ft	7,116 ft	284.99	ASPHALT	210 ft	397 ft
	30 m	2,169 m	276.22		64 m	121 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ITEX	109.30 MHz	18 nm	-	-	9,078 ft
				33 km	-		9,078 m