

# EKAH

Aarhus


# EGSS

Stansted

2024/05/07 0442Z

EKAH ABKAS **L975** GOLUM **P144** LATMU EGSS

470.90 nm / 872.11 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EKAH	-	56.30430	0 ft	-	Aarhus
APT	-	10.61940	0 m		
ABKAS	-	55.59670	33,400 ft	93	-
FIX	-	8.13500	10,180 m		
GOLUM	L975	55.45000	35,000 ft	97	-
FIX	AWY-HI	5.28333	10,668 m		
SOPTO	P144	55.30560	35,000 ft	12	-
FIX	AWY-HI	5.00000	10,668 m		
LARGA	P144	54.86390	35,000 ft	39	-
FIX	AWY-HI	4.15333	10,668 m		
LATMU	P144	53.25690	22,800 ft	120	-
FIX	AWY-HI	2.08944	6,949 m		
EGSS	-	51.88510	0 ft	106	Stansted
APT	-	0.23499	0 m		

## EKAH

Region: DENMARK / FAROE ISLANDS  
Timezone: EUROPE/COPENHAGEN  
Runways: 2

Elevation: 82 ft / 25 m  
Location: 56.304300 10.619400  
Magnetic Var: 4.024 E

## METAR

EKAH 070420Z AUTO 11007KT 9999 OVC019/// 10/06 Q1019

## TAF

TAF EKAH 062303Z 0700/0724 07007KT 9999 BKN020

## Frequencies

TWR - 118.52 MHz - AARHUS TOWER

APP - 119.27 MHz - AARHUS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	75 ft	9,081 ft	100.30	ASPHALT	0 ft	0 ft
	23 m	2,768 m	96.28		0 m	0 m
28R	75 ft	9,081 ft	280.34	ASPHALT	0 ft	0 ft
	23 m	2,768 m	276.31		0 m	0 m
10R	148 ft	8,837 ft	100.29	ASPHALT	0 ft	938 ft
	45 m	2,693 m	96.27		0 m	286 m
28L	148 ft	8,837 ft	280.33	ASPHALT	0 ft	738 ft
	45 m	2,693 m	276.30		0 m	225 m

## Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	DME	TR	111.10 MHz	18 nm	-	-	79 ft
				33 km	-		79 m
10R	LOC-ILS	AAR	111.90 MHz	18 nm	100.33	-	82 ft
				33 km	96.31		82 m
28L	LOC-ILS	TR	111.10 MHz	18 nm	280.29	-	82 ft
				33 km	276.27		82 m
10R	GS	AAR	111.90 MHz	10 nm	100.62	2.75	82 ft
				19 km	96.60		82 m
28L	GS	TR	111.10 MHz	10 nm	280.62	2.75	82 ft
				19 km	276.60		82 m

## EGSS

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 348 ft / 106 m  
Location: 51.885100 0.234989  
Magnetic Var: 0.577 E

## METAR

EGSS 070420Z AUTO 35005KT 3900 BR NCD 07/07 Q1017

## TAF

TAF AMD EGSS 070325Z 0703/0806 03005KT 7000 FEW025 PROB30 0703/0707 1200 BR BKN004 BECMG 0707/0710 9999 PROB40 0707/0710 3000 BR BKN004

## Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.21		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.23		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.22		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.22		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.22		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.22		348 m