


2024/06/03 1830Z

MYNN GEROT **A555** MICAS MBPV

351.32 nm / 650.64 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MYNN APT	-	25.03860 -77.46662	0 ft 0 m	-	Nassau Intl
GEROT FIX	-	24.04418 -75.95364	35,000 ft 10,668 m	101	-
ZLS NDB	A555 AWY-LO	23.58056 -75.26389	35,000 ft 10,668 m	47	STELLA MARIS NDB
INDEE FIX	A555 AWY-LO	23.13979 -74.38954	31,500 ft 9,601 m	54	-
MICAS FIX	A555 AWY-LO	22.13150 -72.44524	5,000 ft 1,524 m	123	-
MBPV APT	-	21.77360 -72.26590	0 ft 0 m	23	Providenciales

## MYNN

Region: BAHAMAS  
Timezone: AMERICA/NASSAU  
Runways: 2

Elevation: 16 ft / 5 m  
Location: 25.038700 -77.466800  
Magnetic Var: 8.786 W

## METAR

MYNN 031800Z 05011KT 9999 SCT015 SCT200 28/23 A2996

## TAF

TAF MYNN 031700Z 0318/0418 08011KT 9999 VCSH SCT015 BKN200

## Frequencies

REC - 118.70 MHz - ATIS	CLD - 118.30 MHz - NASSAU CLEARANCE
GND - 121.70 MHz - NASSAU GROUND	TWR - 119.50 MHz - NASSAU TOWER
APP - 121.00 MHz - NASSAU APPROACH	APP - 125.30 MHz - NASSAU APPROACH
DEP - 121.00 MHz - NASSAU DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	11,136 ft	134.80	CONCRETE	210 ft	0 ft
	46 m	3,394 m	143.59		64 m	0 m
32	151 ft	11,136 ft	314.81	CONCRETE	0 ft	0 ft
	46 m	3,394 m	323.60		0 m	0 m
10	151 ft	8,282 ft	89.67	CONCRETE	0 ft	0 ft
	46 m	2,524 m	98.46		0 m	0 m
28	151 ft	8,282 ft	269.68	CONCRETE	0 ft	0 ft
	46 m	2,524 m	278.47		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IZQA	110.10 MHz	18 nm	134.83	-	7 ft
				33 km	143.62		7 m
14	GS	IZQA	110.10 MHz	10 nm	135.66	3.00	8 ft
				19 km	144.45		8 m