


2024/05/02 1329Z

LICJ CORAD **M727** PEPHX **UM727** AMTEL **L995** LUPOS LIME

481.29 nm / 891.36 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 38000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LICJ APT	-	38.17738 13.09704	0 ft 0 m	-	PALERMO
CORAD FIX	-	39.75694 12.38528	35,000 ft 10,668 m	100	-
ROTUN FIX	M727 AWY-LO	40.88333 12.30556	35,000 ft 10,668 m	67	-
PEPIX FIX	M727 AWY-LO	41.16000 12.18861	35,000 ft 10,668 m	17	-
TAQ VOR	UM727 AWY-HI	42.21498 11.73249	35,000 ft 10,668 m	66	TARQUINIA VOR-DME
AMTEL FIX	UM727 AWY-HI	43.22028 11.60861	35,000 ft 10,668 m	60	-
KUGIX FIX	L995 AWY-LO	43.55222 11.36222	31,200 ft 9,510 m	22	-
FRZ VOR	L995 AWY-LO	44.02718 11.00331	24,200 ft 7,376 m	32	FIRENZE VORTAC
LUPOS FIX	L995 AWY-LO	44.50472 10.58139	16,900 ft 5,151 m	33	-
LIME APT	-	45.67200 9.70689	0 ft 0 m	79	Bergamo Orio Al Serio

LICJ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 63 ft / 19 m
Location: 38.177500 13.097200
Magnetic Var: 3.572 E

METAR

LICJ 021250Z 28020KT 9999 SCT016 BKN040 17/14 Q1016

TAF

TAF LICJ 021100Z 0212/0312 22018KT 9999 SCT020 TEMPO 0212/0218 4000 TSRA BECMG 0304/0306 28018G28KT

Frequencies

GND - 121.62 MHz - RAISI GROUND
APP - 120.20 MHz - PALERMO APPROACH
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER
APP - 118.65 MHz - PALERMO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	6,791 ft	23.79	ASPHALT	0 ft	0 ft
	45 m	2,070 m	20.22		0 m	0 m
20	148 ft	6,791 ft	203.80	ASPHALT	0 ft	0 ft
	45 m	2,070 m	200.23		0 m	0 m
07	197 ft	10,922 ft	66.82	ASPHALT	404 ft	577 ft
	60 m	3,329 m	63.25		123 m	176 m
25	197 ft	10,922 ft	246.84	ASPHALT	669 ft	302 ft
	60 m	3,329 m	243.27		204 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
25	DME	RAI	109.50 MHz	18 nm	-	-	65 ft
				33 km	-		65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm	203.92	-	64 ft
				33 km	200.35		64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm	246.80	-	64 ft
				33 km	243.23		64 m
20	GS	ITO	110.55 MHz	10 nm	203.92	3.00	64 ft
				19 km	200.35		64 m
25	GS	RAI	109.50 MHz	10 nm	246.80	3.00	64 ft
				19 km	243.23		64 m

LIME

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 776 ft / 237 m
Location: 45.672000 9.706810
Magnetic Var: 3.341 E

METAR

LIME 021250Z 18008G19KT 130V240 2000 +RA SCT003CB BKN025 12/11 Q1006 TEMPO 4000 TSRA

TAF

TAF LIME 021100Z 0212/0312 10011KT 9999 SCT015 BKN040 TEMPO 0212/0219 4000 TSRA BECMG 0212/0214 02012KT BECMG 021

Frequencies

GND - 120.50 MHz - ORIO GROUND
REC - 114.95 MHz - ATIS
APP - 126.75 MHz - MILANO RADAR

TWR - 125.87 MHz - ORIO TOWER
APP - 126.30 MHz - MILANO RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	59 ft	2,670 ft	121.46	ASPHALT	200 ft	0 ft
	18 m	814 m	118.12		61 m	0 m
30	59 ft	2,670 ft	301.47	ASPHALT	312 ft	0 ft
	18 m	814 m	298.13		95 m	0 m
10	148 ft	9,439 ft	104.87	ASPHALT	718 ft	0 ft
	45 m	2,877 m	101.53		219 m	0 m
28	148 ft	9,439 ft	284.90	ASPHALT	443 ft	0 ft
	45 m	2,877 m	281.56		135 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	BRM	108.70 MHz	18 nm	-	-	779 ft
				33 km	-		779 m
28	LOC-ILS	BRM	108.70 MHz	18 nm	285.08	-	779 ft
				33 km	281.74		779 m
28	GS	BRM	108.70 MHz	10 nm	285.80	3.00	779 ft
				19 km	282.46		779 m