


2024/05/18 0244Z  
PAFA FAI **J122** GAL PAGA  
232.47 nm / 430.53 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAFA	-	64.81390	0 ft	-	Fairbanks Intl
APT	-	-147.85500	0 m		
FAI	-	64.80010	1,400 ft	4	FAIRBANKS
VOR	-	-148.01200	427 m		
GAL	J122	64.73810	800 ft	224	GALENA
VOR	AWY-HI	-156.77700	244 m		
PAGA	-	64.73630	0 ft	4	EDWARD G PITKA SR
APT	-	-156.93800	0 m		

## PAFA

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 438 ft / 134 m

Location: 64.813900 -147.855000

Magnetic Var: 14.809 E

## METAR

PAFA 180153Z 28011KT 10SM SCT075 SCT100 BKN200 18/02 A2994 RMK A02 SLP142 T01780017

## TAF

TAF TAF AMD PAFA 180143Z 1802/1906 25012KT P6SM FEW100 BKN200 FM180400 26007KT P6SM FEW090 BKN120 FM182200 16010G

## Frequencies

REC - 124.40 MHz - ATIS

TWR - 118.30 MHz - FAIRBANKS TOWER

APP - 127.10 MHz - FAIRBANKS APPROACH

DEP - 127.10 MHz - FAIRBANKS DEPARTURE

GND - 121.90 MHz - FAIRBANKS GROUND

APP - 125.35 MHz - FAIRBANKS APPROACH

DEP - 125.35 MHz - FAIRBANKS DEPARTURE

CLD - 127.60 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	75 ft	2,903 ft	38.08	GRAVEL	0 ft	0 ft
	23 m	885 m	23.27		0 m	0 m
20	75 ft	2,903 ft	218.09	GRAVEL	0 ft	0 ft
	23 m	885 m	203.28		0 m	0 m
02R	98 ft	6,509 ft	38.04	ASPHALT	0 ft	0 ft
	30 m	1,984 m	23.23		0 m	0 m
20L	98 ft	6,509 ft	218.06	ASPHALT	0 ft	0 ft
	30 m	1,984 m	203.25		0 m	0 m
02L	151 ft	11,812 ft	38.04	ASPHALT	751 ft	377 ft
	46 m	3,600 m	23.23		229 m	115 m
20R	151 ft	11,812 ft	218.08	ASPHALT	751 ft	374 ft
	46 m	3,600 m	203.27		229 m	114 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02L	LOC-ILS	ICNA	109.10 MHz	18 nm	38.07	-	438 ft
				33 km	23.26		438 m
20R	LOC-ILS	IFAI	110.30 MHz	18 nm	218.07	-	438 ft
				33 km	203.26		438 m
02L	GS	ICNA	109.10 MHz	10 nm	38.07	3.00	438 ft
				19 km	23.26		438 m
20R	GS	IFAI	110.30 MHz	10 nm	218.07	3.00	438 ft
				19 km	203.26		438 m

## PAGA

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 2

Elevation: 152 ft / 46 m

Location: 64.736300 -156.938000

Magnetic Var: 11.487 E

## METAR

PAGA 180156Z AUTO 13004KT 10SM OVC085 11/M04 A3003 RMK AO2 SLP170 T01111039 TSNO \$

## TAF

PAGA 172340Z 1800/1824 06003KT P6SM VCSH SCT040 BKN060 FM181200 08002KT P6SM BKN250

## Frequencies

REC - 132.52 MHz - AWOS 3

COM - 123.00 MHz - CTAF

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	7,228 ft	89.54	ASPHALT	606 ft	376 ft
	46 m	2,203 m	78.05		185 m	115 m
25	150 ft	7,228 ft	269.58	ASPHALT	0 ft	1,238 ft
	46 m	2,203 m	258.09		0 m	377 m
06	80 ft	2,776 ft	89.68	GRAVEL	0 ft	0 ft
	24 m	846 m	78.19		0 m	0 m
24	80 ft	2,776 ft	269.69	GRAVEL	0 ft	0 ft
	24 m	846 m	258.21		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	IGAL	109.50 MHz	18 nm	269.50	-	152 ft
				33 km	258.01		152 m
25	GS	IGAL	109.50 MHz	10 nm	270.12	3.00	151 ft
				19 km	258.63		151 m