

ENBR

Bergen Lufthavn Flesland


ENZV

Stavanger Lufthavn Sola

2024/05/19 0350Z

ENBR OKLAN ENZV

85.78 nm / 158.87 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 14000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ENBR	-	60.29339	0 ft	-	Bergen Lufthavn Flesland
APT	-	5.21814	0 m		
OKLAN	-	59.64917	9,900 ft	39	-
FIX	-	5.41417	3,018 m		
ENZV	-	58.88046	0 ft	46	Stavanger Lufthavn Sola
APT	-	5.63143	0 m		

ENBR

Region: NORWAY
Timezone: EUROPE/OSLO
Runways: 1

Elevation: 166 ft / 51 m
Location: 60.293600 5.218060
Magnetic Var: 1.994 E

METAR

ENBR 190320Z 33008KT 9999 SCT008 BKN013 12/12 Q1015 RMK WIND 1200FT 34012KT

TAF

TAF AMD ENBR 190213Z 1902/1924 31005KT 9999 FEW008 BKN012 TEMPO 1902/1907 BKN004 BECMG 1906/1908 FEW012 SCT050 TEM

Frequencies

REC - 125.25 MHz - FLESLAND INFORMATION
TWR - 119.10 MHz - FLESLAND TOWER
APP - 125.00 MHz - FLESLAND APPROACH EAST
GND - 121.90 MHz - FLESLAND GROUND
APP - 121.00 MHz - FLESLAND APPROACH WEST
CLD - 118.85 MHz - FLESLAND DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	9,791 ft	170.53	ASPHALT	876 ft	0 ft
	45 m	2,984 m	168.53		267 m	0 m
35	148 ft	9,791 ft	350.53	ASPHALT	889 ft	0 ft
	45 m	2,984 m	348.54		271 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	BR	109.90 MHz	18 nm	170.56	-	165 ft
				33 km	168.57		165 m
35	LOC-ILS	BG	110.50 MHz	18 nm	350.55	-	165 ft
				33 km	348.55		165 m
17	GS	BR	109.90 MHz	10 nm	170.53	3.10	166 ft
				19 km	168.54		166 m
35	GS	BG	110.50 MHz	10 nm	350.53	3.00	166 ft
				19 km	348.54		166 m

ENZV

Region: NORWAY
Timezone: EUROPE/OSLO
Runways: 2

Elevation: 27 ft / 8 m
Location: 58.880300 5.631380
Magnetic Var: 2.189 E

METAR

ENZV 190320Z 00000KT 1600 BR SCT003 11/10 Q1015

TAF

TAF AMD ENZV 190311Z 1903/1924 VRB05KT 1500 BR BKN003 TEMPO 1903/1907 6000 SCT004 BECMG 1906/1908 34010KT 9999 FEW

Frequencies

REC - 126.00 MHz - ATIS
TWR - 118.35 MHz -
APP - 119.60 MHz - RADAR

GND - 121.75 MHz -
TWR - 122.10 MHz -
APP - 118.50 MHz - ARR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,176 ft	179.13	ASPHALT	0 ft	0 ft
	60 m	2,492 m	176.95		0 m	0 m
36	197 ft	8,176 ft	359.13	ASPHALT	0 ft	0 ft
	60 m	2,492 m	356.95		0 m	0 m
11	148 ft	8,022 ft	106.31	ASPHALT	322 ft	0 ft
	45 m	2,445 m	104.12		98 m	0 m
29	148 ft	8,022 ft	286.35	ASPHALT	509 ft	0 ft
	45 m	2,445 m	284.16		155 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	ZL	109.50 MHz	18 nm	-	-	37 ft
				33 km	-		37 m
36	DME	SL	111.35 MHz	18 nm	-	-	79 ft
				33 km	-		79 m
11	LOC-ILS	ZL	109.50 MHz	18 nm	106.33	-	27 ft
				33 km	104.14		27 m
18	LOC-ILS	ZV	110.30 MHz	18 nm	179.13	-	27 ft
				33 km	176.94		27 m
36	LOC-ILS	SL	111.35 MHz	18 nm	359.13	-	27 ft
				33 km	356.94		27 m
11	GS	ZL	109.50 MHz	10 nm	106.33	3.00	27 ft
				19 km	104.14		27 m
18	GS	ZV	110.30 MHz	10 nm	179.13	3.00	27 ft
				19 km	176.94		27 m
36	GS	SL	111.35 MHz	10 nm	359.13	3.00	27 ft
				19 km	356.94		27 m